

Installation

Install Tailwind CSS with Angular

Setting up Tailwind CSS in an Angular project.

1 Create your project

Start by creating a new Angular project if you don't have one set up already. The most common approach is to use [Angular CLI](#).

Terminal



```
> ng new my-project  
> cd my-project
```

2 Install Tailwind CSS

Install `tailwindcss` via npm, and then run the init command to generate a `tailwind.config.js` file.

Terminal



```
> npm install -D tailwindcss@3 postcss autoprefixer  
> npx tailwindcss init
```

3 Configure your template paths

Add the paths to all of your template files in your `tailwind.config.js` file.

tailwind.config.js



```
/** @type {import('tailwindcss').Config} */
```

```
module.exports = {
  content: [
    "./src/**/*.html",
  ],
  theme: {
    extend: {},
  },
  plugins: [],
}
```

4 Add the Tailwind directives to your CSS

Add the `@tailwind` directives for each of Tailwind's layers to your `./src/styles.css` file.

styles.css



```
@tailwind base;
@tailwind components;
@tailwind utilities;
```

5 Start your build process

Run your build process with `ng serve`.

Terminal



```
> ng serve
```

6 Start using Tailwind in your project

Start using Tailwind's utility classes to style your content.

app.component.html



```
<h1 class="text-3xl font-bold underline">
  Hello world!
</h1>
```



v3.4.17 ▾



Getting Started > **Install Tailwind CSS with Angular**