

Creación de Launch Template

Success

Successfully created tpt-ec2-andres_altamar(it-0c0f9fb7bf7afbee).

Actions log

Next Steps

Launch an instance

With On-Demand Instances, you pay for compute capacity by the second (for Linux, with a minimum of 60 seconds) or by the hour (for all other operating systems) with no long-term commitments or upfront payments. Launch an On-Demand Instance from your launch template.
[Launch instance from this template](#)

Create an Auto Scaling group from your template

Amazon EC2 Auto Scaling helps you maintain application availability and allows you to scale your Amazon EC2 capacity up or down automatically according to conditions you define. You can use Auto Scaling to help ensure that you are running your desired number of Amazon EC2 instances during demand spikes to maintain performance and decrease capacity during lulls to reduce costs.
[Create Auto Scaling group](#)

Create Spot Fleet

A Spot Instance is an unused EC2 instance that is available for less than the On-Demand price. Because Spot Instances enable you to request unused EC2 instances at steep discounts, you can lower your Amazon EC2 costs significantly. The hourly price for a Spot Instance (of each instance type in each Availability Zone) is set by Amazon EC2, and adjusted gradually based on the long-term supply of and demand for Spot Instances. Spot instances are well-suited for data-analysis, batch jobs, background processing, and optional tasks.
[Create Spot Fleet](#)

Launch Templates (1/10)

Info

Actions

Create launch template

Search

Launch Template ID	Launch Template Name	Default Version	Latest Version	Create Time	Created By	Managed
☐ lt-06f95b27a049436ce	Template-pablocastano6	1	1	2026-03-17T00:59:07.000Z	arn:aws:iam::654654478122:user/...	false
☐ lt-0f711d9843a289a7e	examenmod2	1	1	2026-03-17T00:59:13.000Z	arn:aws:iam::654654478122:user/...	false
☐ lt-0d62fbd9c9236e194d	template-duvanacevedo	1	1	2026-03-17T00:58:49.000Z	arn:aws:iam::654654478122:user/...	false
☒ lt-0c0f9fb7bf7afbee	tpt-ec2-andres_altamar	1	1	2026-03-17T00:58:47.000Z	arn:aws:iam::654654478122:user/...	false
☐ lt-0ef0712e541c054f2	AWSEBEC2LaunchTemplate_BU...	1	2	2026-03-10T03:46:47.000Z	arn:aws:iam::654654478122:user/...	false
☐ lt-076b6641e996c59c5	LaunchTemplate-baldo542	1	1	2026-03-17T00:56:49.000Z	arn:aws:iam::654654478122:user/...	false

tpt-ec2-andres_altamar (lt-0c0f9fb7bf7afbee)

Details Versions Template tags

Launch template details

Launch template ID

lt-0c0f9fb7bf7afbee

Launch template name

tpt-ec2-andres_altamar

Default version

1

Owner

arn:aws:iam::654654478122:user/student
s/a.andres1538@gmail.com

Launch template version details

Actions Delete template version

Creacion de Autoescaping Group

EC2

Auto Scaling groups

asg-andres_altamar created successfully

Auto Scaling groups (1/8)

Info

Launch configurations

Launch templates

Actions

Create Auto Scaling group

Search your Auto Scaling groups

Name	Launch template/configuration	Instances	Status	Desired capacity	Min	Max	Availability Zones	Creation time
☒ asg-andres-altamar	tpt-ec2-andres_altamar Version Default	0	Updating capacity...	1	1	2	us-east-1 (see web...)	Mon Mar 16 2026 20:03:37 GMT-0500 (hora estándar ...)

Auto Scaling group: asg-andres-altamar

Details Integrations Automatic scaling Instance management Instance refresh Activity Monitoring Tags

asg-andres-altamar Capacity overview

arn:aws:autoscaling:us-east-1:654654478122:autoScalingGroup:af70a7c5-f9eb-47b6-9efb-f61a20512595:autoScalingGroupName/asg-andres-altamar

Desired capacity

1

Scaling limits

1-2

Desired capacity type

Units (number of instances)

Status

Updating capacity

Date created

Mon Mar 16 2026 20:03:37 GMT-0500 (hora estándar de Colombia)

Launch template

Launch template

lt-0c0f9fb7bf7afbee

AMI ID

ami-02bf0d48f939f2a1b

Instance type

t2.micro

Owner

arn:aws:iam::654654478122:user/student/a.andres1538@gmail.com

Creacion de Instancia desde Launch Template Creado Previamente.

EC2 > Launch templates > Launch instance from template

Success

Successfully initiated launch of instance [i-0fd6d41a6279841de]

Launch log

Next steps

Get notified of estimated charges

Create billing alerts to get an email notification when estimated charges on your AWS bill exceed an amount you define.

For example, you can create a billing alert for when you exceed the free usage tier.

Connect to your instance

Your instance is launching. It might take a few minutes for it to reach the running state and to become ready for use. To monitor the instance's state, choose **View all instances**. When the instances reach the running state, you can **connect to them** from the Instances screen.

View launch templates

Instances (1/12) Info

Last updated 4 minutes ago

Connect

Instance state

Actions

Launch instances

Find Instance by attribute or tag (case-sensitive)

All states

Instance state = running


Clear filters

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Pub
☒	Andres Altamar	i-08636917b01bdef20	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1a	-
☐	baldo542	i-07bb2a6c5a1c9a56d	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1a	ec2-
☐		i-00c772a139e751474	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1a	-
☐		i-0eaa7aecf1ffa4126	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1a	ec2-
☐	Nodejsaldemar-env	i-0dc659e5b8028bdf1	Running	t3.micro	3/3 checks passec	View alarms +	us-east-1a	ec2-
☐		i-02ffd1bc3e2e60f61	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1a	ec2-
☐		i-01b21ea999c55337f	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1a	ec2-
☐		i-093925f1cb6bbd440	Running	t2.micro	2/2 checks passec	View alarms +	us-east-1a	ec2-


i-08636917b01bdef20

CloudWatch


Alarma de >=90%



Alarma del 60%



Selección de 3 Metricas en el panel de CloudWatch



Eventos de mi Usuario IAM en cloudtrail.

The screenshot shows the AWS CloudTrail console. The left sidebar contains navigation links: CloudTrail, Dashboard, Event history, Insights, Lake, Dashboards, Query, Event data stores, Integrations, Trails, Settings, Pricing, Documentation, Forums, and FAQs. The main area displays the 'Event history (5/5)' page. The 'Event history' section shows a list of events. The first event is selected:

Event name	Event time	User name	Event source	Resource type	Resource
LookupEvents	March 16, 2026, 20:58:43 (UTC-05:00)	a.andres1538@gmail.com	cloudtrail.amazonaws.com	-	-

Below the event list, there is a section titled '5 / 5 events selected'. It shows a table with 5 events selected for comparison:

Event properties	Event 1	Event 2	Event 3	Event 4	Event 5
Event name	LookupEvents	LookupEvents	GetAccountColor	ListIndexes	DescribeAlarms
Event ID	0018817f-2fb8-4057-82a0-cf9b86fc550f	b1dd2cef-2010-4b74-8be8-fa5a1c33f36	af1bc1e1-d23a-4a9e-af78-5e4ad70fcb82	15f4c22e-7a9d-4f8e-9468-6d4133090676	05f6bdf1-bf85-4077-99a0-9611a942f894
Event time	March 16, 2026, 20:58:43 (UTC-05:00)	March 16, 2026, 20:58:43 (UTC-05:00)	March 16, 2026, 20:57:54 (UTC-05:00)	March 16, 2026, 20:57:47 (UTC-05:00)	March 16, 2026, 20:57:32 (UTC-05:00)
User name	a.andres1538@gmail.com	a.andres1538@gmail.com	a.andres1538@gmail.com	a.andres1538@gmail.com	a.andres1538@gmail.com

Ejecución de Instancia Cloudtrail

CloudTrail > Event history > RunInstances

CloudTrail < **RunInstances** Info

Dashboard
Event history
Insights
Lake
Dashboards
Query
Event data stores
Integrations
Trails

Details Info

Event time March 16, 2026, 20:08:47 (UTC-05:00)	AWS access key ASIAZQ3DSS4VLI6HGF6W	AWS region us-east-1
User name a.andres1538@gmail.com	Source IP address 186.117.191.7	Error code -
Event name RunInstances	Event ID 47df68a7-5827-4da9-90ef-206ce8b0142f	Read-only false
Event source ec2.amazonaws.com	Request ID e421273f-7d00-412c-bc8b-6ba2e34bb2fb	

Event record Info Copy

JSON view

```

1 {
2   "eventVersion": "1.11",
3   "userIdentity": {
4     "type": "IAMUser",
5     "principalId": "AIDAZQ3DSS4VFP2XAGFP",
6     "arn": "arn:aws:iam::654654478122:user/students/a.andres1538@gmail.com",
7     "accountId": "654654478122",
8     "accessKeyId": "ASIAZQ3DSS4VLI6HGF6W",
9     "userName": "a.andres1538@gmail.com",
10    "sessionContext": {
11      "attributes": {
12        "creationDate": "2026-03-17T00:47:27Z",
13        "mfaAuthenticated": "false"
14      }
15    }
16  },
17  "eventTime": "2026-03-17T01:08:47Z",
18  "eventSource": "ec2.amazonaws.com",
19  "eventName": "RunInstances",

```

Creación del Rol para el servicio de Lambda

✔ Role Lambda_Role_Andres_Altamar created. View role ×


Roles (111) Info Refresh Delete Create role

An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities that you trust.

Search

☐	Role name	Trusted entities	Last activity
☐	alejoMV-lambdaLab	AWS Service: lambda	-
☐	AlejoMV-modulo2-lambdaRole	AWS Service: lambda	23 minutes ago
☐	alejoMV-VerificarNumeroActivo-role-0kcv6ocn	AWS Service: lambda	-

Función Lambda




The screenshot shows the AWS Lambda console for the function `verificar_instancias_ec2_andres_altamar`. The code in `lambda_function.py` is as follows:

```
def lambda_handler(event, context):  
    ec2 = boto3.client('ec2')  
  
    # Consultamos todas las instancias  
    response = ec2.describe_instances()  
  
    print("---- Listado de Instancias EC2 ----")  
  
    # Recorremos la respuesta para sacar el ID y el Estado
```

The execution results show the following output:

```
---- Listado de Instancias EC2 ----  
ID de la instancia: i-08636917b01bdef20 | Estado: running  
ID de la instancia: i-07bb2a6c5a1c9a56d | Estado: terminated  
ID de la instancia: i-0be643f8c586c6e8f | Estado: terminated  
ID de la instancia: i-0fd6d1a6279841de | Estado: terminated  
ID de la instancia: i-0972ea69b77c6433 | Estado: running  
ID de la instancia: i-00c772a139e751474 | Estado: running  
ID de la instancia: i-0eaa7aef1ffa126 | Estado: running  
ID de la instancia: i-0cd0fe1706b556985 | Estado: running  
ID de la instancia: i-05872507203379897 | Estado: running  
ID de la instancia: i-0dc659e5b0028bdf1 | Estado: running  
ID de la instancia: i-0ede5e03ecb06ba5f | Estado: terminated  
ID de la instancia: i-0cb759f0f71fdb9a5 | Estado: terminated  
ID de la instancia: i-0dc601f12376e3543 | Estado: running
```



The screenshot shows the AWS CloudWatch console for the log group `/aws/lambda/verificar_instancias_ec2_andres_altamar`. A red error banner at the top states: "Log group does not exist. The specific log group: /aws/lambda/verificar_instancias_ec2_andres_altamar does not exist in this account or region." Below the banner, the "Log group details" section shows the following information:

- Log class:** Standard
- ARN:** `arn:aws:logs:us-east-1:654654478122:log-group:/aws/lambda/verificar_instancias_ec2_andres_altamar:`
- Creation time:** -
- Retention:** Never expire
- Stored bytes:** -
- Account:** -

Other details shown include:

- Metric filters:** Not supported
- Subscription filters:** Not supported
- Contributor Insights rules:** Not supported
- KMS key ID:** -
- Deletion protection:** Off
- Data protection:** -
- Sensitive data count:** Not supported
- Custom field indexes:** Not supported
- Transformer:** Not supported
- Anomaly detection:** Not supported
- Bearer token authentication:** Off