

Examen Modulo 2

Print Screen de resumen de configuración de lanzamiento de EC2

Instance summary for i-0094623dc1c706e2a (EC2_Exam2_Andres_Altamar) Info

Updated less than a minute ago

Instance ID

i-0094623dc1c706e2a

IPV6 address

-

Hostname type

IP name: ip-172-31-7-155.ec2.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

98.84.48.86 [Public IP]

IAM role

-

IMDSv2

Required

Operator

-

Public IPv4 address

98.84.48.86 | open address

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-7-155.ec2.internal

Instance type

t3.micro

VPC ID

vpc-00f479057476a2db8 (VPC-Produccion)

Subnet ID

subnet-00227b47a5f26ec04

Instance ARN

arn:aws:ec2:us-east-1:654654478122:instance/i-0094623dc1c706e2a

Private IPv4 addresses

172.31.7.155

Public DNS

ec2-98-84-48-86.compute-1.amazonaws.com | open address

Elastic IP addresses

-

AWS Compute Optimizer finding

User: arn:aws:iam::654654478122:user/students/a.andres1538@gmail.com is not authorized to perform: compute-optimizer:GetEnrollmentStatus on resource: * because no identity-based policy allows the compute-optimizer:GetEnrollmentStatus action

Retry

Auto Scaling Group name

-

Managed

false

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

Print screen RDS y el grupo de seguridad

sg-0ea386adf0480f106 - SG_RDS_Andres_Altamar

Actions

Details

Security group name

SG_RDS_Andres_Altamar

Owner

654654478122

Security group ID

sg-0ea386adf0480f106

Inbound rules count

1 Permission entry

Description

Acceso a una RDS

Outbound rules count

0 Permission entries

VPC ID

vpc-00f479057476a2db8

Inbound rules

Outbound rules

Sharing

VPC associations

Related resources - new

Tags

Inbound rules (1)

Manage tags

Edit inbound rules

Name	Security group rule ID	IP version	Type	Protocol	Port range	Source	Description
-	sgr-048051c50597d571e	-	MYSQL/Aurora	TCP	3306	sg-01586cc77b4c396da...	-

rdsexam2andresaltamar

Modify

Actions

Summary

DB identifier

rdsexam2andresaltamar

CPU

-

Status

Creating

Class

db.m7g.large

Role

Instance

Current activity

Engine

MySQL Community

Region & AZ

us-east-1c

Recommendations

Connectivity & security

Monitoring

Logs & events

Configuration

Zero-ETL integrations

Maintenance & backups

Data migrations

Tags

Recommendations

Connect using Info

Code snippets

Use when connecting through SDK, APIs, or third-party tools including agents.

CloudShell

Use for a quick access to AWS CLI that launches directly from the AWS Management Console.

Endpoints

Use when connecting through any IDE interface.

Internet access gateway

Disabled

IAM Authentication

Disabled

Programming language

MySQL (macOS)

Endpoint type

Instance endpoint

Connection steps

Follow the steps below to paste the code of each step in your tool and run the commands. The snippets dynamically reflect the authentication configuration.

Pending database creation

Print Screen donde se vea conectado a la RDS desde la EC2

[illegible]

```
ec2-user@ip-172-31-7-155.ec2.internal ssh ~
mysql -h rdsexam2andresaltamar.czckyeamig9k.us-east-1.rds.amazonaws.com -u admin -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MySQL connection id is 53
Server version: 8.4.7 Source distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MySQL [(none)]> c
->
-> \c
MySQL [(none)]> █
```

```
ssh
ec2-user@ip-172-31-7-155.ec2.internal ssh ~
mysql -h rdsexam2andresaltamar.czckyeamig9k.us-east-1.rds.amazonaws.com -u admin -p

MySQL [(none)]> c
->
-> \c
MySQL [(none)]> CREATE DATABASE laboratorioandresaltamar
-> CREATE DATABASE laboratorioandresaltamar;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for
the right syntax to use near 'CREATE DATABASE laboratorioandresaltamar' at line 2
MySQL [(none)]> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| sys |
+-----+
4 rows in set (0.001 sec)

MySQL [(none)]> CREATE DATABASE laboratorioandresaltamar;
Query OK, 1 row affected (0.006 sec)

MySQL [(none)]> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| laboratorioandresaltamar |
| mysql |
| performance_schema |
| sys |
+-----+
5 rows in set (0.001 sec)

MySQL [(none)]> █
```

Use agent Ctrl | Dismiss Don't show again