


Workshop(Practica EC2-RDS)


1) . Print Screen de resumen de configuración de lanzamiento de EC2.








2) . Print screen RDS y el grupo de seguridad.





3) . Print Screen donde se vea conectado a la RDS desde la EC2.

```
[ec2-user@ip-10-0-2-188 ~]$ curl -o global-bundle.pem https://truststore.pki.rds.amazonaws.com
/global/global-bundle.pem
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
100 170.4k 100 170.4k    0     0  7.43M      0                              0
[ec2-user@ip-10-0-2-188 ~]$ mysql -h rds-andressuarto-workshop.cunqgq44ghk8.us-east-1.rds.amaz
onaws.com -P 3306 -u andressuarto -p --ssl-mode=VERIFY_IDENTITY --ssl-ca=./global-bundle.pem
mysql: unknown variable 'ssl-mode=VERIFY_IDENTITY'
[ec2-user@ip-10-0-2-188 ~]$ mysql -h rds-andressuarto-workshop.cunqgq44ghk8.us-east-1.rds.amazonaws.com -P 3306 -u andressuarto -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MySQL connection id is 51
Server version: 8.4.11 Source distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
```


4). Print screen donde se vea comando de crear database y showdatabase donde muestre la base de datos con su nombre.

```
MySQL [(none)]> CREATE DATABASE laboratorio_andres_suarez;
Query OK, 1 row affected (0.054 sec)


MySQL [(none)]> SHOW DATABASES;
+----------------------------+
| Database                   |
+----------------------------+
| information_schema         |
| laboratorio_andres_suarez  |
| mysql                      |
| performance_schema         |
| sys                        |
+----------------------------+
5 rows in set (0.014 sec)
```

4) . Grupos de seguridad para la EC2 y la RDS.

- Security Group EC2:



- Security Group RDS:



Nombre Estudiante: Julian Andres Suarez Torres