# Script 4: Weather Com - all users

Uses the normal weather.com page. It provides forecast for 10 days.
Go to

and search for your place's forecast. If found, go to the 10 days forecast and copy the address.

Put the Conky_WeatherCom(_metric) folder in your home folder.

Navigate inside the folder and make the script executable:
Either by right clicking it or by

```
chmod +x ~/Conky_WeatherCom/weath_com
```

```
(chmod +x ~/Conky_WeatherCom_metric/weath_com _metric)
```

Open the script with your favourite text editor and replace my location's address at the address variable with yours.
Whether you use the .conkyrc_weather_com or the .conkyrc_weather_com_metric config file, you should do a Find&Replace in them to replace

```
/home/teo
```

with

`/home/yourusername`

(The if_existing command in the conkyrc files doesn't accept the $HOME variable – sorry).

You can intergrate the .conkyrc_weather_com(_metric) into your own .conkyrc file or run it individually with

`conky -c /path/.conkyrc_weather_com`

or

`conky -c /path/.conkyrc_weather_com_metric`

The cookie for the metric script should last for a long time (years?).

The script has a lot of stuff to download from the internet. Initially, it gave me trouble as conky went on before the script had time to finish (even using texeci) and the screen came out missing data.
That's why at the beginning of the script I've put

`kill -STOP $(pidof conky)`

to pause **ALL** running instances of conky until the script finishes.

After it's done, conky goes on with

`kill -CONT $(pidof conky)`

So, don't be surprised if your other instances of conky pause for a couple of seconds every 10 minutes or so.