

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56d7ac653c16479905cba931

Fecha de creación: 2016-03-03T03:15:51.385Z

annualCycles

annualCycleUnstructured:

habitats

0

dataObject:

additionalInformation:

0

keywords: Melipona favosa

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 200--203

issue:

volume: 63

year: 1990

0: Nates-Parra, G

1: Roubik, D

title: Sympatry among subspecies of Melipona favosa in Colombia and taxonomic revision

source: Journal of the Kansas Entomological Society

type: article

tags: Melipona favosa

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

habitatUnstructured: Habita regiones costeras de tierras bajas y áreas de manglares de Sudamérica y Panamá, generalmente en bosques húmedos, aunque también se encuentra en regiones secas (Nates-Parra & Roubik 1990).

[commonNamesAtomized](#)

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Español
name: Cargabarro
creation_date: 2016-03-03T03:15:51.385Z

usesManagementAndConservation

ancillaryData

dataObject:
additionalInformation:

reference

keywords: Melipona favosa

editors

editors: Amat-G, G

editors: Andrade-C, M G
editors: Amat-G, E
institution:
address:
publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia
Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial
accessed:
websites:
chapter:
series:
pages: 153--156
issue:
year: 2007

authors

authors: Nates-Parra, G
title: Abeja rabipintada (*Melipona favosa*)
source: Libro Rojo de los Invertebrados Terrestres de Colombia
type: book_section
tags: *Melipona favosa*
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

mimeType:
dataType:
identifier:
managementAndConservationUnstructured: En el 2003 se inició un proyecto cuyo objetivo es hacer la evaluación del estado poblacional de abejas del género *Melipona*. Se comenzó en Villavicencio y alrededores (Meta) y en Arbeláez y alrededores (Cundinamarca) (Nates-Parra, 2007).

managementAndConservationAtomized

0

0

dataObject:

additionalInformation:

0

keywords: Melipona favosa

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 21--33

issue:

volume: 3

year: 1995

0: Nates-Parra, G

title: Las abejas sin aguijón del genero Melipona (Hymenoptera:Meliponinae) en Colombia

source: Bol. Mus. Ent. Univ. Valle

type: article

tags: Melipona favosa

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataFormat:

identifier:

useNotes: Usadas por los campesinos, colonos e indígenas en la obtención de pequeñas pero importantes cantidades de miel (Nates-Parra, 1995).

potential:

properties:

ratingPopularity:

economics:

useTypeAtomized:

conservationExploitationData:

seasonOfAvailabilityUse:
meansOfApplicationAdministration:
productionDetails:
vernacularNameUseAnnotations:
organisms:
users:
partUsed:
useValue:
sourceOfInformationText:

references

identificationKeys

0

dataObject:
additionalInformation:

0

link: <http://www.bdigital.unal.edu.co/27854/1/25753-100456-1-PB.pdf>

keywords: Melipona favosa

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 115--128

issue:

volume: 2

year: 1990

0: Nates-Parra, G

title: Abejas de Colombia. III. Clave para géneros y subgéneros de Meliponini (Hymenoptera: Apidae)

source: Acta Biológica Colombiana

type: article

tags: Melipona favosa

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

keys: Nates-Parra, G. (1990). Abejas de Colombia. III. Clave para géneros y subgéneros de Meliponini (Hymenoptera: Apidae). Acta Biológica Colombiana, 2(6), 115–128. Retrieved from <http://www.bdigital.unal.edu.co/27854/1/25753-100456-1-PB.pdf>

fullDescription

0

dataObject:

additionalInformation:

0

link: <http://www.bdigital.unal.edu.co/27854/1/25753-100456-1-PB.pdf>

keywords: Melipona favosa

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 115--128

issue:

volume: 2

year: 1990

0: Nates-Parra, G

title: Abejas de Colombia. III. Clave para géneros y subgéneros de Meliponini (Hymenoptera: Apidae)

source: Acta Biológica Colombiana

type: article

tags: Melipona favosa

abstract:

last_modified:

created:

group_id:

profile_id:

id:

1

keywords: Melipona favosa

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 200--203

issue:

volume: 63

year: 1990

0: Nates-Parra, G

1: Roubik, D

title: Sympatry among subspecies of Melipona favosa in Colombia and taxonomic revision

source: Journal of the Kansas Entomological Society

type: article
tags: Melipona favosa
abstract:
last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
fullDescriptionUnstructured: Rostro muy ancho, la distancia entre los ojos compuestos a nivel del ocelo medio notablemente mas larga que la longitud del ojo. Tórax, incluyendo el escutelo, negro y sin manchas y con pilosidad fulvea. Tergitos 2-4 con banda amarilla, conspicua, ocupando su mitad apical (Nates-Parra, 1990; Nates-Parra & Roubik, 1990).
briefDescription:

references

keywords: Melipona favosa

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 147--157
issue:
volume: 64
year: 1988

authors

authors: Camargo, J M
authors: Moure, J S
authors: Roubik, D
title: Melipona yucatanica new species (Hymenoptera, Apidae, Meliponinae); stingless bees dispersal across the Caribbean arc and post-Eocene vicariance
source: Pan Pacif. Ento.
type: article
tags: Melipona favosa
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:

source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:
microReference:

year:
publishedIn
simple:
source:
datatype:
identifier:
specialAuthorship

authors

year
simple:
canonicalAuthorship

authors

year
simple:
simple: (Fabricius, 1798)
canonicalName
infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Melipona favosa
rank: SPECIES
simple: Melipona favosa (Fabricius, 1798)

attributes
nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rightsHolder:

rights:

license:

title:

modified: 2016-03-03T03:12:51.379Z

created: 2016-03-03T03:12:51.379Z

agent

homepage:

role:

email:

phone:

address:

position:

organisation:

lastName:

firstName:

contentType:

dataType:

identifier:

parentTaxon: Melipona

higherClassification:

infraspecificEpithet:

specificEpithet:

taxonRank: SPECIES

subGenus:

genus: Melipona

family: Apidae

order: Hymenoptera

classHierarchy: Insecta

phylum: Arthropoda

kingdom: Animalia

recommended:

classification:

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:

additionalInformation:

0

keywords: Melipona favosa

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 21--33

issue:

volume: 3

year: 1995

0: Nates-Parra, G

title: Las abejas sin aguijón del genero Melipona (Hymenoptera:Meliponinae) en Colombia

source: Bol. Mus. Ent. Univ. Valle

type: article

tags: Melipona favosa

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

reproductionUnstructured: Construyen sus nidos siempre cubiertos en cavidades pequeñas en troncos de árboles y cavidades artificiales a alturas que van desde 50 cm a 5 m. El orificio de entrada a los nidos es simple, por el cual cabe únicamente una sola abeja. Los panales son horizontales, dispuestos uno sobre otro pero con suficiente espacio entre ellos para ventilación y circulación de las abejas (Nates-Parra, 1995).

0

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:

thumbnailURL:

[mediaURL](#)

description:

[subject](#)

audience

rightsHolder:
rights:
license:
modified:
created:

agent

mimeType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

0

dataObject:
additionalInformation:

0

keywords: Melipona favosa
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 21--33
issue:
volume: 3
year: 1995
0: Nates-Parra, G
title: Las abejas sin aguijón del genero Melipona (Hymenoptera:Meliponinae) en Colombia
source: Bol. Mus. Ent. Univ. Valle

type: article
tags: Melipona favosa
abstract:
last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
lifeCycleUnstructured: Presenta metamorfosis completa u holometabola, con cuatro estadios de desarrollo biológico (huevo, larva, pupa y adulto) (Nates-Parra, 1995).

interactions

interactionsUnstructured:

feeding

0

dataObject:
additionalInformation:

0

keywords: Melipona favosa
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 21--33
issue:
volume: 3
year: 1995
0: Nates-Parra, G
title: Las abejas sin aguijón del genero Melipona (Hymenoptera:Meliponinae) en Colombia
source: Bol. Mus. Ent. Univ. Valle
type: article
tags: Melipona favosa
abstract:
last_modified:
created:

group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
feedingUnstructured: Esta especie tiene como fuente principal de carbohidratos y proteínas al néctar y el polen respectivamente (Nates-Parra, 1995).

0

type: Heterótrofos - Herbívoros

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

0

dataObject:

additionalInformation:

0

keywords: Melipona favosa

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 21--33

issue:

volume: 3

year: 1995
O: Nates-Parra, G
title: Las abejas sin aguijón del genero Melipona (Hymenoptera:Meliponinae) en Colombia
source: Bol. Mus. Ent. Univ. Valle
type: article
tags: Melipona favosa
abstract:
last_modified:
created:
group_id:
profile_id:
id:

1

link: <http://teca.fao.org/sites/default/files/comments/files/77-259-1-PB.pdf>
keywords: Melipona favosa
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 233--248
issue:
volume: 2
year: 2001
O: Nates-Parra, G
title: Las Abejas sin Aguijón (Hymenoptera: Apidae: Meliponini) de Colombia
source: Biota Colombiana
type: article
tags: Melipona favosa
abstract:
last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:

behaviorUnstructured: Las abejas de esta especie no tienen un sistema de comunicación especializado, pero son capaces de dirigir a sus compañeras al sitio donde han encontrado una fuente de alimento. Emite zumbidos con unas frecuencias muy precisas: largos si el camino que recorrer es largo y corto si la fuente esta muy próxima a la

colmena (Nates-Parra, 1995). Esta especie posee un comportamiento altamente social (eusocialidad) (Nates-Parra, 2001).

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

endemicAtomized

distribution

ancillaryData

dataObject:
additionalInformation:

reference

link: <http://teca.fao.org/sites/default/files/comments/files/77-259-1-PB.pdf>
keywords: Melipona favosa

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 233--248

issue:
volume: 2
year: 2001

authors

authors: Nates-Parra, G
title: Las Abejas sin Aguijón (Hymenoptera: Apidae: Meliponini) de Colombia
source: Biota Colombiana
type: article
tags: Melipona favosa
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

mimeType:
dataType:
identifier:
distributionUnstructured: Melipona favosa está distribuída desde Panamá y el norte de Sudamérica hasta Argentina pasando por Colombia, Venezuela, Brasil, SE de Bolivia, Ecuador y Paraguay. En Colombia se ha encontrado en las regiones Andina, Caribe y Orinoquia. Altitudinalmente se encuentra desde el nivel del mar hasta los 1500 msnm (Nates-Parra, 1995, 2001).

distributionAtomized

stateProvince: Bolívar

ancillaryData

locality:
municipality:
country: Colombia

temporalCoverage

endDate:
startDate:

distributionScope

type:

[threatStatus](#)

[ancillaryData](#)

threatStatusUnstructured:

threatStatusAtomized

apendiceCITES:

locality:
municipality:
county:
stateProvince:
country: Colombia
0: IUCN

measurementValue: Vulnerable (VU)

relatedTo:
measurementRemarks:
measurementMethod:

[measurementDeterminedBy](#)

measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementType: IUCN
measurementID:

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

0

dataObject:
additionalInformation:

0

keywords: Melipona favosa
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 21--33

issue:
volume: 3
year: 1995
0: Nates-Parra, G
title: Las abejas sin aguijón del genero Melipona (Hymenoptera:Meliponinae) en Colombia
source: Bol. Mus. Ent. Univ. Valle
type: article
tags: Melipona favosa
abstract:
last_modified:
created:
group_id:
profile_id:
id:

1

keywords: Melipona favosa
0: Amat-G, G
1: Andrade-C, M G
2: Amat-G, E
institution:
address:
publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia
Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial
accessed:
websites:
chapter:
series:
pages: 153--156
issue:
year: 2007
0: Nates-Parra, G
title: Abeja rabipintada (Melipona favosa)
source: Libro Rojo de los Invertebrados Terrestres de Colombia
type: book_section
tags: Melipona favosa
abstract:
last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:

identifier:

populationBiologyUnstructured: Melipona favosa, era una especie muy abundante especialmente en la región Caribe, y aunque todavía es posible encontrar nidos silvestres, su número se ha reducido considerablemente (Nates-Parra, 1995, 2007).

legislation

legislationUnstructured:

directThreats

0

dataObject:

additionalInformation:

0

keywords: Melipona favosa

0: Amat-G, G

1: Andrade-C, M G

2: Amat-G, E

institution:

address:

publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia
Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial

accessed:

websites:

chapter:

series:

pages: 153--156

issue:

year: 2007

0: Nates-Parra, G

title: Abeja rabipintada (Melipona favosa)

source: Libro Rojo de los Invertebrados Terrestres de Colombia

type: book_section

tags: Melipona favosa

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

directThreatsUnstructured: La deforestación generalizada ha disminuido los sitios de nidificación y el acceso a recursos alimenticios. Además, la explotación irracional ha diezmado poblaciones en algunas regiones del país. Las perturbaciones de su hábitat y el establecimiento de asentamientos humanos en áreas antes boscosas ha contribuido a su disminución (Nates-Parra, 2007).

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: Son abejas que se distinguen fácilmente por su aspecto robusto, generalmente grandes (8-15 mm largo), con alas que no sobrepasan la longitud del cuerpo. La especie *Melipona favosa* es de origen insular (Camargo et al., 1988), es una de las tres especies de *Melipona* no continentales que se encuentra en islas del Caribe, sin embargo, en Colombia se presenta no solamente en la región de la Costa Caribe, sino que presenta una amplia penetración al interior del país (Nates-Parra, 1995).

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:
mediaURL: <https://commons.wikimedia.org/wiki/File%3AAABELHA-JANDA%C3%8DRA.jpg>
description:

subject

source: <https://commons.wikimedia.org>

audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:

_id

_bsontype: ObjectId
id: Vx7e< G™\0"