Reporte de Fichas para el usuario: edith gómez Ficha ID: 56d9c6943c16479905cba9bd Fecha de creación: 2016-03-04T17:32:08.353Z annualCycles annualCycleUnstructured: habitats 0 dataObject: additionalInformation: keywords: Exaerete frontalis 0: Amat-G, G 1: Andrade-C, M G 2: Amat-G, E institution: address: publisher: Ministerio de Ambiente, Vivienda y Crédito Territorial accessed: websites: chapter: series: pages: 179--181 issue: year: 2007 0: Bonilla, M title: Abejita verde del Llano (Exaerete frontalis) source: Libro Rojo de los Invertebrados Terrestres de Colombia type: book\_section tags: Exaerete frontalis abstract: last modified: created: group\_id: profile\_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier:

habitatUnstructured: Piedemonte llanero, Orinoquia (Bonilla, 2007).

commonNamesAtomized

## ancillaryData

dataObject:

additionalInformation:

## reference

geoPoint: location: thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

## agent

mimeType: dataType: identifier: usedBy:

usedIn

distributionUnstructured:

endDate: startDate:

## ancillaryData

type:

language: Español

name: Abejita verde del Llano

creation\_date: 2016-03-04T17:32:08.353Z

uses Management And Conservation

## ancillaryData

dataObject:

additionalInformation:

#### reference

keywords: Exaerete frontalis

editors

editors: Amat-G, G

editors: Andrade-C, M G editors: Amat-G, E

institution: address:

publisher: Ministerio de Ambiente, Vivienda y Crédito Territorial

accessed: websites: chapter: series:

pages: 179--181

issue: year: 2007

#### authors

authors: Bonilla, M

title: Abejita verde del Llano (Exaerete frontalis)

source: Libro Rojo de los Invertebrados Terrestres de Colombia

type: book\_section tags: Exaerete frontalis

abstract:

## identifiers

last\_modified:

created: group\_id: profile\_id:

id: geoPoint: location:

thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

## agent

mimeType: dataType:

identifier:

managementAndConservationUnstructured: Para el desarrollo de planes de conservación, es necesario establecer y determinar el tamaño de la población y la distribución geográfica real de esta especie y de su hospedero en el país (Bonilla, 2007).

## managementAndConservationAtomized

## identificationKeys

0

dataObject:

additionalInformation:

0

link: http://www.revistas.unal.edu.co/index.php/cal/article/view/35750/36320

issn: 2357-3759

keywords: Eufriesa lucida, Exaerete dentata, Exaerete frontalis

institution: address: publisher: accessed: websites: chapter: series:

pages: 149--172

issue: volume: 17 year: 1992

0: Bonilla-Gómez, Mar\'ia Argenis

1: Nates-Parra, Guiomar

title: Abejas englosinas de Colombia (Hymenoptera: Apidae) I. Claves ilustradas

source: Caldasia type: article

tags: Eufriesa lucida, Exaerete dentata, Exaerete frontalis

abstract:
last\_modified:
created:
group\_id:
profile\_id:
id:

geoPoint: location:

thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

keys: Bonilla-Gómez, M., & Nates-Parra, G. (1992). Abejas englosinas de Colombia (Hymenoptera: Apidae) I. Claves ilustradas. Caldasia, 17(1), 149–172. Retrieved from http://www.revistas.unal.edu.co/index.php/cal/article/view/35750/36320

fullDescription

0

dataObject:

additionalInformation:

0

link: http://www.revistas.unal.edu.co/index.php/cal/article/view/35750/36320

issn: 2357-3759

keywords: Eufriesa lucida, Exaerete dentata, Exaerete frontalis

institution: address: publisher: accessed: websites: chapter: series:

pages: 149--172

issue: volume: 17 year: 1992

0: Bonilla-Gómez, Mar\'ia Argenis

1: Nates-Parra, Guiomar

title: Abejas englosinas de Colombia (Hymenoptera: Apidae) I. Claves ilustradas

source: Caldasia type: article

tags: Eufriesa lucida, Exaerete dentata, Exaerete frontalis

abstract: last\_modified: created: group\_id:

profile\_id: id:

geoPoint:

source:

location: thumbnailURL: description:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Frente con una protuberancia central muy visible; escutelo sin tuberculo central; fémur posterior del macho basalmente deprimido y con un diente medial grande; margen interno inferior de la tibia posterior de la hembra con protuberancia (Bonilla-Gómez & Nates-Parra, 1992).

briefDescription:

## references

keywords: Exaerete frontalis

editors

institution: address: publisher: accessed: websites: chapter: series:

pages: 274--283

issue: volume: 64 year: 1983

## authors

authors: Ackerman, J. D.

title: Diversity and seasonality of male euglossine bees (Hymenoptera: Apidae) in Central Panama

source: Ecology type: article

tags: Exaerete frontalis

abstract:

## identifiers

last\_modified: created: group\_id: profile\_id: id:

taxonRecordName

## ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:

ruleConsidered:

replacementNameFor

microReference:

source: datatype: identifier: source: datatype: identifier:

note: ruleConsidered:
sanctioned
microReference:
source: datatype:
identifier:
source:
datatype:
identifier:

ruleConsidered:

note:

## laterHomonymOf

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:

ruleConsidered:

# conservedAgainst

## basedOn

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

## basionym

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

# spelling Corrention Of

# typeNameEntity

source: datatype:

identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:
typificacion
typeOfType:

**lectotypeMicroReferenceVoucher** 

# **lectotypePublicationVoucher**

## voucherReference

simple:

microReference:

year:

publishedIn

simple: source: datatype: identifier:

specialAuthorship

## authors

## year

simple:

canonicalAuthorship

## authors

## year

simple:

simple: (Guérin-Méneville, 1845)

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet: linkType:

ref: uninomial:

simple: Exaerete frontalis

rank: SPECIES

simple: Exaerete frontalis (Guérin-Méneville, 1845)

# attributes nomenclaturalCode: isAnamorphic: id: synonymsAtomized ancillaryData synonymStatus:

synonymName

anyTwo:

# anyOne

providerLink: microReference:

publishedIn

source: datatype: identifier:

## reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

## publishedIn

source: datatype: identifier:

## reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

## publishedIn

source: datatype: identifier:

## reletedName

source: datatype: identifier:

note: ruleConsidered: microReference
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note:

publishedIn

microReference:

source: datatype: identifier:

## reletedName

source: datatype: identifier: note:

ruleConsidered:

# typeNameEntity

source: datatype: identifier: source: datatype: identifier: source: datatype: identifier:

typeVoucherEntity

typeOfType: simple: microReference: year: source: datatype: identifier:
combinationAuthorship
basionymAuthorship
simple:
authorship
simple: simple: Oliveira & Nemésio, 2003
epithet
infraspecificEpithet: specificEpithet: infragenericEpithet:
genus
linkType: ref: uninomial: simple: Exaerete lepeletieri rank: SPECIES simple: Exaerete lepeletieri Oliveira & Nemésio, 2003 nomenclaturalCode: isAnamorphic: id:
hierarchy
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source: The Catalogue of Life, 3rd January 2011
audience
bibliographicCitation:

rigthsHolder: rights: license: title: modified: 2016-03-04T17:30:48.351Z created: 2016-03-04T17:30:48.351Z agent homepage: role: email: phone: address: position: organisation: lastName: firstName: mimeType: dataType: identifier: parentTaxon: Exaerete higherClassification: infraspecificEpithet: specificEpithet: taxonRank: SPECIES subGenus: genus: Exaerete family: Apidae order: Hymenoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification: invasiveness invasivenessUnstructured: reproduction dataObject: additionalInformation: link: http://www.redalyc.org/pdf/491/49103101.pdf issn: 0124-5376 keywords: Eufriesa lucida, Exaerete dentata, Exaerete frontalis institution: address:

publisher: Instituto de Investigación de Recursos Biológicos" Alexander von Humboldt" accessed:

websites: chapter:

series: pages: 7118 issue: volume: 3 year: 2002 0: Ram\irez, Santiago 1: Dressler, Robert L 2: Ospina, Mónica title: Abejas euglosinas (Hymenoptera: Apidae) de la Región Neotropical: Listado de especies con notas sobre su biolog\irangle a source: Biota colombiana type: article tags: Eufriesa lucida,Exaerete dentata,Exaerete frontalis abstract: last_modified: created: group_id: profile_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier:
reproductionUnstructured: Usan como sitios de nidificación cavidades en árboles y madera (troncos de árboles, bambú, construcciones humanas, etc.) (Ramírez et al., 2002).
0
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
audience
rightsHolder: rights: license:

modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
0
0 dataObject: additionalInformation:
dataObject:
dataObject: additionalInformation:
dataObject: additionalInformation:  0  keywords: Exaerete dentata,Exaerete frontalis institution: Universidad Nacional de Colombia address: publisher: accessed: websites: chapter: series: pages: 99 issue: year: 1991 0: Bonilla, M A title: Abejas Euglosinas de Colombia (Hymenoptera: Apidae: Euglossinae) source:
dataObject: additionalInformation:  0  keywords: Exaerete dentata,Exaerete frontalis institution: Universidad Nacional de Colombia address: publisher: accessed: websites: chapter: series: pages: 99 issue: year: 1991 0: Bonilla, M A title: Abejas Euglosinas de Colombia (Hymenoptera: Apidae: Euglossinae) source: type: thesis tags: Exaerete dentata,Exaerete frontalis
dataObject: additionalInformation:  0  keywords: Exaerete dentata,Exaerete frontalis institution: Universidad Nacional de Colombia address: publisher: accessed: websites: chapter: series: pages: 99 issue: year: 1991 0: Bonilla, M A title: Abejas Euglosinas de Colombia (Hymenoptera: Apidae: Euglossinae) source: type: thesis
dataObject: additionalInformation:  0  keywords: Exaerete dentata,Exaerete frontalis institution: Universidad Nacional de Colombia address: publisher: accessed: websites: chapter: series: pages: 99 issue: year: 1991 0: Bonilla, M A title: Abejas Euglosinas de Colombia (Hymenoptera: Apidae: Euglossinae) source: type: thesis tags: Exaerete dentata,Exaerete frontalis abstract:

```
profile_id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
lifeCycleUnstructured: Al iqual que todas las especies de la familia Apidae presenta metamorfosis completa u
holometabola (Bonilla, 1991).
interactions
dataObject:
additionalInformation:
keywords: Exaerete frontalis
0: D'Arcy, W. G.
1: Correa, M. D.
institution:
address:
publisher: Missouri Botanical Garden Press St Louis, MO, USA,
accessed:
websites:
chapter:
series:
pages: 225--233
issue:
year: 1985
0: Ackerman, J. D.
title: Euglossinae bees and their nectar host Missouri Botanical Garden, St. Louis, USA.
source: The Botany and Natural History of Panamá
type: book_section
tags: Exaerete frontalis
abstract:
last_modified:
created:
group_id:
profile_id:
id:
keywords: Eufriesa lucida, Exaerete dentata, Exaerete frontalis
institution:
address:
```

publisher: accessed: websites: chapter: series: pages: 735--746 issue: volume: 52 year: 1979 0: Kimsey, L title: An Illustrated Key to the Genus Exaerete with Descriptions of Male Genitalia and Biology (Hymenoptera: Euglossini, Apidae) source: Journal of the Kansas Entomological Society type: article tags: Eufriesa lucida, Exaerete dentata, Exaerete frontalis abstract: last\_modified: created: group\_id: profile\_id: id: 2 keywords: Exaerete dentata, Exaerete frontalis institution: address: publisher: accessed: websites: chapter: series: pages: 373--394 issue: volume: 13 year: 1982 0: Dressler, R title: Biology of the orchid bees (Euglossini) source: Annual Review of Ecology and Systematics type: article tags: Exaerete dentata, Exaerete frontalis abstract: last modified: created: group\_id: profile\_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

interactionsUnstructured: Esta especie visita por néctar plantas como Stemmadenia grandiflora, Mandevilla hirsuta, M. subglabra y Thevetia ahouai (Apocynaceae), Drymonia serrulata (Gesneriaceae), Hibiscus rosa-sinensis (Malvaceae), Calathea insignis, C. latifolia (Maranthaceae), Costus allenii, C. friededrichsthenii, C. guanaiensis, C. laevis, C. villosissimus y Dimerocostus strobilaceous (Zingiberaceae) (Ackerman, 1985).

Esta especie ha sido encontrada parasitando los nidos de Eulaema meriana (Kimsey, 1979; Dressler, 1982).

#### feeding

#### 0

dataObject:

additionalInformation:

0

link: http://www.redalyc.org/pdf/491/49103101.pdf

issn: 0124-5376

keywords: Eufriesa lucida, Exaerete dentata, Exaerete frontalis

institution: address:

publisher: Instituto de Investigación de Recursos Biológicos" Alexander von Humboldt"

accessed: websites: chapter: series:

pages: 7--118

issue: volume: 3 year: 2002

0: Ram\'irez, Santiago 1: Dressler, Robert L

2: Ospina, Mónica

title: Abejas euglosinas (Hymenoptera: Apidae) de la Región Neotropical: Listado de especies con notas sobre su

biolog\'ia

source: Biota colombiana

type: article

tags: Eufriesa lucida, Exaerete dentata, Exaerete frontalis

abstract: last\_modified: created: group\_id: profile\_id: id:

geoPoint: location:

thumbnailURL:

description: source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

```
modified:
created:
mimeType:
dataType:
identifier:
feedingUnstructured: Los machos y las hembras se alimentan de néctar y usan las mismas plantas como fuente de
alimento (Ramírez et al., 2002).
type: Heterótrofos - Herbívoros
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
0
dataObject:
additionalInformation:
keywords: Eufriesa lucida, Exaerete dentata, Exaerete frontalis
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 735--746
issue:
volume: 52
year: 1979
0: Kimsey, L
title: An Illustrated Key to the Genus Exaerete with Descriptions of Male Genitalia and Biology (Hymenoptera:
Euglossini, Apidae)
source: Journal of the Kansas Entomological Society
type: article
tags: Eufriesa lucida, Exaerete dentata, Exaerete frontalis
abstract:
last_modified:
created:
group_id:
profile_id:
id:
keywords: Exaerete frontalis
institution:
address:
publisher:
accessed:
websites:
chapter:
```

series:
pages: 274283
issue:
volume: 64
year: 1983
0: Ackerman, J. D.
title: Diversity and seasonality of male euglossine bees (Hymenoptera: Apidae) in Central Panama
source: Ecology
type: article
tags: Exaerete frontalis
abstract:
last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
ecologicalSignificanceUnstructured: Los machos de esta especie son polinizadores de las orquídeas Aspasia
Coological Digitilical locollottactarea. Los macrico de cota copedie son políticadores de las organicas / topasia
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983). dispersal
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983). dispersal
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type: purpose:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type: purpose:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type: purpose: behavior
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type: purpose: behavior
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0  dataObject:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type: purpose: behavior
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0  dataObject: additionalInformation:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0  dataObject:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal  dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0  dataObject: additionalInformation: 0
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0 dataObject: additionalInformation: 0 keywords: Exaerete dentata,Exaerete frontalis
principissa, Čycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0 dataObject: additionalInformation: 0 keywords: Exaerete dentata,Exaerete frontalis institution:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0 dataObject: additionalInformation: 0 keywords: Exaerete dentata,Exaerete frontalis institution: address:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0 dataObject: additionalInformation: 0 keywords: Exaerete dentata,Exaerete frontalis institution: address: publisher:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0 dataObject: additionalInformation: 0 keywords: Exaerete dentata, Exaerete frontalis institution: address: publisher: accessed:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0  dataObject: additionalInformation: 0  keywords: Exaerete dentata,Exaerete frontalis institution: address: publisher: accessed: websites:
principissa, Cycnoches aureum y Notylia pentachene (Kimsey, 1979, Ackerman, 1983).  dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0 dataObject: additionalInformation: 0 keywords: Exaerete dentata, Exaerete frontalis institution: address: publisher: accessed:

pages: 33--37 issue: volume: 25 year: 2000 0: Peruquetti, R title: Function of Fragrances collected by Euglossini males (Hymenoptera: Apidae) source: Entomologia Generalis type: article tags: Exaerete dentata, Exaerete frontalis abstract: last\_modified: created: group\_id: profile\_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: behaviorUnstructured: Los machos buscan y acumulan sustancias aromáticas (sesquiterpenos y compuestos derivados) que se encuentran disponibles de forma natural en las plantas que visitan (Peruquetti, 2000). ancillaryData dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier: measurementOrFact relatedTo: measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:

## endemicAtomized

#### distribution

## ancillaryData

dataObject:

additionalInformation:

#### reference

link: http://www.redalyc.org/pdf/491/49103101.pdf

issn: 0124-5376

keywords: Eufriesa lucida, Exaerete dentata, Exaerete frontalis

## editors

institution: address:

publisher: Instituto de Investigación de Recursos Biológicos" Alexander von Humboldt"

accessed: websites: chapter: series:

pages: 7--118

issue: volume: 3 year: 2002

## authors

authors: Ram\'irez, Santiago authors: Dressler, Robert L authors: Ospina, Mónica

title: Abejas euglosinas (Hymenoptera: Apidae) de la Región Neotropical: Listado de especies con notas sobre su

biolog\'ia

source: Biota colombiana

type: article

tags: Eufriesa lucida, Exaerete dentata, Exaerete frontalis

abstract:

## identifiers

last\_modified:

created: group\_id: profile\_id:

iu.

geoPoint: location:

thumbnailURL:

# mediaURL description: subject source: audience bibliographicCitation: rightsHolder: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: agent mimeType: dataType: identifier: distributionUnstructured: Se distribuye en Bolivia, Brasil, Colombia, Ecuador, Guyana Francesa, Guyana, México, Panamá, Perú, Venezuela, Nicaragua y Surinam. En Colombia se distribuye en la región Andina, Amazónica y Orinoquia desde los 100 msnm hasta los 1100 msnm (Ramírez et al, 2002). distributionAtomized temporalCoverage endDate: startDate: distributionScope type: threatStatus ancillaryData threatStatusUnstructured: threatStatusAtomized apendiceCITES: locality: municipality: county: stateProvince: country: Colombia 0: IUCN measurementValue: En peligro crítico (CR) relatedTo: measurementRemarks:

measurementDeterminedBy

measurementDeterminedDate:

measurementMethod:

measurementUnit: measurementAccuracy: measurementType: IUCN measurementID: territory territoryUnstructured: areaOfOccupancy: extentOfOccurrence: populationBiology populationBiologyUnstructured: legislation legislationUnstructured: directThreats 0 dataObject: additionalInformation: keywords: Exaerete frontalis 0: Amat-G, G 1: Andrade-C, M G 2: Amat-G, E institution: address: publisher: Ministerio de Ambiente, Vivienda y Crédito Territorial accessed: websites: chapter: series: pages: 179--181 issue: year: 2007 0: Bonilla, M title: Abejita verde del Llano (Exaerete frontalis) source: Libro Rojo de los Invertebrados Terrestres de Colombia type: book\_section tags: Exaerete frontalis abstract: last modified: created: group\_id: profile\_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation:

rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: directThreatsUnstructured: Destrucción de su hábitat (Bonilla, 2007).	
ancillaryData	
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:	
measurementOrFact	
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: abstract: Es una especie de abeja de cuerpo verde metálico con alas infumadas o grisáceas. Son especies solitari y parasitan los nidos de Eulaema meriana (Kimsey, 1979; Dressler, 1982). Los machos de esta especie son polinizadores de algunas especies de orquídeas (Bonilla, 2007).	as
associatedParty	
role: personnelldentifier: personnelDirectory: homepage: email: enataliagomezm@gmail.com phone: postalCode: country: Colombia state: Bogotá Distrito Capital city: Bogotá D.C. address:	

organisation:

lastName: Gómez Melendro firstName: Edith Natalia

## ancillaryData

## dataObject:

additionalInformation: Créditos específicos: Al Instituto Amazónico de Investigaciones Científicas Sinchi. Al Sistema de Información Ambiental Territorial de la Amazonia Colombiana SIAT-AC. La elaboración de esta ficha fue posible gracias al apoyo del gobierno de Finlandia a través del convenio entre la Secretaria General de la CAN y el Instituto Sinchi para el proyecto "Sistema Regional Amazónico de Información Ambiental con énfasis en Biodiversidad de los países miembros de la CAN, (programa BIOCAN), componente SIAT-AC".

Registros biológicos: Colección Entomológica, Instituto de Ciencias Naturales, Universidad Nacional de Colombia.

Bogotá, Colombia

http://www.biovirtual.unal.edu.co/colecciones/datos/animalia/consultasMammalia.jsp?clase=4

Información de tipos: "Æ V&-6 6Ÿ6â FV †öÆ÷F— ò W2 FW66öæö6-F à

#### reference

geoPoint: location: thumbnailURL:

## mediaURL

description:

## subject

source:

#### audience

bibliographic Citation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

## agent

mimeType: dataType: identifier:

\_id

\_bsontype: ObjectID id: VÙÆ"< G™\⁰→Đ