

## Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e6be8a83c45700544e3ebd

Fecha de creación: 2016-03-14T13:37:22.413Z

creation\_date: 2016-03-14T13:37:22.413Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Anteos menippe,Aphrissa statira statira,Battus lycidas,Battus polydamas polydamas

institution:

address:

publisher: Alfred Kernén

accessed:

websites:

chapter:

series:

pages: 1139

issue:

volume: 5

year: 1924

0: Seitz, A

title: Macrolepidoptera of the world

source:

type: book

tags: Anteos menippe,Aphrissa statira statira,Battus lycidas,Battus polydamas polydamas

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

fullDescriptionUnstructured: Los especímenes cubanos se distinguen de la forma continental, por la zona marginal más negra en la superficie inferior de las alas posteriores. La banda en la superficie superior varía mucho en amplitud. Las manchas submarginales sobre la superficie inferior de las alas posteriores son siempre estrechas y rojas (Seitz, 1924).

briefDescription:

## references

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacicus,Pterourus menatius

## editors

institution:

address:

publisher: m3m-Monografías Tercer Milenio

accessed:

websites:

chapter:

series:

pages: 536

issue:

volume: 8

year: 2008

## authors

authors: Beccaloni, G. W

authors: Vilorio, A. L.

authors: Hall, S. K.

authors: Robinson, G.S.

title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales

source:

type: book

tags: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacicus,Pterourus menatius

abstract:

## identifiers

last\_modified:

created:

group\_id:

profile\_id:

id:

taxonRecordName

## ancillaryData

providerSpecificData

anyTwo:  
providerLink:

publicationStatus

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

replacementNameFor

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

sanctioned

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

laterHomonymOf

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

conservedAgainst

basedOn

microReference:  
source:  
datatype:

identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

basionym

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:  
microReference:  
year:

publishedIn

simple:  
source:  
datatype:  
identifier:

specialAuthorship

authors

year

simple:  
canonicalAuthorship

authors

year

simple:  
simple:  
canonicalName  
infraspecificEpithet:  
specificEpithet:  
infragenericEpithet:  
linkType:  
ref:  
uninomial:  
simple: Battus polydamas polydamas  
rank: SUBSPECIES  
simple: Battus polydamas subsp. polydamas

attributes

nomenclaturalCode:  
isAnamorphic:  
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:  
additionalInformation:

reference

geoPoint:  
location:  
thumbnailURL:

mediaURL

description:

subject

source: Integrated Taxonomic Information System

audience

bibliographicCitation:  
rightsHolder:  
rights:  
license:

title:  
modified: 2016-03-14T13:37:02.413Z  
created: 2016-03-14T13:37:02.413Z

## agent

homepage:  
role:  
email:  
phone:  
address:  
position:  
organisation:  
lastName:  
firstName:  
mimeType:  
dataType:  
identifier:  
parentTaxon: Battus polydamas  
higherClassification:  
infraspecificEpithet:  
specificEpithet:  
taxonRank: SUBSPECIES  
subGenus:  
genus: Battus  
family: Papilionidae  
order: Lepidoptera  
classHierarchy: Insecta  
phylum: Arthropoda  
kingdom: Animalia  
recommended:  
classification:

## commonNameAtomized

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:  
additionalInformation:

0

keywords: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion browni,Parides erithalion erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus menatius  
institution:  
address:  
publisher: Carlec Ltda  
accessed:

websites:

chapter:

series:

pages: 108

issue:

volume: Tomo I

year: 2002

0: Le Crom, J F

1: Constantino, L M

2: Salazar, J A

3: Llorente, J

title: Mariposas de Colombia. Papilionidae

source:

type: book

tags: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americus,Parides erithalion browni,Parides erithalion erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus menatius

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

reproductionUnstructured: Las hembras de esta subespecie colocan huevos en grupos de 2-10 en hojas tiernas (Le Crom et al., 2002).

0

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:

thumbnailURL:

[mediaURL](#)

description:

subject

audience

rightsHolder:  
rights:  
license:  
modified:  
created:

agent

mimeType:  
dataType:  
identifier:  
relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedBy: TraitBank  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue: Sexual  
measurementType: Tipo de Reproducción  
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

0

dataObject:  
additionalInformation:

0

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacticus,Pterourus menatius  
institution:  
address:  
publisher: m3m-Monografías Tercer Milenio  
accessed:  
websites:



chapter:  
series:  
pages: 536  
issue:  
volume: 8  
year: 2008  
0: Beccaloni, G. W  
1: Vilorio, A. L.  
2: Hall, S. K.  
3: Robinson, G.S.  
title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales  
source:  
type: book  
tags: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacicus,Pterourus menatius  
abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Ángela M. Suarez Mayorga  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:  
interactionsUnstructured: Esta especie tiene como plantas hospederas a Aristolochia acutifolia, Aristolochia cordiflora, Aristolochia leuconeura, Aristolochia morae, Aristolochia odoratissima (Beccaloni et al., 2008).  
feeding  
feedingUnstructured:  
environmentalEnvelope  
environmentalEnvelopeUnstructured:  
ecologicalSignificance  
ecologicalSignificanceUnstructured:  
dispersal  
dispersalUnstructured:  
distance:  
structureDispersed:  
type:

purpose:  
behavior  
behaviorUnstructured:  
ancillaryData

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights:  
license:  
modified:  
created:  
mimeType:  
dataType:  
identifier:

measurementOrFact  
relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue:  
measurementType:  
measurementID:

annualCycle  
annualCycleUnstructured:  
habitat  
habitatUnstructured:

[endemicAtomized](#)

[distribution](#)

[ancillaryData](#)

dataObject:  
additionalInformation:

[reference](#)

keywords: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion

browni,Parides erithalion erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus menatius

## editors

institution:  
address:  
publisher: Carlec Ltda  
accessed:  
websites:  
chapter:  
series:  
pages: 108  
issue:  
volume: Tomo I  
year: 2002

## authors

authors: Le Crom, J F  
authors: Constantino, L M  
authors: Salazar, J A  
authors: Llorente, J  
title: Mariposas de Colombia. Papilionidae  
source:  
type: book  
tags: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americanus,Parides erithalion browni,Parides erithalion erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus menatius  
abstract:

## identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:  
rightsHolder:  
rights: Ángela M. Suarez Mayorga  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:  
created:

## agent

contentType:  
dataFormat:  
identifier:

distributionUnstructured: Esta subespecie se encuentra desde Norte América hasta Bolivia y Argentina (Le Crom et al., 2002) en zonas con altitudes que alcanzan hasta los 1500 msnm (Le Crom et al., 2002).

## distributionAtomized

temporalCoverage

endDate:  
startDate:

distributionScope

type:

## threatStatus

territory

territoryUnstructured:  
areaOfOccupancy:  
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights:  
license:  
modified:  
created:  
contentType:  
dataFormat:  
identifier:

## measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: Battus polydamas polydamas se distribuye desde Norte América hasta Bolivia y Argentina, en zonas que alcanzan altitudes de hasta 1500 msnm (Le Crom et al., 2002). La forma cuba de la subespecie se distingue de la continental por presentar la zona marginal más negra en la superficie inferior de las alas posteriores (Seitz, 1924).

## associatedParty

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomez@gmail.com

phone:

postalCode:

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address:

organisation:

position:

lastName: Gómez Melendro

firstName: Edith Natalia

## ancillaryData

dataObject:

additionalInformation:

## reference

geoPoint:

location:

thumbnailURL:

mediaURL: <https://www.flickr.com/photos/38686613@N08/4731301481/in/photolist-8d9sfo-fdDScR-6ExZK7-8d6a6t-8d9vTm-8d6cLT-8d69S6-8d69Pt-8d9tBd-8d69ZP-9S3JpN-8d9vUY-8d6dGV-e8yxcf-8d9sbu-8d9vWy-q1xMuJ-8d9qX1-8d6cQB-qhVGca-8d9rC9-8d9qLy-dDq7G2-6kwmJo-p4Ynnx-dApz3f-4Anc1i-dDq7LD-8d68sn-8d68HM-dAj5o4-6kwkNG-6kwmks-8d9qPW-fjS5uT-5PnC6H-8Vbuvvm-2T7HjN-awt3au-34skkW-5PnAVe-5PnBtB-5PnAfT-34skDs-34sk7b-34skUL-uwJhBA>

description:

## subject

source: [https://farm2.staticflickr.com/1119/4731301481\\_13e6f72f2b.jpg](https://farm2.staticflickr.com/1119/4731301481_13e6f72f2b.jpg)

## audience

bibliographicCitation:

rightsHolder: pondhawk

rights:

license: http://creativecommons.org/licenses/by/2.0/  
modified:  
created:

agent

mimeType:  
dataType:  
identifier:

\_id

\_bsontype: ObjectID  
id: Væ¾ŠfÄW DãëÐ