Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e730ac83c45700544e3f36

Fecha de creación: 2016-03-14T21:44:20.466Z

creation_date: 2016-03-14T21:44:20.466Z usesManagementAndConservation

ancillaryData

managementAndConservationUnstructured:

managementAndConservationAtomized

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Pronoto amarillo y brillante en general con una mancha negra en el centro. Élitros negros y ópacos amarillosos en individuos inmaduros. Longitudes entre 9-12.5 mm. briefDescription:

references

keywords: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans.Canthon acutoides.Canthon acutus.Canthon aequinoctialis.Canthon angularis.Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon deyrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneaus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius

fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus.Onthophagus coscineus.Onthophagus curvicornis.Onthophagus dicranius.Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti, Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubrescens,Onthophagus steinheili,Onthophagus transisthmius,Onthophagus xanthomerus,Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon darlingtoni,Scybalocanthon imitans, Scybalocanthon kelleri, Scybalocanthon maculatus, Scybalocanthon pygidialis, Scybalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

editors

institution: edition: 2 address: publisher: accessed: websites: chapter: series:

pages: 131--144

issue: volume: 2 year: 2001

authors

authors: Medina, C. authors: Lopera, A. authors: V'itolo, A. authors: Gill. B.

title: Escarabajos coprófagos (Coleoptera: Scarabaeidae: Scarabaeinae) de Colombia

source: Biota Colombiana

type: article

tags: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon dentiger, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon deyrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon septemmaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon subbyalinus, Canthon subbyalinus, Canthon subbyalinus, Canthon subbyalinus, Canthon subbyalinus, Canthon

tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica.Ontherus aphodioides.Ontherus compressicornis.Ontherus diabolicus.Ontherus pilatus.Ontherus pubens,Ontherus sulcator,Ontherus trituberculatus,Onthophagus acuminatus,Onthophagus atriglabrus,Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranius, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti landolti, Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus,Onthophagus osculatii,Onthophagus praecellens,Onthophagus rhinophyllus,Onthophagus rubrescens,Onthophagus steinheili,Onthophagus transisthmius,Onthophagus xanthomerus,Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthon perplexus, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon imitans.Scybalocanthon kelleri,Scybalocanthon maculatus.Scybalocanthon pygidialis,Scybalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus abstract:

identifiers

last_modified: created: group_id: profile_id: id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

replacementNameFor

microReference:

source: datatype: identifier:

datatype: identifier: note: ruleConsidered:
sanctioned
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
laterHomonymOf
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
conservedAgainst
basedOn
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
basionym
microReference: source: datatype: identifier: source: datatype: identifier: note:
ruleConsidered:

source:

spellingCorrentionOf

typeNameEntity source: datatype: identifier: source: datatype: identifier: source: datatype: identifier: typificacion typeOfType: **lectotypeMicroReferenceVoucher lectotypePublicationVoucher** voucherReference simple:

microReference:

year:

publishedIn

simple: source: datatype: identifier:

specialAuthorship

authors

year

simple:

canonicalAuthorship

authors

year

simple:

simple: Erichson, 1847

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet:

linkType: ref:

uninomial:

simple: Canthon luteicollis rank: SPECIES simple: Canthon luteicollis Erichson, 1847 attributes nomenclaturalCode: isAnamorphic: synonymsAtomized ancillaryData synonymStatus: synonymName anyTwo: anyOne providerLink: microReference: publishedIn source:

reletedName

datatype: identifier:

source: datatype: identifier: note: ruleConsidered:

microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note: ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered:

typeNameEntity

source: datatype: identifier: source: datatype: identifier: source: datatype:

identifier:
typeVoucherEntity
typeOfType: simple: microReference: year: source: datatype: identifier:
combinationAuthorship
basionymAuthorship
simple:
authorship
simple: simple: Lucas, 1857
epithet
infraspecificEpithet: specificEpithet: infragenericEpithet:
genus
linkType: ref: uninomial: simple: Canthon nitidicollis rank: SPECIES simple: Canthon nitidicollis Lucas, 1857 nomenclaturalCode: isAnamorphic: id:
hierarchy
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rigthsHolder: rights:

license:

modified: 2016-03-14T21:44:00.452Z created: 2016-03-14T21:44:00.452Z

agent

homepage:

role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:

identifier:

parentTaxon: Canthon higherClassification: infraspecificEpithet: specificEpithet: taxonRank: SPECIES

subGenus:
genus: Canthon
family: Scarabaeidae

family: Scarabaeidae order: Coleoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification:

commonNameAtomized

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint: location:

thumbnailURL:

mediaURL

description:

subject

source: audience bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) created: agent mimeType: dataType: identifier: usedBy: usedIn distributionUnstructured: endDate: startDate: ancillaryData type: language: Español name: Escarabajo coprófago invasiveness invasivenessUnstructured: reproduction 0 dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: reproductionUnstructured: 0 dataObject:

additionalInformation:

reference geoPoint: location: thumbnailURL: mediaURL description: subject audience rightsHolder: rights: license: modified: created: agent mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID: molecularData molecularDataUnstructured: migratory migratoryUnstructured: lifeForm lifeFormUnstructured: lifeCycle lifeCycleUnstructured: interactions interactionsUnstructured: feeding

feedingUnstructured:

environmentalEnvelope

environmental Envelope Unstructured:

ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior behaviorUnstructured: ancillaryData dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier: measurementOrFact relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: annualCycle annualCycleUnstructured: habitat habitatUnstructured: endemicAtomized distribution

ancillaryData

dataObject: additionalInformation:

reference

keywords: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon devrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus.Canthon smaraqdulus.Canthon steinheili.Canthon subcyaneaus.Canthon subhyalinus.Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica,Ontherus aphodioides,Ontherus compressicornis,Ontherus diabolicus,Ontherus pilatus,Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi, Onthophagus belorhinus, Onthophagus bidentatus, Onthophagus buculus, Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranius, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti, Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubrescens.Onthophagus steinheili.Onthophagus transisthmius.Onthophagus xanthomerus.Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthon perplexus, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon imitans, Scybalocanthon kelleri, Scybalocanthon maculatus, Scybalocanthon pygidialis, Scybalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

editors

institution: edition: 2 address: publisher: accessed: websites: chapter: series:

pages: 131--144

issue: volume: 2 year: 2001

authors

authors: Medina, C. authors: Lopera, A. authors: V\'itolo, A. authors: Gill, B.

title: Escarabajos coprófagos (Coleoptera: Scarabaeidae: Scarabaeinae) de Colombia

source: Biota Colombiana

type: article

tags: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon devrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneaus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius. Dichotomius protectus. Dichotomius quinquelobatus. Dichotomius reclinatus. Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranius, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti landolti, Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubrescens.Onthophagus steinheili.Onthophagus transisthmius.Onthophagus xanthomerus.Oruscatus opalescens.Oxysternon ebeninum.Oxysternon spiniferum.Phanaeus bispinus.Phanaeus cambeforti.Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthon perplexus, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon imitans.Scybalocanthon kelleri,Scybalocanthon maculatus.Scybalocanthon pygidialis,Scybalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus abstract:

identifiers

last_modified: created: group_id: profile_id: id: geoPoint: location:

mediaURL

thumbnailURL:

description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType: identifier: distributionUnstructured: Esta especie ha sido registrada en Bolivia, Brasil, Colombia y Perú (Vulcano & Pereira, 1964). En el país se distribuye en los departamentos de Amazonas, Guaviare, Meta y Putumayo (Medina et al., 2001).
distributionAtomized
stateProvince: Amazonas
ancillaryData
locality: municipality: country: Colombia
temporalCoverage
endDate: startDate:
distributionScope
type:
threatStatus
territory
territoryUnstructured: areaOfOccupancy: extentOfOccurrence:
populationBiology
populationBiologyUnstructured:
legislation
legislationUnstructured:
directThreats
directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint: location:

thumbnailURL: description:

source:

bibliographicCitation:

rightsHolder:

rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: Canthon luteicollis es una especie de coleóptero que presenta el pronoto amarillo y brillante con una mancha negra en el centro, y se distribuye en Bolivia, Brasil, Colombia y Perú (Vulcano & Pereira, 1964).

associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Américanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico.

reference

geoPoint: location: thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: Vç0¬fÄW Dãó`