

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e71d3483c45700544e3ef6

Fecha de creación: 2016-03-14T20:21:16.592Z

creation_date: 2016-03-14T20:21:16.592Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Bdelyrus apaporisae,Bdelyrus gilli,Bdelyrus grandis,Bdelyrus howdeni,Bdelyrus laplanadae,Bdelyrus metaensis Cook 1998,Bdelyrus parvus,Bdelyrus seminudus

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 631--689

issue:

volume: 130

year: 1998

0: Cook, J.

title: A revision of the Neotropical genus Bdelyrus Harold (Coleoptera: Scarabaeidae)

source: The Canadian Entomologist

type: article

tags: Bdelyrus apaporisae,Bdelyrus gilli,Bdelyrus grandis,Bdelyrus howdeni,Bdelyrus laplanadae,Bdelyrus metaensis Cook 1998,Bdelyrus parvus,Bdelyrus seminudus

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

mimeType:

dataType:

identifier:

fullDescriptionUnstructured: Los machos se distinguen por presentar en el ápice de los parámetros, un fuerte lóbulo ampliamente redondeado; las hembras por el ancho clípeo, suavemente emarginado y por el corto pigidio con pequeña fovea redondeada y muy amplio margen apical (Cook, 1998).

briefDescription:

references

keywords: *Bdelyrus apaporisae*, *Bdelyrus gilli*, *Bdelyrus grandis*, *Bdelyrus howdeni*, *Bdelyrus laplanadae*, *Bdelyrus metaensis* Cook 1998, *Bdelyrus parvus*, *Bdelyrus seminudus*

editors

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 631--689

issue:

volume: 130

year: 1998

authors

authors: Cook, J.

title: A revision of the Neotropical genus *Bdelyrus* Harold (Coleoptera: Scarabaeidae)

source: The Canadian Entomologist

type: article

tags: *Bdelyrus apaporisae*, *Bdelyrus gilli*, *Bdelyrus grandis*, *Bdelyrus howdeni*, *Bdelyrus laplanadae*, *Bdelyrus metaensis* Cook 1998, *Bdelyrus parvus*, *Bdelyrus seminudus*

abstract:

identifiers

last_modified:

created:

group_id:

profile_id:

id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:

providerLink:

publicationStatus

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[conservedAgainst](#)

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[spellingCorrentionOf](#)

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

[lectotypeMicroReferenceVoucher](#)

[lectotypePublicationVoucher](#)

[voucherReference](#)

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

[authors](#)

[year](#)

simple:
canonicalAuthorship

[authors](#)

year

simple:
simple: Cook, 1998

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Bdelyrus laplanadae
rank: SPECIES
simple: Bdelyrus laplanadae Cook, 1998

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-03-14T20:20:56.592Z
created: 2016-03-14T20:20:56.592Z

agent

homepage:
role:

email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Bdelyrus
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Bdelyrus
family: Scarabaeidae
order: Coleoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

commonNameAtomized

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

mimeType:
dataType:

identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Español
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:

rights:
license:
modified:
created:

agent

contentType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:
additionalInformation:

reference

keywords: Bdelyrus apaporisae,Bdelyrus gilli,Bdelyrus grandis,Bdelyrus howdeni,Bdelyrus laplanadae,Bdelyrus metaensis Cook 1998,Bdelyrus parvus,Bdelyrus seminudus

editors

institution:
address:
publisher:
accessed:

websites:
chapter:
series:
pages: 631--689
issue:
volume: 130
year: 1998

authors

authors: Cook, J.
title: A revision of the Neotropical genus *Bdelyrus* Harold (Coleoptera: Scarabaeidae)
source: The Canadian Entomologist
type: article
tags: *Bdelyrus apaporisae*, *Bdelyrus gilli*, *Bdelyrus grandis*, *Bdelyrus howdeni*, *Bdelyrus laplanadae*, *Bdelyrus metaensis*
Cook 1998, *Bdelyrus parvus*, *Bdelyrus seminudus*
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: Esta especie ha sido registrada en Colombia (Cook, 1998) en el departamento de Nariño (Cook, 1998).

distributionAtomized

stateProvince: Nariño

ancillaryData

locality:
municipality:
country: Colombia

temporalCoverage

endDate:
startDate:

distributionScope

type:

[threatStatus](#)

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:

measurementID:

abstract: Esta especie de la familia Scarabaeidae se registra en Colombia en el departamento de Nariño. Los machos se diferencian por presentar en el ápice de los parámetros, un fuerte lóbulo ampliamente redondeado (Cook, 1998).

associatedParty

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomez@gmail.com

phone:

postalCode:

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address:

organisation:

position:

lastName: Gómez Melendro

firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Americanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico.

reference

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

contentType:

dataType:

identifier:

_id

_bsontype: ObjectId

id: Vç 4fÄW Dãï