

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e72eae83c45700544e3f2f

Fecha de creación: 2016-03-14T21:35:50.170Z

creation_date: 2016-03-14T21:35:50.170Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 1--204

issue:

volume: 18

year: 1981

0: Howden, H.

1: Young, O.P.

title: Panamanian Scarabaeinae: taxonomy, distribution, and habits (Coleoptera, Scarabaeidae)[New taxa]

source: Contributions of the American Entomological Institute (USA)

type: article

tags: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:
bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
fullDescriptionUnstructured: Hipómero con carina completa; color negro uniforme con reflejos azules (Howden & Young, 1981).
briefDescription:

references

keywords: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasii, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthion aberrans, Canthion acutoides, Canthion acutus, Canthion aequinoctialis, Canthion angularis, Canthion angustatus, Canthion brunneus, Canthion columbianus, Canthion cyanellus sallei, Canthion dentiger, Canthion deyrollei, Canthion femoralis bimaculatus, Canthion femoralis femoralis, Canthion fulgidus, Canthion juvenus, Canthion lituratus, Canthion luteicollis, Canthion modestus, Canthion morsei, Canthion mutabilis Lucas 1857, Canthion muticus, Canthion obscuriellus, Canthion pallidus, Canthion plagiatus, Canthion politus, Canthion quinquemaculatus, Canthion semiopacus, Canthion septemmaculatus histrio, Canthion septemmaculatus septemmaculatus, Canthion smaragdulus, Canthion steinheili, Canthion subcyaneus, Canthion subhyalinus, Canthion tetraodon, Canthion triangularis, Canthionella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suretai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi, Onthophagus belorhinus, Onthophagus bidentatus, Onthophagus buculus, Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranus, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti landolti, Onthophagus lebasii, Onthophagus marginicollis, Onthophagus mirabilis, Onthophagus nabeleki, Onthophagus nasutus, Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubescens, Onthophagus steinheili, Onthophagus transisthmus, Onthophagus xanthomerus, Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthion perplexus, Pseudocanthion xanthurus, Scybalocanthion darlingtoni, Scybalocanthion imitans, Scybalocanthion kelleri, Scybalocanthion maculatus, Scybalocanthion pygidialis, Scybalocanthion sexspilotus, Scybalocanthion trimaculatus, Sylvicanthion bridarollii Mart\inez 1949, Sylvicanthion candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatanensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

editors

institution:
edition: 2
address:

publisher:
accessed:
websites:
chapter:
series:
pages: 131--144
issue:
volume: 2
year: 2001

authors

authors: Medina, C.
authors: Lopera, A.
authors: V'itolo, A.
authors: Gill, B.
title: Escarabajos coprófagos (Coleoptera: Scarabaeidae: Scarabaeinae) de Colombia
source: Biota Colombiana

type: article

tags: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon deyrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiat, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus surenai, Deltachilum (Deltahyboma) valgum, Deltachilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoneiella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi, Onthophagus belorhinus, Onthophagus bidentatus, Onthophagus bucus, Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranus, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti landolti, Onthophagus lebasi, Onthophagus marginicollis, Onthophagus mirabilis, Onthophagus nabeleki, Onthophagus nasutus, Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubescens, Onthophagus steinheili, Onthophagus transisthmus, Onthophagus xanthomerus, Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthion perplexus, Pseudocanthion xanthurus, Scybalocanthion darlingtoni, Scybalocanthion imitans, Scybalocanthion kelleri, Scybalocanthion maculatus, Scybalocanthion pygidialis, Scybalocanthion sexspilotus, Scybalocanthion trimaculatus, Sylvicanthon bridarollii Mart'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:

source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:
microReference:

year:
publishedIn
simple:
source:
datatype:
identifier:
specialAuthorship

authors

year
simple:
canonicalAuthorship

authors

year
simple:
simple: Harold, 1868
canonicalName
infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Canthon deyrollei
rank: SPECIES
simple: Canthon deyrollei Harold, 1868

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rightsHolder:

rights:

license:

title:

modified: 2016-03-14T21:35:30.170Z

created: 2016-03-14T21:35:30.170Z

agent

homepage:

role:

email:

phone:

address:

position:

organisation:

lastName:

firstName:

contentType:

dataType:

identifier:

parentTaxon: Canthon

higherClassification:

infraspecificEpithet:

specificEpithet:

taxonRank: SPECIES

subGenus:

genus: Canthon

family: Scarabaeidae

order: Coleoptera

classHierarchy: Insecta

phylum: Arthropoda

kingdom: Animalia

recommended:

classification:

commonNameAtomized

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

contentType:

dataType:

identifier:

usedBy:

usedIn

distributionUnstructured:

endDate:

startDate:

ancillaryData

type:

language: Español

name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:
rights:
license:
modified:
created:

agent

contentType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

keywords: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

editors

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 1--204

issue:

volume: 18

year: 1981

authors

authors: Howden, H.

authors: Young, O.P.

title: Panamanian Scarabaeinae: taxonomy, distribution, and habits (Coleoptera, Scarabaeidae)[New taxa]

source: Contributions of the American Entomological Institute (USA)

type: article

tags: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius

agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

abstract:

identifiers

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

mediaURL

description:

[subject](#)

source:

[audience](#)

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

[agent](#)

contentType:

dataType:

identifier:

distributionUnstructured: Esta especie ha sido registrada en Belice, Colombia, Costa Rica, El Salvador, Nicaragua y Panamá (Howden & Young, 1981). En Colombia su distribución no es conocida (Medina et al., 2001).

[distributionAtomized](#)

temporalCoverage

endDate:

startDate:

distributionScope

type:

[threatStatus](#)

territory

territoryUnstructured:

areaOfOccupancy:

extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: Esta especie ha sido registrada en Sudamérica y Centroamérica, y se caracteriza por presentar una coloración negra con reflejos azules (Howden & Young, 1981).

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:
mediaURL: <http://darnis.inbio.ac.cr/ubisen/FMPro?-DB=UBIPUB.fp3&-lay=WebAll&-error=norec.html&-Format=detail.html&-Op=eq&id=493&-Find>
description:

subject

source: <http://darnis.inbio.ac.cr>

audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
_id
_bsontype: ObjectID
id: Vç.®fÄW Dãòð