

## Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e7298c83c45700544e3f1d

Fecha de creación: 2016-03-14T21:13:55.532Z

creation\_date: 2016-03-14T21:13:55.532Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 1--204

issue:

volume: 18

year: 1981

0: Howden, H.

1: Young, O.P.

title: Panamanian Scarabaeinae: taxonomy, distribution, and habits (Coleoptera, Scarabaeidae)[New taxa]

source: Contributions of the American Entomological Institute (USA)

type: article

tags: Agamopus lampros,Ateuchus aeneomicans,Canthidium aurifex,Canthidium centrale,Canthidium elegantulum,Canthidium perceptibile,Canthon deyrollei,Canthon lituratus,Copris incertus,Dichotomius agenor,Onthophagus landolti landolti,Onthophagus transisthmus,Pseudocanthon perplexus,Uroxys bidentis,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys micros

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:  
bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:  
fullDescriptionUnstructured: Se caracteriza por la siguiente combinación de caracteres: frente no tuberculada, líneas de las estrías élitrales claramente punteadas, espina de la tibia anterior de los machos delgada. Intervalos élitrales brillantes (Howden & Young, 1981).  
briefDescription:

## references

keywords: Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gerstaeckeri, Canthidium lebasi, Canthidium onitoides, Canthidium perceptibile, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili

## editors

institution:  
address:  
publisher:  
accessed:  
websites:  
chapter:  
series:  
pages: 19--40  
issue:  
year: 1986

## authors

authors: Martínez, A.  
authors: Halffter, G.  
title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)  
source: Acta Zoológica Mexicana  
type: article  
tags: Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gerstaeckeri, Canthidium lebasi, Canthidium onitoides, Canthidium perceptibile, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili  
abstract:

## identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:  
providerLink:

publicationStatus

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

replacementNameFor

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

sanctioned

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

laterHomonymOf

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

conservedAgainst

basedOn

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

basionym

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:  
microReference:  
year:

publishedIn

simple:  
source:  
datatype:  
identifier:

specialAuthorship

authors

year

simple:  
canonicalAuthorship

authors

year

simple:  
simple: Howden & Young, 1981  
canonicalName  
infraspecificEpithet:  
specificEpithet:  
infragenericEpithet:  
linkType:  
ref:  
uninomial:  
simple: Canthidium perceptibile  
rank: SPECIES  
simple: Canthidium perceptibile Howden & Young, 1981

attributes

nomenclaturalCode:  
isAnamorphic:  
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:  
additionalInformation:

reference

geoPoint:  
location:  
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rightsHolder:  
rights:  
license:  
title:  
modified: 2016-03-14T21:13:35.532Z  
created: 2016-03-14T21:13:35.532Z

## agent

homepage:  
role:  
email:  
phone:  
address:  
position:  
organisation:  
lastName:  
firstName:  
mimeType:  
dataType:  
identifier:  
parentTaxon: Canthidium  
higherClassification:  
infraspecificEpithet:  
specificEpithet:  
taxonRank: SPECIES  
subGenus:  
genus: Canthidium  
family: Scarabaeidae  
order: Coleoptera  
classHierarchy: Insecta  
phylum: Arthropoda  
kingdom: Animalia  
recommended:  
classification:

## commonNameAtomized

## ancillaryData

dataObject:  
additionalInformation:

## reference

geoPoint:  
location:  
thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

## agent

contentType:  
dataFormat:  
identifier:  
usedBy:

usedIn

distributionUnstructured:  
endDate:  
startDate:

## ancillaryData

type:  
language: Español  
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

reproductionUnstructured:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataFormat:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:



## reference

keywords: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escalerae,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasii,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

## editors

institution:  
address:  
publisher:  
accessed:  
websites:  
chapter:  
series:  
pages: 19--40  
issue:  
year: 1986

## authors

authors: Martínez, A.  
authors: Halffter, G.  
title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)  
source: Acta Zoológica Mexicana  
type: article  
tags: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escalerae,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasii,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili  
abstract:

## identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:

## mediaURL

description:

## subject

source:

## audience

bibliographicCitation:  
rightsHolder:  
rights: Claudia Alejandra Medina  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:

created:

[agent](#)

contentType:

dataType:

identifier:

distributionUnstructured: Esta especie se distribuye en Colombia, Costa Rica y Panamá (Martínez & Halffter, 1986; Medina et al., 2001). En Colombia se ha registrado en el departamento de Chocó (Medina et al., 2001).

[distributionAtomized](#)

stateProvince: Chocó

[ancillaryData](#)

locality:

municipality:

country: Colombia

temporalCoverage

endDate:

startDate:

distributionScope

type:

[threatStatus](#)

territory

territoryUnstructured:

areaOfOccupancy:

extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

[ancillaryData](#)

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:  
mimeType:  
dataType:  
identifier:

#### measurementOrFact

relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue:  
measurementType:  
measurementID:

abstract: Canthidium perceptibile es una especie de coleóptero que se distribuye en Centroamérica y Sudamérica (Martínez & Halffter, 1986; Medina et al., 2001). Se caracteriza por presentar intervalos elitrales brillantes y la espina de la tibia anterior de los machos delgada (Howden & Young, 1981).

#### associatedParty

role:  
personnelIdentifier:  
personnelDirectory:  
homepage:  
email: enataliagomezm@gmail.com  
phone:  
postalCode:  
country: Colombia  
state: Bogotá Distrito Capital  
city: Bogotá D.C.  
address:  
organisation:  
position:  
lastName: Gómez Melendro  
firstName: Edith Natalia

#### ancillaryData

dataObject:  
additionalInformation:

#### reference

geoPoint:  
location:  
thumbnailURL:  
mediaURL: [http://zipcodezoo.com/Animals/C/Canthidium\\_perceptibile/](http://zipcodezoo.com/Animals/C/Canthidium_perceptibile/)  
description:

#### subject

source: <http://zipcodezoo.com>

#### audience

bibliographicCitation:  
rightsHolder:

rights:  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

agent

mimeType:  
dataType:  
identifier:

\_id  
\_bsontype: ObjectID  
id: Vç)ŒfÄW DãñĐ