

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e4ef6983c45700544e3e68

Fecha de creación: 2016-03-13T04:41:14.708Z

creation_date: 2016-03-13T04:41:14.708Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

link: <http://www.biodiversitylibrary.org/part/135991>

keywords: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides anchisiades idaeus,Heraclides androgeus androgeus,Heraclides astyalus hippomedon,Heraclides garleppi interruptus,Heraclides isidorus flavescens,Heraclides paeon thrason,Heraclides torquatus jeani,Mimoides euryleon euryleon,Mimoides ilus ilus,Mimoides phaon,Mimoides xeniades halex,Parides aeneas bolivar,Parides anchises,Parides erithalion erithalion,Parides eurimedes arriphus,Pterourus birchallii birchallii

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 411--752

issue:

volume: 13

year: 1906

0: Rothschild, Lionel Walter

1: Jordan, Karl

title: A Revision of the American Papilios

source: Novitates Zoologicae

type: article

tags: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides anchisiades idaeus,Heraclides androgeus androgeus,Heraclides astyalus hippomedon,Heraclides garleppi interruptus,Heraclides isidorus flavescens,Heraclides paeon thrason,Heraclides torquatus jeani,Mimoides euryleon euryleon,Mimoides ilus ilus,Mimoides phaon,Mimoides xeniades halex,Parides aeneas bolivar,Parides anchises,Parides erithalion erithalion,Parides eurimedes arriphus,Pterourus birchallii birchallii

abstract:

last_modified:

created:

group_id:

profile_id:

id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:

fullDescriptionUnstructured: El macho de esta especie tiene los segmentos de la tibia y el tarso en el principio densamente pubescente. La zona apical de las alas anteriores es semitransparente. Las alas posteriores son de color fuertemente azul brillante en el disco, las manchas rojas se encuentran más cerca de la celda que en *P. i. phalias*. Es variable en número y tamaño, a menudo forma una banda continua, muchos ejemplares tienen pequeños puntos detrás de M2. Las manchas M2-(SM1) de la parte inferior de las alas posteriores son más grandes y más proximales que en *P. iphidamas*, la banda de los puntos se extiende por lo general hasta SC2 (Rothschild & Jordan 1906).

La hembra tiene el ápice del ala anterior un poco transparente; tiene un punto discal en R2-R3 más pequeño que el punto en R3 -M1 (Rothschild & Jordan 1906).

briefDescription:

references

link: <http://www.biodiversitylibrary.org/part/135991>

keywords: *Battus belus* varus,*Battus crassus* crassus,*Battus laodamas* copanae,*Battus laodamas* laodamas,*Battus lycidas*,*Eurytides dolicaon* deileon,*Eurytides serville* acritus,*Heraclides anchisiades* idaeus,*Heraclides androgeus* androgeus,*Heraclides astyalus* hippomedon,*Heraclides garleppi* interruptus,*Heraclides isidorus* flavescens,*Heraclides paeon* thrason,*Heraclides torquatus* jeani,*Mimoides euryleon* euryleon,*Mimoides ilus* ilus,*Mimoides phaon*,*Mimoides xeniades* halex,*Parides aeneas* bolivar,*Parides anchises*,*Parides erithalion* erithalion,*Parides eurimedes* arriphus,*Pterourus birchallii* birchallii

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 411--752
issue:
volume: 13
year: 1906

authors

authors: Rothschild, Lionel Walter
authors: Jordan, Karl
title: A Revision of the American Papilios
source: Novitates Zoologicae

type: article
tags: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides anchisiades idaeus,Heraclides androgeus androgeus,Heraclides astyalus hippomedon,Heraclides garleppi interruptus,Heraclides isidorus flavescens,Heraclides paeon thrason,Heraclides torquatus jeani,Mimoides euryleon euryleon,Mimoides ilus ilus,Mimoides phaon,Mimoides xeniades halex,Parides aeneas bolivar,Parides anchises,Parides erithalion erithalion,Parides eurimedes arriphus,Pterourus birchallii birchallii
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:

note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:

canonicalAuthorship

authors

year

simple:
simple: (Linnaeus, 1758)

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Parides anchises
rank: SPECIES
simple: Parides anchises (Linnaeus, 1758)

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

ancillaryData

synonymStatus:

synonymName

anyTwo:

anyOne

providerLink:

microReference:

publishedIn

source:

datatype:

identifier:

reletedName

source:

datatype:

identifier:

note:

ruleConsidered:

microReference:

publishedIn

source:

datatype:

identifier:

reletedName

source:

datatype:

identifier:

note:

ruleConsidered:

microReference:

publishedIn

source:

datatype:

identifier:

reletedName

source:

datatype:

identifier:

note:

ruleConsidered:

microReference:

publishedIn

source:

datatype:

identifier:

reletedName

source:

datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typeVoucherEntity

typeOfType:
simple:
microReference:
year:
source:
datatype:
identifier:

[combinationAuthorship](#)

basionymAuthorship

simple:

authorship

simple:

simple: Felder & Felder, 1861

epithet

infraspecificEpithet:

specificEpithet:

infragenericEpithet:

genus

linkType:

ref:

uninomial:

simple: Papilio alyattes

rank: SPECIES

simple: Papilio alyattes Felder & Felder, 1861

nomenclaturalCode:

isAnamorphic:

id:

[hierarchy](#)

[ancillaryData](#)

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:

thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: The Catalogue of Life, 3rd January 2011

[audience](#)

bibliographicCitation:

rightsHolder:

rights:

license:

title:

modified: 2016-03-13T04:40:54.697Z

created: 2016-03-13T04:40:54.697Z

[agent](#)

homepage:

role:

email:

phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Parides
higherClassification:
infraspecificEpithet:
specificEpithet: anchises
taxonRank: SPECIES
subGenus:
genus: Parides
family: Papilionidae
order: Lepidoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

commonNameAtomized

invasiveness
invasivenessUnstructured:
reproduction
reproductionUnstructured:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions

0

dataObject:
additionalInformation:

0

keywords: Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis

isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides anchisiades idaeus,Heraclides androgeus androgeus,Heraclides astyalus hippomedon,Heraclides chiansiades chiansiades,Heraclides paeon thrason,Heraclides thoas nealces,Heraclides torquatus jeani,Mimoides euryleon euryleon,Mimoides ilus ilus,Mimoides pausanius hermolaus,Mimoides pausanius pausanius,Parides aeneas bolivar,Parides anchises,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacticus,Pterourus menatius

institution:

address:

publisher: Monografias tercer milenio

accessed:

websites:

chapter:

series:

pages: 536

issue:

volume: 8

year: 2008

0: Beccaloni G. W., Viloria A. L., Hall S. K. \& Robinson G.S.

title: Catálogo de las plantas huésped de las mariposas neotropicales

source:

type: book

tags: Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides anchisiades idaeus,Heraclides androgeus androgeus,Heraclides astyalus hippomedon,Heraclides chiansiades chiansiades,Heraclides paeon thrason,Heraclides thoas nealces,Heraclides torquatus jeani,Mimoides euryleon euryleon,Mimoides ilus ilus,Mimoides pausanius hermolaus,Mimoides pausanius pausanius,Parides aeneas bolivar,Parides anchises,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacticus,Pterourus menatius

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

mimeType:

dataType:

identifier:

interactionsUnstructured: Las plantas hospederas de esta especie en Colombia son, Aristolochia máxima, Aristolochia morae, pertenecientes a la familia Aristolochiaceae (Beccaloni et. al 2008).

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

link: <http://www.biodiversitylibrary.org/part/135991>

keywords: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides anchisiades idaeus,Heraclides androgeus androgeus,Heraclides astyalus hippomedon,Heraclides garleppi interruptus,Heraclides isidorus flavescens,Heraclides paeon thrason,Heraclides torquatus jeani,Mimoides euryleon euryleon,Mimoides ilus ilus,Mimoides phaon,Mimoides xeniades halex,Parides aeneas bolivar,Parides anchises,Parides erithalion erithalion,Parides eurimedes arriphus,Pterourus birchallii birchallii

editors

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 411--752

issue:

volume: 13

year: 1906

authors

authors: Rothschild, Lionel Walter

authors: Jordan, Karl

title: A Revision of the American Papilios

source: Novitates Zoologicae

type: article

tags: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides anchisiades idaeus,Heraclides androgeus androgeus,Heraclides astyalus hippomedon,Heraclides garleppi interruptus,Heraclides isidorus flavescens,Heraclides paeon thrason,Heraclides torquatus jeani,Mimoides euryleon euryleon,Mimoides ilus ilus,Mimoides phaon,Mimoides xeniades halex,Parides aeneas bolivar,Parides anchises,Parides erithalion erithalion,Parides eurimedes arriphus,Pterourus birchallii birchallii

abstract:

identifiers

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

contentType:

dataType:

identifier:

distributionUnstructured: Esta especie se encuentra en Sur América, desde Colombia hasta Pará, Sao Paulo, Bolivia, y Paraguay (Rothschild & Jordan 1906).

distributionAtomized

temporalCoverage

endDate:

startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured:

areaOfOccupancy:

extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: Especie presente en Colombia, Brasil, Bolivia y Paraguay. Las alas anteriores son semitransparentes en la zona apical, siendo menos notorio en las hembras. Las alas posteriores son de color fuertemente azul brillante en el disco. Son hospederas de plantas de la familia Aristolochiaceae.

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation: Registros biológicos "ø &Vv—7G&÷2 Vâ Æ 6öÆV66Y6â 66†Ö—GBÔxVÖÒÂ 6öÆöÖ&— ø " d, Ò C B (Corregimiento La Pedrera, Amazonas), 1.974.
Créditos específicos: Los créditos de las imágenes corresponden a la Unidad de Producción Audiovisual (UPA) del Instituto de Investigación de Recursos Biológicos Alexander von Humboldt. En la revisión científica y taxonómica se contó con el apoyo del profesor investigador M. Gonzalo Andrade-C. del Instituto de Ciencias Naturales de la Universidad Nacional de Colombia.
Imagen: Parides_anchises_ventral3 .jpg

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

contentType:

dataType:

identifier:

_id

_bsontype: ObjectId

id: VäiifÄW Dãæ€