

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e72fc783c45700544e3f33

Fecha de creación: 2016-03-14T21:40:31.184Z

creation_date: 2016-03-14T21:40:31.184Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

fullDescriptionUnstructured: Tibias anteriores rectamente truncadas. Color marrón o verde oscuro brillante.

Longitudes de 4.5 - 5.5 mm.

briefDescription:

[references](#)

keywords: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoideus, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon deyrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvenicus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatum, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneus, Canthon subhyalinus, Canthon tetradon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suretai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius

fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinator, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atrigladius, Onthophagus batesi, Onthophagus belorhinus, Onthophagus bidentatus, Onthophagus buculus, Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranus, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti landolti, Onthophagus lebasii, Onthophagus marginicollis, Onthophagus mirabilis, Onthophagus nabeleki, Onthophagus nasutus, Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubescens, Onthophagus steinheili, Onthophagus transisthmus, Onthophagus xanthomerus, Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthion perplexus, Pseudocanthion xanthurus, Scybalocanthion darlingtoni, Scybalocanthion imitans, Scybalocanthion kelleri, Scybalocanthion maculatus, Scybalocanthion pygidialis, Scybalocanthion sexspilotus, Scybalocanthion trimaculatus, Sylvicanthion bridarollii Mart'inez 1949, Sylvicanthion candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

editors

institution:
edition: 2
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 131--144
issue:
volume: 2
year: 2001

authors

authors: Medina, C.
authors: Lopera, A.
authors: V'itolo, A.
authors: Gill, B.
title: Escarabajos coprófagos (Coleoptera: Scarabaeidae: Scarabaeinae) de Colombia
source: Biota Colombiana
type: article
tags: Agamopus lampros, Anisocanthion sericinus, Anisocanthion villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerae, Canthidium euschalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasii, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthion aberrans, Canthion acutoides, Canthion acutus, Canthion aequinoctialis, Canthion angularis, Canthion angustatus, Canthion brunneus, Canthion columbianus, Canthion cyanellus sallei, Canthion dentiger, Canthion deyrollei, Canthion femoralis bimaculatus, Canthion femoralis femoralis, Canthion fulgidus, Canthion juvencus, Canthion lituratus, Canthion luteicollis, Canthion modestus, Canthion morsei, Canthion mutabilis Lucas 1857, Canthion muticus, Canthion obscuriellus, Canthion pallidus, Canthion plagiatum, Canthion politus, Canthion quinquemaculatus, Canthion semiopacus, Canthion septemmaculatus histrio, Canthion septemmaculatus septemmaculatus, Canthion smaragdulus, Canthion steinheili, Canthion subcyaneus, Canthion subhyalinus, Canthion

tetraodon,Canthon triangularis,Canthonella gomezi,Copris incertus,Coprophanaeus ohausi,Coprophanaeus parvulus,Coprophanaeus suredai,Deltochilum (Deltohyboma) valgum,Deltochilum spinipes,Diabroctis mimas,Dichotomius agenor,Dichotomius belus,Dichotomius compressicollis,Dichotomius diabolicus,Dichotomius fallax,Dichotomius longiceps,Dichotomius mamillatus,Dichotomius nisus,Dichotomius ohausi,Dichotomius podalirius,Dichotomius protectus,Dichotomius quinquelobatus,Dichotomius reclinator,Dichotomius rugatus,Dichotomius satanas,Dichotomius sericeus,Dichotomius worontzowi,Hansreia affinis,Malagoniella astyanax columbica,Ontherus aphodioides,Ontherus compressicornis,Ontherus diabolicus,Ontherus pilatus,Ontherus pubens,Ontherus sulcator,Ontherus trituberculatus,Onthophagus acuminatus,Onthophagus atriglabrus,Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus,Onthophagus coscineus,Onthophagus curvicornis,Onthophagus dicranus,Onthophagus embrikianus,Onthophagus haematopus,Onthophagus hirculus,Onthophagus landolti landolti,Onthophagus lebasii,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus,Onthophagus osculatii,Onthophagus praecellens,Onthophagus rhinophyllus,Onthophagus rubescens,Onthophagus steinheili,Onthophagus transisthmus,Onthophagus xanthomerus,Oruscatus opalescens,Oxysternon ebeninum,Oxysternon spiniferum,Phanaeus bispinus,Phanaeus cambeforti,Phanaeus chalconelas,Phanaeus haroldi,Phanaeus hermes,Phanaeus meleagris,Phanaeus prasinus,Phanaeus pyrois,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon darlingtoni,Scybalocanthon imitans,Scybalocanthon kelleri,Scybalocanthon maculatus,Scybalocanthon pygidialis,Scybalocanthon sexspilotus,Scybalocanthon trimaculatus,Sylvicanthon bridarollii Mart\inez 1949,Sylvicanthon candezei,Uroxys bidentis,Uroxys brachialis,Uroxys caucanus,Uroxys coarctatus,Uroxys cuprescens,Uroxys depressifrons,Uroxys gatunensis,Uroxys gorgon,Uroxys metallescens,Uroxys micros,Uroxys nebulinus

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:

source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[conservedAgainst](#)

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[spellingCorrentionOf](#)

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

[lectotypeMicroReferenceVoucher](#)

[lectotypePublicationVoucher](#)

[voucherReference](#)

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

[authors](#)

[year](#)

simple:
canonicalAuthorship

[authors](#)

[year](#)

simple:
simple: Redtenbacher, 1867

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:

simple: Canthon fulgidus
rank: SPECIES
simple: Canthon fulgidus Redtenbacher, 1867

attributes

nomenclaturalCode:
isAnamorphic:
id:

[synonymsAtomized](#)

[hierarchy](#)

[ancillaryData](#)

dataObject:
additionalInformation:

[reference](#)

geoPoint:
location:
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: The Catalogue of Life, 3rd January 2011

[audience](#)

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-03-14T21:40:11.184Z
created: 2016-03-14T21:40:11.184Z

[agent](#)

homepage:
role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Canthon
higherClassification:

infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Canthon
family: Scarabaeidae
order: Coleoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

commonNameAtomized

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Español

name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataObject:

identifier:

reproductionUnstructured:

0

dataObject:

additionalInformation:

reference

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:

rights:

license:

modified:

created:

agent

contentType:

dataObject:

identifier:

relatedTo:

measurementRemarks:

measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:
additionalInformation:

reference

keywords: Anisocanthon sericinus, Canthon aberrans, Canthon acutus, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon femoralis bimaculatus, Canthon fulgidus, Canthon juvencus, Canthon luteicollis, Canthon modestus, Canthon mutabilis, Canthon muticus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon maculatus

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 570--658
issue:
volume: 15

year: 1964

authors

authors: Vulcano, M. A.

authors: Pereira, F. S.

title: Catalogue of Canthonini (Col. Scarab.) inhabiting the western hemisphere

source: Munich Mus G Frey Entomol Arb

type: article

tags: Anisocanthon sericinus,Canthon aberrans,Canthon acutus,Canthon angularis,Canthon angustatus,Canthon brunneus,Canthon columbianus,Canthon cyanellus sallei,Canthon dentiger,Canthon femoralis bimaculatus,Canthon fulgidus,Canthon juvenicus,Canthon luteicollis,Canthon modestus,Canthon mutabilis,Canthon muticus,Canthon pallidus,Canthon plagiatus,Canthon politus,Canthon quinquemaculatus,Canthon semiopacus,Canthon septemmaculatus histrio,Canthon septemmaculatus septemmaculatus,Canthon smaragdulus,Canthon steinheili,Canthon subcyaneus,Canthon subhyalinus,Canthon tetraodon,Canthon triangularis,Pseudocanthon xanthurus,Scybalocanthon darlingtoni,Scybalocanthon maculatus

abstract:

identifiers

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

contentType:

dataType:

identifier:

distributionUnstructured: Esta especie ha sido registrada en Brasil, Colombia y Perú (Vulcano & Pereira, 1964; Medina et al., 2001). En Colombia se distribuye en los departamentos de Guaviare, Meta y Amazonas (Medina et al., 2001).

distributionAtomized

stateProvince: Guaviare

ancillaryData

locality:
municipality:
country: Colombia

temporalCoverage

endDate:
startDate:

distributionScope

type:

[threatStatus](#)

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:

measurementID:

abstract: *Canthon fulgidus* ha sido registrada en Sudamérica (Brasil, Colombia y Perú) (Vulcano & Pereira, 1964; Medina et al., 2001). Presenta coloraciones corporales entre el marrón y verde oscuro brillante.

associatedParty

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone:

postalCode:

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address:

organisation:

position:

lastName: Gómez Melendro

firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Americanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico. Esquema realizado por Fredy Molano.

Imagen: *Canthon fulgidus*.jpg

reference

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

mimeType:

dataType:

identifier:

_id

_bsontype: ObjectID

id: Vç/ÇfÄW Dãó0