Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e6e2d083c45700544e3ed2

Fecha de creación: 2016-03-14T16:12:08.250Z

creation_date: 2016-03-14T16:12:08.250Z usesManagementAndConservation

ancillaryData

managementAndConservationUnstructured:

managementAndConservationAtomized

identificationKeys

fullDescription

0

dataObject: additionalInformation:

0

keywords: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion browni,Parides erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii,Pterourus menatius

institution: address:

publisher: Carlec Ltda

accessed: websites: chapter: series: pages: 108 issue:

volume: Tomo I year: 2002 0: Le Crom, J F 1: Constantino, L M 2: Salazar, J A 3: Llorente, J

title: Mariposas de Colombia. Papilionidae

source: type: book

tags: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion browni,Parides erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii.Pterourus menatius

abstract: last_modified: created: group_id: profile_id:

id:

geoPoint: location: thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Esta especie generalmente ostenta un patrón básico de coloración negra aterciopelada, cruzado con una o dos bandas mediales y pos mediales amarillas, rojas, anaranjadas, o verdosas. El margen abdominal de las alas posteriores está revestido de setas largas en los machos y ausente en las hembras (Le Crom et al., 2002).

briefDescription:

references

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii,Pterourus cacicus,Pterourus menatius

editors

institution:

address:

publisher: m3m-Monograf\'ias Tercer Milenio

accessed: websites: chapter: series: pages: 536 issue: volume: 8 year: 2008

authors

authors: Beccaloni, G. W authors: Viloria, A. L. authors: Hall, S. K. authors: Robinson, G.S.

title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales

source: type: book

tags: Anteos menippe, Aphrissa statira statira, Ascia monuste orseis, Battus crassus crassus, Battus crassus lepidus, Battus laodamas copanae, Battus laodamas laodamas, Battus polydamas polydamas, Colias dimera, Eurytides orabilis isocharis, Eurytides serville acritus, Eurytides serville columbus, Heraclides androgeus androgeus, Heraclides

paeon thrason, Heraclides thoas nealces, Mimoides pausanias pausanias, Papilio polyxenes americus, Parides erithalion erithalion, Protesilaus protesilaus, Protographium dioxippus dioxippus, Pterourus birchallii, Pterourus cacicus, Pterourus menatius abstract: identifiers

last modified: created: group_id: profile_id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:

replacementNameFor

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

sanctioned

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

laterHomonymOf

microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
conservedAgainst
basedOn
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
basionym
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
spellingCorrentionOf
typeNameEntity
source: datatype: identifier: source: datatype: identifier: source: datatype: identifier:
typificacion
typeOfType:
lectotypeMicroReferenceVoucher

 ${\bf lectotype Publication Voucher}$

voucherReference

simple:

microReference:

year:

publishedIn

simple: source: datatype: identifier:

specialAuthorship

authors

year

simple:

canonicalAuthorship

authors

year

simple:

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet:

linkType: ref:

uninomial:

simple: Pterourus menatius

rank:

simple: Pterourus menatius

attributes

nomenclaturalCode: isAnamorphic:

id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint: location: thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rigthsHolder:

rights: license: title:

modified: 2016-03-14T16:11:48.237Z created: 2016-03-14T16:11:48.237Z

agent

homepage:

role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:

parentTaxon: Papilio higherClassification: infraspecificEpithet: specificEpithet: taxonRank: subGenus: genus: Papilio family: Papilionidae order: Lepidoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification:

commonNameAtomized

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:

additionalInformation:

0

keywords: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion browni,Parides erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii birchallii.Pterourus menatius

institution: address:

publisher: Carlec Ltda

accessed: websites: chapter: series: pages: 108 issue:

volume: Tomo I year: 2002 0: Le Crom, J F 1: Constantino, L M 2: Salazar, J A 3: Llorente, J

title: Mariposas de Colombia. Papilionidae

source: type: book

tags: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion browni,Parides erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii,Pterourus menatius

abstract: last_modified: created: group_id: profile_id: id: geoPoint: location:

thumbnailURL: description:

source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

reproductionUnstructured: Los adultos de esta especie presentan dimorfismo sexual y las hembras son polimórficas (Le Crom et al., 2002).
0
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
audience
rightsHolder: rights: license: modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementUnit: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions

0

dataObject:

additionalInformation:

keywords: Anteos menippe, Aphrissa statira statira, Ascia monuste orseis, Battus crassus crassus, Battus crassus lepidus, Battus laodamas copanae, Battus laodamas laodamas, Battus polydamas, Colias dimera, Eurytides orabilis isocharis, Eurytides serville acritus, Eurytides serville columbus, Heraclides androgeus androgeus, Heraclides paeon thrason, Heraclides thoas nealces, Mimoides pausanias pausanias, Papilio polyxenes americus, Parides erithalion erithalion, Protesilaus protesilaus, Protographium dioxippus dioxippus, Pterourus birchallii birchallii, Pterourus cacicus.Pterourus menatius

institution: address:

publisher: m3m-Monograf\'ias Tercer Milenio

accessed: websites: chapter: series: pages: 536 issue: volume: 8 year: 2008 0: Beccaloni, G. W 1: Viloria, A. L.

2: Hall, S. K. 3: Robinson, G.S.

title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales

source: type: book

tags: Anteos menippe, Aphrissa statira statira, Ascia monuste orseis, Battus crassus crassus, Battus crassus lepidus, Battus laodamas copanae, Battus laodamas laodamas, Battus polydamas, Colias dimera, Eurytides orabilis isocharis, Eurytides serville acritus, Eurytides serville columbus, Heraclides androgeus androgeus, Heraclides paeon thrason, Heraclides thoas nealces, Mimoides pausanias pausanias, Papilio polyxenes americus, Parides erithalion erithalion, Protesilaus protesilaus, Protographium dioxippus dioxippus, Pterourus birchallii birchallii, Pterourus cacicus, Pterourus menatius

abstract: last modified: created: group id: profile id: id:

geoPoint: location:

thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

interactionsUnstructured: Las plantas hospederas de esta especie son Hernandia didymantha, Persea americana (Beccaloni et al., 2008). feeding 0 dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Ángela M. Suarez Mayorga license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: feedingUnstructured: type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior behaviorUnstructured: ancillaryData dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source:

bibliographicCitation:

rightsHolder: rights:

license:	
modified:	
created:	
mimeType:	
dataType:	
identifier:	

measurementOrFact

relatedTo:

measurementRemarks: measurementMethod:

measurementDeterminedDate:

measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

keywords: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion browni,Parides erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii,Pterourus menatius

editors

institution: address:

publisher: Carlec Ltda

accessed: websites: chapter: series: pages: 108 issue:

volume: Tomo I year: 2002

authors

authors: Le Crom, J F authors: Constantino, L M authors: Salazar, J A authors: Llorente, J

title: Mariposas de Colombia. Papilionidae

source: type: book

tags: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion browni,Parides erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii,Pterourus menatius

abstract:

identifiers

last_modified: created:

group_id:
profile_id:

id:

geoPoint: location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

agent

mimeType: dataType: identifier:

distributionUnstructured: Esta especie se distribuye en zonas desde el nivel del mar hasta los 2600 msnm (Le Crom et al., 2002).

distributionAtomized

temporalCoverage

endDate: startDate:

distributionScope
type:
threatStatus
territory
territoryUnstructured: areaOfOccupancy: extentOfOccurrence:
populationBiology
populationBiologyUnstructured:
legislation
legislationUnstructured:
directThreats
directThreatsUnstructured:
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: abstract: Pterourus menatius es una especie de la familia Papilionidae y se distribuye en zonas desde el nivel del
mar hasta los 2600 msnm (Le Crom et al., 2002). Esta especie generalmente presenta un patrón básico de coloración negra aterciopelada, cruzado con una o dos bandas mediales y pos mediales amarillas, rojas, anaranjadas, o verdosas (Le Crom et al., 2002).

associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint: location:

thumbnailURL:

mediaURL: https://www.flickr.com/photos/andrewneild/20758728106/in/photolist-xCnUDh-xo633h-xo5ZP9-xocjXX

description:

subject

source: https://farm6.staticflickr.com/5742/20758728106_f8dbda94dd.jpg

audience

bibliographicCitation:

rightsHolder: Andrew Neild, UK

rights:

license: http://creativecommons.org/licenses/by-nc-nd/2.0/

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: VæâĐfÄW Dãí