Reporte de Fichas para el usuario: edith gómez Ficha ID: 56e72f7183c45700544e3f32 Fecha de creación: 2016-03-14T21:39:05.657Z creation_date: 2016-03-14T21:39:05.657Z usesManagementAndConservation ancillaryData managementAndConservationUnstructured: managementAndConservationAtomized identificationKeys fullDescription 0 dataObject: additionalInformation: keywords: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis institution: address: publisher: accessed: websites: chapter: series: pages: 33--66 issue: volume: 23 year: 1972 0: Mart\'inez, A. 1: Halffter, G. title: New taxa of American Canthonina (Coleoptera, Scarabaeinae) source: Munich Mus G Frey Entomol Arb type: article tags: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis abstract: last modified: created: group_id: profile_id: id:

geoPoint: location:

thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Color de la superficie dorsal (cabeza, pronoto y élitros) y pigidio negro azulado brillante; superficie ventral negra; patas medias y posteriores con fémures y tibias amarillas, excepto en los extremos apicales y basales que son de color marrón. Clava antenal naranja amarillento (Martínez & Halffter, 1972). briefDescription:

references

keywords: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis

editors

institution: address: publisher: accessed: websites: chapter: series:

pages: 33--66

issue: volume: 23 year: 1972

authors

authors: Mart\'inez, A. authors: Halffter, G.

title: New taxa of American Canthonina (Coleoptera, Scarabaeinae)

source: Munich Mus G Frey Entomol Arb

type: article

tags: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis

abstract:

identifiers

last_modified: created: group_id:

profile_id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source: datatype:

identifier: source: datatype: identifier: note: ruleConsidered: replacementNameFor microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: sanctioned microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: laterHomonymOf microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: conservedAgainst basedOn microReference: source: datatype: identifier: source:

datatype: identifier: note:

basionym

ruleConsidered:

microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
spellingCorrentionOf
typeNameEntity
source: datatype: identifier: source: datatype: identifier: source: datatype: identifier: source: datatype: identifier:
typificacion
typeOfType:
lectotypeMicroReferenceVoucher
lectotypePublicationVoucher
voucherReference
simple: microReference: year:
publishedIn
simple: source: datatype: identifier:
specialAuthorship
authors
year
simple:
canonicalAuthorship
authors

year

simple:

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet: linkType:

linkType: ref: uninomial: simple: rank:

simple: Canthon femoralis femoralis

attributes

nomenclaturalCode: isAnamorphic:

id:

synonymsAtomized

hierarchy

classification:
recommended:
kingdom: Animalia
phylum: Arthropoda
classHierarchy: Insecta
order: Coleoptera
family: Scarabaeidae
genus: Canthon
subGenus:
taxonRank:
specificEpithet:
infraspecificEpithet:
higherClassification:

parentTaxon:

ancillaryData

identifier: dataType: mimeType:

agent

firstName: lastName: organisation: position: address: phone: email: role:

homepage:

created: modified: title: license: rights: rigthsHolder:
bibliographicCitation:
audience
source:
subject
description:
mediaURL
thumbnailURL: location: geoPoint:
reference
additionalInformation: dataObject:
commonNameAtomized
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType:

identifier: usedBy:
usedIn
distributionUnstructured: endDate: startDate:
ancillaryData
type: language: Español name: Escarabajo coprófago
invasiveness
invasivenessUnstructured:
reproduction
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: reproductionUnstructured: 0
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
audience
rightsHolder:

rights: license: modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
feedingUnstructured:
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
behaviorUnstructured:

ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:
annualCycle
annualCycleUnstructured:
habitat
0
dataObject: additionalInformation:
0
keywords: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis institution: address: publisher: accessed: websites: chapter: series: pages: 3366 issue: volume: 23 year: 1972 0: Mart\'inez, A.
1: Halffter, G. title: New taxa of American Canthonina (Coleoptera, Scarabaeinae)

source: Munich Mus G Frey Entomol Arb type: article tags: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis abstract: last modified: created: group id: profile_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Se encuentra asociada al bosque trópical siempre verde o subdeciduo (Martínez & Halffter, 1972).

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

keywords: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis

editors

institution: address: publisher: accessed: websites: chapter: series:

pages: 33--66

issue: volume: 23 year: 1972

authors

authors: Mart\'inez, A. authors: Halffter, G.

title: New taxa of American Canthonina (Coleoptera, Scarabaeinae)

source: Munich Mus G Frey Entomol Arb

type: article

tags: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis

abstract:

identifiers

last_modified:

created: group id:

profile_id:

id:

geoPoint: location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

agent

mimeType: dataType: identifier:

distributionUnstructured: Esta especie ha sido registrada en Colombia, Guatemala y México (Martínez & Halffter, 1972), en zonas con altitudes que van desde los 0 msnm hasta los 800 msnm (Martínez & Halffter, 1972). En Colombia se distribuye en los departamentos de Meta y Vaupés (Medina et al., 2001).

distributionAtomized

stateProvince: Meta

ancillaryData

locality: municipality: country: Colombia

temporalCoverage

endDate: startDate:

distributionScope

type:

threatStatus

homepage:

territory territoryUnstructured: areaOfOccupancy: extentOfOccurrence: populationBiology populationBiologyUnstructured: legislation legislationUnstructured: directThreats directThreatsUnstructured: ancillaryData dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier: measurementOrFact relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: abstract: Esta especie de coleóptero ha sido registrada en Colombia, Guatemala y México (Martínez & Halffter, 1972). Se caracteriza por tener el color de la superficie dorsal y pigidio negro azulado brillante y las patas medias y posteriores con fémures y tibias amarillas (Martínez y Halffter, 1972). associatedParty personnelldentifier: personnelDirectory:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint: location: thumbnailURL:

mediaURL: http://www.discoverlife.org/mp/20q?search=Canthon+femoralis

description:

subject

source: http://www.discoverlife.org

audience

bibliographicCitation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: Vç/qfÄW Dãó