

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e6e63d83c45700544e3ed4

Fecha de creación: 2016-03-14T16:26:44.766Z

creation_date: 2016-03-14T16:26:44.766Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon thrason,Papilio polyxenes americanus,Parides erithalion erithalion,Parides eurimedes arriphus,Protesilaus protesilaus,Pterourus birchallii birchallii,Pterourus cacicus

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 411--752

issue:

volume: 13

year: 1906

0: Rothschild-Rothschild, Lionel Walter

1: Jordan, Karl

title: A revision of the American Papilios. Revisión de las Papilios americanas

source: Novitates Zoologicae.

type: article

tags: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon thrason,Papilio polyxenes americanus,Parides erithalion erithalion,Parides eurimedes arriphus,Protesilaus protesilaus,Pterourus birchallii birchallii,Pterourus cacicus

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:
bibliographicCitation:
rightsHolder:
rights: Ángela Andrea Camargo S.
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:

created:
mimeType:
dataType:
identifier:

fullDescriptionUnstructured: El macho de esta subespecie son por lo general más amarillas que la forma de Brasil; los puntos frente a la celda de las alas anteriores, son, algo más grandes que en la mayoría de las muestras, y las barras en las partes submarginales bajas, son en su mayoría delgadas, posee una línea dorsal negra en el abdomen a menudo rudimentaria, y a veces ausente. La hembra de esta subespecie es dicromático (Rothschild-Rothschild & Jordan, 1906).

Las alas anteriores poseen parches amarillos de R2-M1, con aproximadamente la misma longitud, de vez en cuando se encuentra un lugar antes de R2, R3 el parche-M1 a menudo se encuentra bajo una sombra negra, verde o azul grisáceo, la zona discal de las alas posteriores entra en la celda (Rothschild-Rothschild & Jordan, 1906).

briefDescription:

references

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacicus,Pterourus menatius

editors

institution:
address:
publisher: m3m-Monografías Tercer Milenio
accessed:
websites:
chapter:
series:
pages: 536
issue:
volume: 8
year: 2008

authors

authors: Beccaloni, G. W
authors: Vilorio, A. L.
authors: Hall, S. K.
authors: Robinson, G.S.
title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales
source:
type: book

tags: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus

cacicus,Pterourus menatius
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:

datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[conservedAgainst](#)

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[spellingCorrentionOf](#)

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

[lectotypeMicroReferenceVoucher](#)

[lectotypePublicationVoucher](#)

[voucherReference](#)

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:
canonicalAuthorship

authors

year

simple:
simple:

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Heraclides androgeus androgeus
rank:
simple: Heraclides androgeus androgeus

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:

location:
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source:

[audience](#)

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-03-14T16:26:24.753Z
created: 2016-03-14T16:26:24.753Z

[agent](#)

homepage:
role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Papilio androgeus
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank:
subGenus:
genus: Papilio
family: Papilionidae
order: Lepidoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Metazoa
recommended:
classification:

[commonNameAtomized](#)

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Ángela Andrea Camargo S.
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

[reference](#)

geoPoint:
location:
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

[audience](#)

rightsHolder:
rights:
license:
modified:
created:

[agent](#)

mimeType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

0

dataObject:

additionalInformation:

0

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacus,Pterourus menatius

institution:

address:

publisher: m3m-Monografias Tercer Milenio

accessed:

websites:

chapter:

series:

pages: 536

issue:

volume: 8

year: 2008

0: Beccaloni, G. W

1: Viloria, A. L.

2: Hall, S. K.

3: Robinson, G.S.

title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales

source:

type: book

tags: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacus,Pterourus menatius

abstract:

last_modified:

created:

group_id:

profile_id:

id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Ángela Andrea Camargo S.
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
interactionsUnstructured: La planta hospedera de esta subespecie es perteneciente a la familia Rutaceae (Beccaloni et al., 2008).

feeding

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Ángela Andrea Camargo S.
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
feedingUnstructured:

0

type: Heterótrofos - Herbívoros

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

mimeType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

[endemicAtomized](#)

[distribution](#)

[ancillaryData](#)

dataObject:

additionalInformation:

[reference](#)

keywords: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion browni,Parides erithalion erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus menatius

editors

institution:
address:
publisher: Carlec Ltda
accessed:
websites:
chapter:
series:
pages: 108
issue:
volume: Tomo I
year: 2002

authors

authors: Le Crom, J F
authors: Constantino, L M
authors: Salazar, J A
authors: Llorente, J
title: Mariposas de Colombia. Papilionidae
source:
type: book
tags: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion browni,Parides erithalion erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus menatius
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Ángela Andrea Camargo S.
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: Esta subespecie se distribuye desde Colombia a Trinidad, las Guayanas, Amazonas, al sur de Bolivia y Mato Grosso occidental (Rothschild-Rothschild & Jordan, 1906). Y se registra en zonas que se encuentran entre los 100 y 1000 msnm (Le Crom et al., 2002). En Colombia se encuentra en la cuenca amazónica y la Orinoquía (Le Crom et al., 2002).

distributionAtomized

temporalCoverage

endDate:
startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
contentType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: Esta subespecie de mariposa se distribuye en zonas de Sudamérica con altitudes que van desde los 100 hasta los 1000 msnm (Le Crom et al., 2002). El macho de esta subespecie poseen el área de color amarillo menos pálido que las demás subespecies y la hembra tiene en las alas anteriores dos manchas amarillas grandes, y a veces también tiene un pequeño punto (Seitz, 1924).

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:
mediaURL: <https://www.flickr.com/photos/computerhotline/5654544468/in/photolist-9BF251-huSprs-qCCJBV>
description:

subject

source: https://farm6.staticflickr.com/5305/5654544468_3755a2d42b.jpg

audience

bibliographicCitation: Heraclides androgeus.

Jardin des papillons (Hunawahr).
rightsHolder: ComputerHotline
rights:
license: <http://creativecommons.org/licenses/by/2.0/>
modified:
created:

agent

contentType:
dataType:
identifier:

_id

_bsonType: ObjectId
id: Vææ=fÄW Dãí@