Reporte de Fichas para el usuario: edith gómez Ficha ID: 56e72da183c45700544e3f2b Fecha de creación: 2016-03-14T21:31:21.409Z creation\_date: 2016-03-14T21:31:21.409Z usesManagementAndConservation ancillaryData managementAndConservationUnstructured: managementAndConservationAtomized identificationKeys fullDescription 0 dataObject: additionalInformation: keywords: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis institution: address: publisher: accessed: websites: chapter: series: pages: 33--66 issue: volume: 23 year: 1972 0: Mart\'inez, A. 1: Halffter, G. title: New taxa of American Canthonina (Coleoptera, Scarabaeinae) source: Munich Mus G Frey Entomol Arb type: article tags: Canthon columbianus, Canthon femoralis bimaculatus, Canthon femoralis femoralis abstract: last modified: created: group\_id: profile\_id: id:

geoPoint: location: thumbnailURL: description: source:

bibliographicCitation:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

rightsHolder:

modified:

created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Superficie dorsal y ventral de color negro, con reflejos leves marrón rojizo en los élitros y el pigidio; dorsalmente brillante. Fémures anteriores (en la mayoría de los especímenes), medios y posteriores naranja amarillento, excepto en los extremos apicales y basales los cuales son oscuros; tibias medias y posteriores naranjas amarillento; tibia anterior y tarsos de todas las patas marrón. Clava antenal marrón claro (Martínez & Halffter, 1972).

briefDescription:

#### references

keywords: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi.Canthidium lebasi.Canthidium macroculare.Canthidium onitoides.Canthidium perceptibile.Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon deyrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneaus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranius, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti, Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubrescens,Onthophagus steinheili,Onthophagus transisthmius,Onthophagus xanthomerus,Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon darlingtoni,Scybalocanthon imitans, Scybalocanthon kelleri, Scybalocanthon maculatus, Scybalocanthon pygidialis, Scybalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis. Uroxys gorgon. Uroxys metallescens. Uroxys micros. Uroxys nebulinus

#### editors

institution: edition: 2 address: publisher: accessed: websites: chapter: series:

pages: 131--144

issue: volume: 2 year: 2001

#### authors

authors: Medina, C. authors: Lopera, A. authors: V\'itolo, A. authors: Gill, B.

title: Escarabajos coprófagos (Coleoptera: Scarabaeidae: Scarabaeinae) de Colombia

source: Biota Colombiana

type: article

tags: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps.Canthidium aurifex.Canthidium basipunctatum.Canthidium bicolor.Canthidium centrale.Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi.Canthidium lebasi.Canthidium macroculare.Canthidium onitoides.Canthidium perceptibile.Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon deyrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaraqdulus, Canthon steinheili, Canthon subcyaneaus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranius, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti landolti, Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubrescens,Onthophagus steinheili,Onthophagus transisthmius,Onthophagus xanthomerus,Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthon perplexus, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon imitans.Scvbalocanthon kelleri.Scvbalocanthon maculatus.Scvbalocanthon pygidialis.Scvbalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus abstract:

#### identifiers

last\_modified: created:

Ì	group_id: profile_id: d:
1	taxonRecordName
i	ancillaryData
ć	providerSpecificData anyTwo: providerLink:
ı	oublicationStatus
i :	microReference: source: datatype: dentifier: source: datatype: dentifier: note:
	ruleConsidered:
i i i	replacementNameFor microReference: source: datatype: dentifier: source: datatype: dentifier: dentifier: note: ruleConsidered:
;	sanctioned
i	microReference: source: datatype: dentifier: source: datatype: datatype: dentifier:

note:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered: laterHomonymOf microReference:

#### ruleConsidered:

# conservedAgainst

## basedOn

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

## basionym

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:

ruleConsidered:

# spellingCorrentionOf

# typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

# **lectotypeMicroReferenceVoucher**

# **lectotypePublicationVoucher**

## voucherReference

simple:

microReference:

year:

publishedIn

simple:

source: datatype: identifier:
specialAuthorship
authors
year
simple:
canonicalAuthorship
authors
year
simple: simple: Schmidt, 1920
canonicalName
infraspecificEpithet: specificEpithet: infragenericEpithet: linkType: ref: uninomial: simple: Canthon columbianus rank: SPECIES simple: Canthon columbianus Schmidt, 1920
attributes
nomenclaturalCode: isAnamorphic: id:
synonymsAtomized
hierarchy
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location:

thumbnailURL:

mediaURL

description:

# subject

source: The Catalogue of Life, 3rd January 2011

#### audience

bibliographicCitation:

rigthsHolder:

rights: license: title:

modified: 2016-03-14T21:31:01.406Z created: 2016-03-14T21:31:01.406Z

# agent

homepage:

role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:

parentTaxon: Canthon higherClassification: infraspecificEpithet: specificEpithet:

taxonRank: SPECIES

subGenus: genus: Canthon family: Scarabaeidae order: Coleoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification:

# commonNameAtomized

# ancillaryData

dataObject:

additionalInformation:

#### reference

geoPoint: location: thumbnailURL:

## mediaURL

description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType: identifier: usedBy:
usedIn
distributionUnstructured: endDate: startDate:
ancillaryData
type: language: Español name: Escarabajo coprófago
invasiveness
invasivenessUnstructured:
reproduction
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier:
reproductionUnstructured:

dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
audience
rightsHolder: rights: license: modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
feedingUnstructured:

# environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior behaviorUnstructured: ancillaryData dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier: measurementOrFact relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: annualCycle annualCycleUnstructured: habitat habitatUnstructured: endemicAtomized

### distribution

# ancillaryData

dataObject: additionalInformation:

#### reference

keywords: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai.Canthidium euchalceum.Canthidium funebre.Canthidium gemmingeri.Canthidium gerstaeckeri.Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans.Canthon acutoides.Canthon acutus.Canthon aequinoctialis.Canthon angularis.Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon devrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneaus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranius, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti, Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubrescens,Onthophagus steinheili,Onthophagus transisthmius,Onthophagus xanthomerus,Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon darlingtoni,Scybalocanthon imitans, Scybalocanthon kelleri, Scybalocanthon maculatus, Scybalocanthon pygidialis, Scybalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

#### editors

institution: edition: 2 address: publisher: accessed: websites: chapter: series:

pages: 131--144

issue:

volume: 2 year: 2001

#### authors

authors: Medina, C. authors: Lopera, A. authors: V\'itolo, A. authors: Gill, B.

title: Escarabajos coprófagos (Coleoptera: Scarabaeidae: Scarabaeinae) de Colombia

source: Biota Colombiana

type: article

tags: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens.Canthidium picipes.Canthidium rufinum.Canthidium splendidum.Canthidium steinheili.Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon devrollei.Canthon femoralis bimaculatus.Canthon femoralis femoralis.Canthon fulgidus.Canthon iuvencus.Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneaus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens,Ontherus sulcator,Ontherus trituberculatus,Onthophagus acuminatus,Onthophagus atriglabrus,Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranius, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti, Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubrescens.Onthophagus steinheili.Onthophagus transisthmius.Onthophagus xanthomerus.Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthon perplexus, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon imitans, Scybalocanthon kelleri, Scybalocanthon maculatus, Scybalocanthon pygidialis, Scybalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus abstract:

#### identifiers

last\_modified: created: group\_id: profile\_id: id: geoPoint:

location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType: identifier: distributionUnstructured: Esta especie ha sido registrada en Colombia (Vulcano & Pereira, 1964). En Colombia se distribuye en el departamento de Risaralda (Medina et al., 2001).
distributionAtomized
stateProvince: Risaralda
ancillaryData
locality: municipality: country: Colombia
temporalCoverage
endDate: startDate:
distributionScope
type:
threatStatus
territory
territoryUnstructured: areaOfOccupancy: extentOfOccurrence:
populationBiology
populationBiologyUnstructured:
legislation
legislationUnstructured:

# directThreats directThreatsUnstructured: ancillaryData dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier: measurementOrFact relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: abstract: Canthon columbianus se caracteriza por presentar la superficie dorsal y ventral de color negro brillante, con reflejos marrón rojizo leves en los élitros y el pigidio (Martínez & Halffter, 1972). Esta especie se ha registrado en el departamento de Risaralda (Medina et al., 2001). associatedParty role: personnelldentifier: personnelDirectory: homepage: email: enataliagomezm@gmail.com phone: postalCode: country: Colombia state: Bogotá Distrito Capital

address: organisation: position:

city: Bogotá D.C.

lastName: Gómez Melendro firstName: Edith Natalia

## ancillaryData

dataObject:

additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Américanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico.

### reference

geoPoint: location: thumbnailURL:

## mediaURL

description:

## subject

source:

#### audience

bibliographicCitation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

# agent

mimeType: dataType: identifier:

\_id

\_bsontype: ObjectID id: Vç-¡fÄW Dãò°