

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e7286583c45700544e3f1b

Fecha de creación: 2016-03-14T21:09:01.253Z

creation_date: 2016-03-14T21:09:01.253Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Ateuchus columbianum,Ateuchus hoplopygum,Ateuchus persplendens,Canthidium angusticeps,Canthidium basipunctatum,Canthidium cupreum,Canthidium deplanatum,Canthidium euchalceum,Canthidium funebre,Canthidium gemmingeri,Canthidium gerstaeckeri,Canthidium haroldi,Canthidium onitoides,Canthidium persplendens,Canthidium picipes,Canthidium steinheili,Canthon acutoides,Canthon brunneus,Canthon fulgidus,Canthon luteicollis,Canthon obscuriellus,Canthon pallidus,Canthon plagiatus,Canthon politus,Canthon semiopacus,Canthon subhyalinus,Canthon triangularis,Dichotomius belus,Dichotomius fallax,Dichotomius nesus,Dichotomius sericeus,Onthophagus rubescens,Onthophagus steinheili,Oruscatus opalescens,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon imitans,Scybalocanthon kelleri,Scybalocanthon pygidialis,Scybalocanthon sexspilotus,Scybalocanthon trimaculatus,Uroxys brachialis,Uroxys caucanus,Uroxys coarctatus,Uroxys cuprescens,Uroxys metallescens

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 533--603

issue:

volume: 5

year: 1967

0: Vulcano, M. A.

1: Pereira, F. S.

title: Sinópsese dos Passalidae e Scarabaeidae s. str. da regiao Amaz\^onica (Insecta, Coleoptera)

source: Atas do Simpósio s\^obre a Biota Amaz\^onica

type: book_section

tags: Ateuchus columbianum,Ateuchus hoplopygum,Ateuchus persplendens,Canthidium angusticeps,Canthidium basipunctatum,Canthidium cupreum,Canthidium deplanatum,Canthidium euchalceum,Canthidium funebre,Canthidium gemmingeri,Canthidium gerstaeckeri,Canthidium haroldi,Canthidium onitoides,Canthidium persplendens,Canthidium picipes,Canthidium steinheili,Canthon acutoides,Canthon brunneus,Canthon fulgidus,Canthon luteicollis,Canthon obscuriellus,Canthon pallidus,Canthon plagiatus,Canthon politus,Canthon semiopacus,Canthon subhyalinus,Canthon triangularis,Dichotomius belus,Dichotomius fallax,Dichotomius nesus,Dichotomius sericeus,Onthophagus rubescens,Onthophagus steinheili,Oruscatus opalescens,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon imitans,Scybalocanthon kelleri,Scybalocanthon

pygidialis,Scybalocanthon sexspilotus,Scybalocanthon trimaculatus,Uroxys brachialis,Uroxys caucanus,Uroxys coarctatus,Uroxys cuprescens,Uroxys metallescens

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

fullDescriptionUnstructured: Cabeza con carena simple y arqueada. Pronoto con un tubérculo nudiforme, color del pronoto oscuro o amarillo. 10 - 11 mm (Vulcano & Pereira, 1967).

briefDescription:

references

keywords: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escaleraei,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasii,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

editors

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 19--40

issue:

year: 1986

authors

authors: Martı́nez, A.

authors: Halffter, G.

title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)

source: Acta Zoológica Mexicana

type: article

tags: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escaleraei,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasii,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:

identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:

microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:

canonicalAuthorship

authors

year

simple:
simple: Perty, 1830

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Canthidium onitoides
rank: SPECIES
simple: Canthidium onitoides Perty, 1830

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:

thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: The Catalogue of Life, 3rd January 2011

[audience](#)

bibliographicCitation:

rightsHolder:

rights:

license:

title:

modified: 2016-03-14T21:08:41.250Z

created: 2016-03-14T21:08:41.250Z

[agent](#)

homepage:

role:

email:

phone:

address:

position:

organisation:

lastName:

firstName:

mimeType:

dataType:

identifier:

parentTaxon: Canthidium

higherClassification:

infraspecificEpithet:

specificEpithet:

taxonRank: SPECIES

subGenus:

genus: Canthidium

family: Scarabaeidae

order: Coleoptera

classHierarchy: Insecta

phylum: Arthropoda

kingdom: Animalia

recommended:

classification:

[commonNameAtomized](#)

[ancillaryData](#)

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source:

[audience](#)

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

[agent](#)

contentType:
dataType:
identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

[ancillaryData](#)

type:
language: Español
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

reproductionUnstructured:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

keywords: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escalerae,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebas,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

editors

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 19--40

issue:

year: 1986

authors

authors: Mart\inez, A.

authors: Halffter, G.

title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)

source: Acta Zoológica Mexicana

type: article

tags: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escalerae,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebas,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

abstract:

identifiers

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

mimeType:

dataType:

identifier:

distributionUnstructured: Esta especie ha sido registrada en Brasil y Colombia (Martínez & Halffter, 1986; Medina et al., 2001). En el país se distribuye en los departamentos de Guainía y Vaupés (Medina et al., 2001).

distributionAtomized

stateProvince: Guainía

ancillaryData

locality:

municipality:

country: Colombia

temporalCoverage

endDate:

startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured:

areaOfOccupancy:

extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: Esta especie se distribuye en la región de la Amazonia colombiana (Medina et al., 2001). Se caracteriza por alcanzar longitudes corporales de 10-11 mm y presentar el pronoto con coloraciones oscuras o amarillas (Vulcano & Pereira, 1967).

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

_id

_bsontype: ObjectID

id: Vç(efÄW Dãñ°