

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e71cd183c45700544e3ef5

Fecha de creación: 2016-03-14T20:19:36.863Z

creation_date: 2016-03-14T20:19:36.863Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Bdelyrus apaporisae,Bdelyrus gilli,Bdelyrus grandis,Bdelyrus howdeni,Bdelyrus laplanadae,Bdelyrus metaensis Cook 1998,Bdelyrus parvus,Bdelyrus seminudus

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 631--689

issue:

volume: 130

year: 1998

0: Cook, J.

title: A revision of the Neotropical genus Bdelyrus Harold (Coleoptera: Scarabaeidae)

source: The Canadian Entomologist

type: article

tags: Bdelyrus apaporisae,Bdelyrus gilli,Bdelyrus grandis,Bdelyrus howdeni,Bdelyrus laplanadae,Bdelyrus metaensis Cook 1998,Bdelyrus parvus,Bdelyrus seminudus

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:
created:
mimeType:
dataType:
identifier:
fullDescriptionUnstructured: Hembras de tamaño mediano, clipeo profundamente emarginado y grueso, pigidio densamente punteado. Las hembras pueden ser separadas de las de *B. genieri* por la hilera de puntuaciones en el tercio medio del borde posterior del esternito anal (Cook, 1998).
briefDescription:

references

keywords: *Bdelyrus apaporisae*, *Bdelyrus gilli*, *Bdelyrus grandis*, *Bdelyrus howdeni*, *Bdelyrus laplanadae*, *Bdelyrus metaensis* Cook 1998, *Bdelyrus parvus*, *Bdelyrus seminudus*

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 631--689
issue:
volume: 130
year: 1998

authors

authors: Cook, J.
title: A revision of the Neotropical genus *Bdelyrus* Harold (Coleoptera: Scarabaeidae)
source: The Canadian Entomologist
type: article
tags: *Bdelyrus apaporisae*, *Bdelyrus gilli*, *Bdelyrus grandis*, *Bdelyrus howdeni*, *Bdelyrus laplanadae*, *Bdelyrus metaensis* Cook 1998, *Bdelyrus parvus*, *Bdelyrus seminudus*
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[conservedAgainst](#)

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

[spellingCorrentionOf](#)

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

[lectotypeMicroReferenceVoucher](#)

[lectotypePublicationVoucher](#)

[voucherReference](#)

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

[authors](#)

[year](#)

simple:
canonicalAuthorship

[authors](#)

year

simple:
simple: Cook, 1998

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Bdelyrus howdeni
rank: SPECIES
simple: Bdelyrus howdeni Cook, 1998

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-03-14T20:19:16.861Z
created: 2016-03-14T20:19:16.861Z

agent

homepage:
role:

email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Bdelyrus
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Bdelyrus
family: Scarabaeidae
order: Coleoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

commonNameAtomized

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

mimeType:
dataType:

identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Español
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:

rights:
license:
modified:
created:

agent

mimeType:
dataType:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:
additionalInformation:

reference

keywords: Bdelyrus apaporisae,Bdelyrus gilli,Bdelyrus grandis,Bdelyrus howdeni,Bdelyrus laplanadae,Bdelyrus metaensis Cook 1998,Bdelyrus parvus,Bdelyrus seminudus

editors

institution:
address:
publisher:
accessed:

websites:
chapter:
series:
pages: 631--689
issue:
volume: 130
year: 1998

authors

authors: Cook, J.
title: A revision of the Neotropical genus *Bdelyrus* Harold (Coleoptera: Scarabaeidae)
source: The Canadian Entomologist
type: article
tags: *Bdelyrus apaporisae*, *Bdelyrus gilli*, *Bdelyrus grandis*, *Bdelyrus howdeni*, *Bdelyrus laplanadae*, *Bdelyrus metaensis*
Cook 1998, *Bdelyrus parvus*, *Bdelyrus seminudus*
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: Esta especie ha sido encontrada en Colombia, Ecuador y Perú (Cook, 1998). En el país se ha registrado en el departamento de Amazonas (Cook, 1998).

distributionAtomized

stateProvince: Amazonas

ancillaryData

locality:
municipality:
country: Colombia

temporalCoverage

endDate:
startDate:

distributionScope

type:

[threatStatus](#)

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:

measurementID:

abstract: Bdelyrus howdeni se distribuye en Sudamérica (Colombia, Ecuador y Perú). Las hembras de esta especie son de tamaño mediano, y presentan el clipeo profundamente emarginado y grueso, y el pigidio densamente punteado (Cook, 1998).

associatedParty

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone:

postalCode:

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address:

organisation:

position:

lastName: Gómez Melendro

firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Americanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico.

reference

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

contentType:

dataType:

identifier:

_id

_bsontype: ObjectId

id: Vç NfÄW DãP