Reporte de Fichas para el usuario: edith gómez Ficha ID: 56d4bfe13c16479905cba8bc Fecha de creación: 2016-02-29T22:02:11.682Z annualCycles annualCycleUnstructured: habitats 0 dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Clara Maria Pérez Gallego license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Esta especie es terrestre y arbórea, habita en selvas, montes claros y bordes. commonNamesAtomized ancillaryData usedBy: usedIn distributionUnstructured: endDate: startDate: ancillaryData type: language: Inglés name: Black-and-white Warbler creation_date: 2016-02-29T22:02:11.682Z usesManagementAndConservation

ancillaryData

managementAndConservationUnstructured:

managementAndConservationAtomized

identificationKeys

fullDescription

	•
	1

dataObject:

additionalInformation:

geoPoint:

location:

thumbnail URL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Clara Maria Pérez Gallego

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Esta especie tiene un largo total promedio 13 cm. Macho: Estriado negro y blanco encima y debajo y con bajas partes inferiores blancas; mejillas negras. Hembra e Inm: Similar pero con mejillas blanquecinas y mucho menos estriado (más blanco) debajo.

briefDescription:

references

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference: source: datatype: identifier: source: datatype: identifier:

ruleConsidered:

note:

replacementNameFor

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

sanctioned

microReference:

source:

datatype: identifier:

source:

datatype: identifier:

note: ruleConsidered:

laterHomonymOf

•

microReference: source: datatype: identifier: source:

datatype: identifier:

note:

ruleConsidered:

conservedAgainst

basedOn

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

basionym

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

spellingCorrentionOf

typeNameEntity

source: datatype: identifier: source:

datatype: identifier: source: datatype: identifier:
typificacion
typeOfType:
lectotypeMicroReferenceVoucher
lectotypePublicationVoucher
voucherReference
simple: microReference: year:
publishedIn
simple: source: datatype: identifier:
specialAuthorship
authors
year
simple:
canonicalAuthorship
authors
year

simple:

simple: (Linnaeus, 1766)

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet: linkType:

ref: uninomial:

simple: Mniotilta varia

rank: SPECIES

simple: Mniotilta varia (Linnaeus, 1766)

attributes

nomenclaturalCode:

isAnamorphic: id:
synonymsAtomized
ancillaryData
synonymStatus:
synonymName
anyTwo:
anyOne
providerLink: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered:
microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered:

typeNameEntity

source: datatype: identifier: source: datatype: identifier: source: datatype:

typeVoucherEntity

typeOfType: simple:

identifier:

microReference:

year:

source: datatype: identifier:
combinationAuthorship
basionymAuthorship
simple:
authorship
simple: simple: Linnaeus, 1766
epithet
infraspecificEpithet: specificEpithet: infragenericEpithet:
genus
linkType: ref: uninomial: simple: Motacilla varia rank: SPECIES simple: Motacilla varia Linnaeus, 1766 nomenclaturalCode: isAnamorphic: id:
hierarchy
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source: The Catalogue of Life, 3rd January 2011
audience
bibliographicCitation: rigthsHolder: rights: license:

title:

modified: 2016-02-29T22:01:51.679Z created: 2016-02-29T22:01:51.679Z

agent

homepage:

role: email: phone: address: position: organisation: lastName: firstName: mimeType: dataType: identifier:

parentTaxon: Mniotilta higherClassification: infraspecificEpithet: specificEpithet:

taxonRank: SPECIES

subGenus: genus: Mniotilta family: Parulidae order: Passeriformes classHierarchy: Aves phylum: Chordata kingdom: Animalia recommended: classification:

invasiveness

invasivenessUnstructured:

reproduction

dataObject:

additionalInformation:

geoPoint: location: thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Clara Maria Pérez Gallego

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

reproductionUnstructured: Esta especie cría en el E de Norte América.

molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Clara Maria Pérez Gallego license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: feedingUnstructured: Esta especie se alimenta de insectos.
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
0
dataObject:

additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights Clara Maria Pérez Gallego license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: behaviorUnstructured: Esta especie es diurna y con mayor frecuencia en pastizales. Esta especie es solitaria, normalmente los individuos siguen bandadas mixtas a nivel medio o superior, conspicua. Trepa por troncos y ramas grandes (sin musgo) desde sotobosque a subdosel. Esta especie al parecer no se tiene registrado la vocalización.
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:
endemicAtomized
distribution
ancillaryData

dataObject:

additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Clara Maria Pérez Gallego license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType: identifier: distributionUnstructured: Esta especie inverna desde S EEUU hasta N Venezuela, W Ecuador y NW Perú. Indias Occidentales. En el país esta especie se encuentra al W de los Andes, en vertiente E, S hasta Serranía de la Macarena. En las Regiones Andina y Orinoquia hasta 2000 msnm.
distributionAtomized
temporalCoverage
endDate: startDate:
distributionScope
type:
threatStatus
ancillaryData
threatStatusUnstructured:
threatStatusAtomized
apendiceCITES: locality: municipality: county: stateProvince: country: Global 0: IUCN measurementValue: Preocupación menor (LC)

relatedTo: measurementRemarks: measurementMethod:

measurementDeterminedBy

measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementType: IUCN measurementID:

territory

territoryUnstructured: areaOfOccupancy: extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint: location:

thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: license: modified: created: mimeType: dataType: identifier:

measurementOrFact

relatedTo:

measurementRemarks: measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract:

associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation: Registros biológicos: En la Central Hidroeléctrica Miel I se registró 1 individuo en el rastrojo de

Reten Norcasia.

reference

geoPoint: location: thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder: Clara Maria Pérez Gallego

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: VÔ¿á< G™\⁰⟨À