Reporte de Fichas para el usuario: edith gómez Ficha ID: 56d47d133c16479905cba889 Fecha de creación: 2016-02-29T17:17:09.648Z annualCycles annualCycleUnstructured: habitats 0 dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Bordes de selva, claros con árboles dispersos, y montes claros (Hilty y Brown 2001). commonNamesAtomized ancillaryData usedBy: usedIn distributionUnstructured: endDate: startDate: ancillaryData type: language: Inglés name: Eastern Wood Pewee creation_date: 2016-02-29T17:17:09.648Z usesManagementAndConservation ancillaryData managementAndConservationUnstructured: managementAndConservationAtomized

identificationKeys

fullDescription

	,	٦	
п		- 1	
	۱	J	

dataObject:

additionalInformation:

geoPoint: location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Presenta una ligera cresta; el pico es oscuro por encima y amarillento por debajo, el ápice es negruzco; la coloración del cuerpo es por encima oliva grisáceo oscuro; las alas y la cola son negruzcas con dos barras alares de color gris claro bien definidas, por debajo es blanquecino; el pecho y los lados del cuerpo están teñidos de oliva grisáceo; el abdomen algunas veces es color amarillento (Hilty y Brown 2001). briefDescription:

references

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

•

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:

ruleConsidered:

replacementNameFor

microReference:

source: datatype: identifier: source: datatype: identifier:

note:

sanctioned
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
laterHomonymOf
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: conservedAgainst
basedOn
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
basionym
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: spellingCorrentionOf
typeNameEntity source: datatype: identifier:

ruleConsidered:

source: datatype: identifier: source: datatype: identifier: typificacion typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:

microReference:

year:

publishedIn

simple: source: datatype: identifier:

specialAuthorship

authors

year

simple:

canonicalAuthorship

authors

year

simple:

simple: (Linnaeus, 1766)

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet: linkType:

ref: uninomial:

simple: Contopus virens

rank: SPECIES

simple: Contopus virens (Linnaeus, 1766)

attributes

nomenclaturalCode: isAnamorphic:

ıd:

synonymsAtomized

hierarchy

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint: location: thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rigthsHolder:

rights: license: title:

modified: 2016-02-29T17:16:59.824Z created: 2016-02-29T17:16:59.824Z

agent

homepage:

role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:

identifier:

parentTaxon: Contopus higherClassification: infraspecificEpithet: specificEpithet:

taxonRank: SPECIES

subGenus: genus: Contopus

family: Tyrannidae order: Passeriformes classHierarchy: Aves phylum: Chordata kingdom: Animalia recommended: classification:
invasiveness
invasivenessUnstructured:
reproduction
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: reproductionUnstructured: El nido de esta especie es en forma de taza profunda construida con material de vegetación, en la superficie externa cubierta con líquenes lineado con pelo, pasto, musgo, liquen y fibras vegetales (McCarty 1996).
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
0
dataObject: additionalInformation:

geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: feedingUnstructured: Insectívoro, en especial abejas, avispas, escarabajos y moscas; no comen frutos. En la época
de migración mantienen un territorio de forrajeo de 9 metros de diámetro (Elizondo 2000; McCarty 1996).
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: behaviorUnstructured: Ave migratoria boreal (Salaman et al. 2009). Es una especie solitaria, hace largos vuelos pero con frecuencia regresa a la percha original (Hilty y Brown 2001; Elizondo 2000; McCarty 1996).
ancillaryData
dataObject:

additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:
endemicAtomized
distribution
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:

agent

mimeType: dataType:

identifier:

distributionUnstructured: Cría en el este de Norteamérica; inverna principalmente en el norte y oeste de Sur América desde Venezuela al sur hasta Perú; ocasionalmente inverna al norte hasta Costa Rica (Hilty y Brown 2001). Generalmente menos de 1700 msnm; aunque puede estar en regiones un poco más altas (Hilty y Brown 2001). En el país al este y oeste de los Andes (Hilty y Brown 2001). Antioquia, Amazonas, Cauca, Caldas, Cundinamarca, Meta, Santander, Sucre, Tolima (Colección ICN). En la región de la Amazonia, Andina, Caribe, Orinoquia, Pacifica (Salaman et al. 2009)

distributionAtomized

stateProvince: Tolima

ancillaryData

locality: municipality:

country: Colombia

temporalCoverage

endDate: startDate:

distributionScope

type:

threatStatus

ancillaryData

threatStatusUnstructured:

threatStatusAtomized

apendiceCITES:

locality: municipality: county: stateProvince: country: Global

0: IUCN

measurementValue: Preocupación menor (LC)

relatedTo:

measurementRemarks: measurementMethod:

measurementDeterminedBy

measurementDeterminedDate:

measurementUnit: measurementAccuracy: measurementType: IUCN

measurementID:

territory

territoryUnstructured: areaOfOccupancy: extentOfOccurrence:
populationBiology
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: populationBiologyUnstructured: Según BirdLife (2012) sus poblaciones están disminuyendo.
legislation
legislationUnstructured:
directThreats
directThreatsUnstructured:
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate:

measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:

abstract: Atrapamoscas de 15 cm de longitud. Su coloración es marrón opaco a oliva grisáceo; las barras alares son color blanquecino; sin anillo ocular o con uno muy delgado (McCarty 1996).

associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation: Registros biológicos: Registros biológicos Especímenes depositados en la Universidad Nacional de Colombia, sede Bogotá, Colección de Ornitología.

Recursos multimedia: Fotos, videos y sonidos disponibles en The Cornell Lab of Ornithology.

Créditos específicos: "Â -ç7F—GWFò Ö 6æ-6ò FR -çfW7F-v 6-öæW2 6-VçNÖf-6 2 6-æ6†'â Â 6—7FVÖ FR -æf÷&Ö 6Ÿ6â Ambiental Territorial de la Amazonia Colombiana SIAT-AC. La elaboración de esta ficha fue posible gracias al apoyo del gobierno de Finlandia a través del convenio entre la Secretaria General de la CAN y el Instituto Sinchi para el proyecto "Definición y conformación de la PIRAA, a partir del fortalecimiento del nodo subnacional de Colombia: Sistema de Información Ambiental Territorial de la Amazonia Colombiana SIATAC", como parte del desarrollo del programa BIOCAN.

reference

geoPoint: location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder: Nancy Carolina Rojas Riaño

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: VÔ} < G™\0^•