Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56c0c55bf0106c67230e72fd

Fecha de creación: undefined

annualCycles

annualCycleUnstructured:

habitats

0

dataObject:

additionalInformation:

0

isbn: 0963699636

keywords: Anas clypeata, Anas platyrynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

0: Alderfer, Jonathan

institution: address:

publisher: Washington D.C. National Geographic Society

accessed: websites: chapter: series: pages: 664 issue: year: 2006 0: Alderfer, J 1: Zickefoose, J 2: Littlehales, B

title: National Geographic Complete Birds of North America

source: type: book

tags: Anas clypeata, Anas platyrynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

abstract: last_modified: created: group_id: profile id:

id:

link: http://eol.org/pages/1048656/details keywords: Ardea herodias 0: Frankis, Michael 1: Jacinto, Valter 2: Parr, Cyndy 3: Mutch, Rob 4: Hole, Robert 5: Sharp, Jason institution: address: publisher: accessed: websites: chapter: series: issue: 0: EOL title: Ardea herodias source: Encyclopedia of life type: miscellany tags: Ardea herodias abstract: last modified: created: group_id: profile_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Asociación Bogotana de Ornitología license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Esta especie habita en estuarios, manglares, lagos y pantanos de agua dulce. Anida en islas o en pantanos boscosos, en lugares aislados que eviten la depredación de sus huevos (Alderfer et al., 2006; EOL, n.d.) commonNamesAtomized

ancillaryData

usedBy:

usedIn

distributionUnstructured:

endDate:

startDate:

ancillaryData

type:

language: Español name: Garza morena

usesManagementAndConservation

ancillaryData

managementAndConservationUnstructured:

managementAndConservationAtomized

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

link: http://awsassets.panda.org/downloads/migratorias{_}aves{_}42{_}final.pdf

keywords: Ardea herodias

0: Naranjo, L G

1: Amaya, J D

2: Eusse-González, D

3: Cifuentes-Sarmiento, Y

institution: address:

publisher: Ministerio de Ambiente y Desarrollo Sostenible / WWF Colombia

accessed: websites: chapter: series: pages: 708 issue: volume: 1 year: 2012

0: Morales-Rozo, Andrea title: Ardea herodias

source: Guía de las Especies Migratorias de la Biodiversidad en Colombia Aves

type: book_section tags: Ardea herodias

abstract: last_modified: created: group_id: profile_id: id:

geoPoint: location:

thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: El Garzón Migratorio tiene el plumaje del cuerpo principalmente gris, el cuello café claro, la cabeza blanca con una lista ancha negra a cada lado de la coronilla; muslos castaños, pico amarillento, patas fuscas. Subespecie (azul) herodias con partes bajas grises, cuello blanco, negro y marrón; pico amarillento y piernas parduscas o verdosas. Subespecie (blanco) occidentalis se asemeja a herodias pero es totalmente blanca (algunos individuos tienen algunas plumas oscuras) (Moreales-Rozo, 2012). briefDescription:

references

isbn: 0963699636

keywords: Anas clypeata, Anas platyrynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

editors

editors: Alderfer, Jonathan

institution: address:

publisher: Washington D.C. National Geographic Society

accessed: websites: chapter: series: pages: 664 issue: year: 2006

authors

authors: Alderfer, J authors: Zickefoose, J authors: Littlehales, B

title: National Geographic Complete Birds of North America

source: type: book

tags: Anas clypeata,Anas platyrynchos,Ardea herodias,Astragalinus psaltria,Bartramia longicauda,Buteo swainsoni,Cairina moschata,Calidris melanotos,Cardellina canadensis,Cathartes aura,Catharus minimus,Coccyzus americanus,Columbina talpacoti,Contopus cooperi,Contopus virens,Coragyps atratus,Crotophaga ani,Dendrocygna

autumnalis,Egretta caerulea,Egretta thula,Empidonax alnorum,Empidonax traillii,Falco columbarius,Fulica americana,Geothlypis philadelphia,Hirundo rustica,Ixobrychus exilis,Jacana jacana,Mniotilta varia,Nycticorax nycticorax,Oxyura jamaicensis,Pandion haliaetus,Pardirallus maculatus,Parkesia noveboracensis,Phalacrocorax brasilianus,Piranga olivacea,Pitangus sulphuratus,Podilymbus podiceps,Porzana carolina,Pyrocephalus rubinus,Rupornis magnirostris,Setophaga fusca,Sturnella magna,Tringa flavipes,Tringa melanoleuca,Tringa solitaria,Troglodytes aedon abstract:

identifiers

last_modified: created: group_id: profile_id: id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:

ruleConsidered:

replacementNameFor

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

sanctioned

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:

ruleConsidered: laterHomonymOf microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: conservedAgainst basedOn microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: basionym microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: spellingCorrentionOf typeNameEntity source: datatype: identifier: source: datatype: identifier: source: datatype: identifier: typificacion typeOfType: **lectotypeMicroReferenceVoucher**

lectotypePublicationVoucher

voucherReference

simple:

microReference:

year:

publishedIn

simple: Linnaeus, C. (1758). Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Editio decima, reformata. Laurentius Salvius: Holmiae. ii, 824 pp.

source: datatype: identifier:

specialAuthorship

authors

year

simple:

canonicalAuthorship

authors

year

simple:

simple: Linnaeus, 1758

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet: linkType:

ref: uninomial:

simple: Ardea herodias

rank: SPECIES

simple: Ardea herodias Linnaeus, 1758

attributes

nomenclaturalCode: isAnamorphic:

id:

synonymsAtomized

hierarchy

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint: location: thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rigthsHolder: rights: license: title:

modified: 2016-02-14T18:09:42.304Z created: 2016-02-14T18:09:42.304Z

agent

homepage:

role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:

parentTaxon: Ardea higherClassification: infraspecificEpithet: specificEpithet: taxonRank: SPECIES

subGenus: genus: Ardea family: Ardeidae order: Pelecaniformes classHierarchy: Aves phylum: Chordata kingdom: Animalia recommended: classification:

invasiveness

invasivenessUnstructured:

reproduction

dataObject: additionalInformation:
0
link: http://eol.org/pages/1048656/details keywords: Ardea herodias 0: Frankis, Michael 1: Jacinto, Valter 2: Parr, Cyndy 3: Mutch, Rob 4: Hole, Robert 5: Sharp, Jason institution: address: publisher: accessed: websites: chapter: series: issue: 0: EOL title: Ardea herodias
source: Encyclopedia of life type: miscellany
tags: Ardea herodias abstract: last_modified: created: group_id:
profile_id: id:
geoPoint: location: thumbnailURL: description:
source: bibliographicCitation: rightsHolder: rights: Asociación Bogotana de Ornitología
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
mimeType: dataType: identifier:
reproductionUnstructured: El Garzón Migratorio es una especie monógamo, anida en colonias en árboles altos, los nidos son construidos principalmente de palos y ramas desnudas. En Norteamérica se reproduce entre los meses de marzo y mayo; en noviembre a abril en el hemisferio sur. Las hembras ponen entre dos y siete huevos azul pálido; la incubación es realizada por ambos sexos la cual dura entre 25 a 29 días (EOL, n.d.).
0
dataObject: additionalInformation:

reference geoPoint: location: thumbnailURL: mediaURL description: subject audience rightsHolder: rights: license: modified: created: agent mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID: molecularData molecularDataUnstructured: migratory migratoryUnstructured: lifeForm lifeFormUnstructured: lifeCycle lifeCycleUnstructured: interactions interactionsUnstructured:

feeding

dataObject:

additionalInformation:

0

ecologicalSignificance

link: http://eol.org/pages/1048656/details keywords: Ardea herodias 0: Frankis, Michael 1: Jacinto, Valter 2: Parr, Cyndy 3: Mutch, Rob 4: Hole, Robert 5: Sharp, Jason institution: address: publisher: accessed: websites: chapter: series: issue: 0: EOL title: Ardea herodias source: Encyclopedia of life type: miscellany tags: Ardea herodias abstract: last modified: created: group_id: profile_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Asociación Bogotana de Ornitología license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: feedingUnstructured: El Garzón Migratorio se alimenta principalmente de peces pero también consume ranas, salamandras, lagartos, serpientes, camarones, cangrejos, libélulas y muchos invertebrados pequeños (EOL, n.d.). 0 0 strategy: Depredadores type: Heterótrofos - Carnívoros environmentalEnvelope environmentalEnvelopeUnstructured:

ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured:
distance:
structureDispersed:
type:
purpose:
behavior

0

dataObject: additionalInformation:

0

isbn: 0963699636

keywords: Anas clypeata,Anas platyrynchos,Ardea herodias,Astragalinus psaltria,Bartramia longicauda,Buteo swainsoni,Cairina moschata,Calidris melanotos,Cardellina canadensis,Cathartes aura,Catharus minimus,Coccyzus americanus,Columbina talpacoti,Contopus cooperi,Contopus virens,Coragyps atratus,Crotophaga ani,Dendrocygna autumnalis,Egretta caerulea,Egretta thula,Empidonax alnorum,Empidonax traillii,Falco columbarius,Fulica americana,Geothlypis philadelphia,Hirundo rustica,Ixobrychus exilis,Jacana jacana,Mniotilta varia,Nycticorax nycticorax,Oxyura jamaicensis,Pandion haliaetus,Pardirallus maculatus,Parkesia noveboracensis,Phalacrocorax brasilianus,Piranga olivacea,Pitangus sulphuratus,Podilymbus podiceps,Porzana carolina,Pyrocephalus rubinus,Rupornis magnirostris,Setophaga fusca,Sturnella magna,Tringa flavipes,Tringa melanoleuca,Tringa solitaria,Troglodytes aedon

0: Alderfer, Jonathan

institution: address:

publisher: Washington D.C. National Geographic Society

accessed: websites: chapter: series: pages: 664 issue: year: 2006 0: Alderfer, J 1: Zickefoose, J 2: Littlehales, B

title: National Geographic Complete Birds of North America

source: type: book

tags: Anas clypeata,Anas platyrynchos,Ardea herodias,Astragalinus psaltria,Bartramia longicauda,Buteo swainsoni,Cairina moschata,Calidris melanotos,Cardellina canadensis,Cathartes aura,Catharus minimus,Coccyzus americanus,Columbina talpacoti,Contopus cooperi,Contopus virens,Coragyps atratus,Crotophaga ani,Dendrocygna autumnalis,Egretta caerulea,Egretta thula,Empidonax alnorum,Empidonax traillii,Falco columbarius,Fulica americana,Geothlypis philadelphia,Hirundo rustica,Ixobrychus exilis,Jacana jacana,Mniotilta varia,Nycticorax nycticorax,Oxyura jamaicensis,Pandion haliaetus,Pardirallus maculatus,Parkesia noveboracensis,Phalacrocorax brasilianus,Piranga olivacea,Pitangus sulphuratus,Podilymbus podiceps,Porzana carolina,Pyrocephalus rubinus,Rupornis magnirostris,Setophaga fusca,Sturnella magna,Tringa flavipes,Tringa melanoleuca,Tringa solitaria,Troglodytes aedon

abstract: last_modified: created: group_id: profile_id: id:

1

link: http://eol.org/pages/1048656/details

keywords: Ardea herodias

0: Frankis, Michael
1: Jacinto, Valter
2: Parr, Cyndy
3: Mutch, Rob
4: Hole, Robert
5: Sharp, Jason

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
issue:

title: Ardea herodias

source: Encyclopedia of life

type: miscellany tags: Ardea herodias

abstract: last_modified: created: group_id: profile_id: id:

0: EOL

2

keywords: Accipiter striatus, Actitis macularius, Adelomyia melanogenys, Aglaiocercus kingii, Amblycercus holosericeus, Ampelion rubrocristatus, Anas andium, Anas clypeata, Anas discors, Andigena nigrirostris, Anisognathus igniventris, Ardea alba, Ardea herodias, Arremon assimilis, Asio flammeus, Asio stygius, Asthenes flammulata, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bubulcus ibis, Buteo platypterus, Butorides striata, Butorides virescens, Cairina moschata, Calidris bairdii, Calidris melanotos, Cardellina canadensis, Catamenia analis, Catamenia inornata, Cathartes aura, Catharus minimus, Catharus ustulatus, Chaetocercus mulsant, Chaetura pelagica, Chalcostigma heteropogon, Chordeiles minor, Chrysomus icterocephalus, Cinclodes albidiventris, Cinclus leucocephalus, Cinnycerthia unirufa, Cistothorus platensis, Coccycua pumila, Coccyzus americanus, Coccyzus melacoryphus, Coeligena bonapartei, Colibri coruscans, Colibri thalassinus, Columba livia, Columbina talpacoti, Conirostrum rufum, Conirostrum sitticolor, Contopus cinereus, Contopus fumigatus, Contopus sordidulus, Contopus virens, Coragyps atratus, Crotophaga ani, Crotophaga major, Dendrocygna autumnalis, Dendrocygna viduata, Diglossa albilatera, Diglossa cyanea, Diglossa humeralis.Diglossa lafresnavii.Diglossa sittoides.Dolichonyx oryzivorus.Dubusia taeniata.Egretta thula.Elaenia flavogaster, Elaenia frantzii, Elanus leucurus, Empidonax alnorum, Empidonax traillii, Ensifera ensifera, Eriocnemis cupreoventris, Eriocnemis vestita, Eupsittula pertinax, Falco columbarius, Falco peregrinus, Falco sparverius, Forpus conspicillatus, Fulica americana, Gallinago nobilis, Gallinula galeata, Geothlypis philadelphia, Geranoaetus melanoleucus, Glaucidium jardinii, Grallaria quitesis, Grallaria ruficapilla, Grallaria squamigera, Haplospiza rustica, Heliangelus amethysticollis, Heliangelus exortis, Hellmayrea gularis, Hemispingus superciliaris, Hemispingus verticalis, Henicorhina leucophrys, Hirundo rustica, Icterus chrysater, Icterus icterus, Icterus nigrogularis, Ixobrychus exilis, Jacana jacana, Lafresnaya lafresnayi, Leiothlypis peregrina, Leptasthenura andicola, Lesbia nuna, Lesbia victoriae, Machetornis rixosa, Margarornis squamiger, Mecocerculus leucophrys, Megascops choliba, Melanerpes

rubricapillus, Merganetta armata, Metallura tyrianthina, Milvago chimachima, Mimus gilvus, Mniotilta varia, Molothrus bonariensis, Muscisaxicola alpinus, Myiarchus crinitus, Myiodynastes Iuteiventris, Myiotheretes fumigatus, Myiotheretes striaticollis, Myiothlypis nigrocristata, Nomonyx dominicus, Nycticorax nycticorax, Ochthoeca cinnamomeiventris, Ochthoeca diadema, Ochthoeca fumicolor, Ochthoeca rufipectoralis, Orochelidon murina,Oxypogon guerinii,Oxyura jamaicensis,Pachyramphus versicolor,Pandion haliaetus,Pardirallus maculatus, Parkesia noveboracensis, Patagioenas fasciata, Petrochelidon pyrrhonota, Phaetusa simplex.Phalacrocorax brasilianus.Pheucticus aureoventris.Pheucticus Iudovicianus.Phimosus infuscatus.Phrygilus unicolor, Phyllomyias uropygialis, Piaya cayana, Picoides fumigatus, Pipraeidea melanonota, Pipreola riefferii, Piranga olivacea, Piranga rubra, Pitangus sulphuratus, Pluvialis dominica, Podilymbus podiceps, Porphyrio martinicus, Porzana carolina, Progne tapera, Protonotaria citrea, Pseudocolopteryx acutipennis, Pseudoscops clamator, Pterophanes cyanopterus, Pygochelidon cyanoleuca, Pyrocephalus rubinus, Pyrrhomyias cinnamomeus, Quiscalus lugubris, Rallus semiplumbeus, Ramphocelus dimidiatus, Ramphomicron microrhynchum, Riparia riparia, Rupornis magnirostris, Sayornis nigricans, Serpophaga cinerea, Setophaga castanea, Setophaga cerulea, Setophaga petechia, Setophaga ruticilla, Setophaga striata, Sicalis flaveola, Sicalis luteola, Spiza americana, Sporagra spinescens, Sturnella magna, Synallaxis subpudica, Systellura longirostris, Tangara vitriolina, Thraupis episcopus, Thraupis palmarum, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon, Troglodytes solstitialis, Turdus fuscater, Turdus ignobilis, Tyrannus melancholicus, Tyrannus savana, Tyrannus tyrannus, Tyto alba, Vanellus chilensis, Vireo olivaceus, Vultur gryphus, Zenaida auriculata, Zonotrichia capensis institution:

address:

publisher: Princeton University Press

accessed: websites: chapter: series: pages: 836 issue: year: 1986 0: Hilty, Steven 1: Brown, William

title: A Guide to the Birds of Colombia

source: type: book

tags: Accipiter striatus, Actitis macularius, Adelomyia melanogenys, Aglaiocercus kingii, Amblycercus holosericeus, Ampelion rubrocristatus, Anas andium, Anas clypeata, Anas discors, Andigena nigrirostris, Anisognathus igniventris. Ardea alba. Ardea herodias. Arremon assimilis. Asio flammeus. Asio stygius. Asthenes flammulata, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bubulcus ibis, Buteo platypterus, Butorides striata, Butorides virescens, Cairina moschata, Calidris bairdii, Calidris melanotos, Cardellina canadensis, Catamenia analis, Catamenia inornata, Cathartes aura, Catharus minimus, Catharus ustulatus, Chaetocercus mulsant, Chaetura pelagica, Chalcostigma heteropogon, Chordeiles minor, Chrysomus icterocephalus, Cinclodes albidiventris, Cinclus leucocephalus, Cinnycerthia unirufa, Cistothorus platensis, Coccycua pumila, Coccyzus americanus, Coccyzus melacoryphus, Coeligena bonapartei, Colibri coruscans, Colibri thalassinus, Columba livia, Columbina talpacoti, Conirostrum rufum, Conirostrum sitticolor, Contopus cinereus, Contopus fumigatus, Contopus sordidulus, Contopus virens, Coragyps atratus, Crotophaga ani, Crotophaga major, Dendrocygna autumnalis, Dendrocygna viduata, Diglossa albilatera, Diglossa cyanea, Diglossa humeralis, Diglossa lafresnayii, Diglossa sittoides, Dolichonyx oryzivorus, Dubusia taeniata, Egretta thula, Elaenia flavogaster, Elaenia frantzii, Elanus leucurus, Empidonax alnorum, Empidonax traillii, Ensifera ensifera, Eriocnemis cupreoventris, Eriocnemis vestita, Eupsittula pertinax, Falco columbarius, Falco peregrinus, Falco sparverius, Forpus conspicillatus, Fulica americana, Gallinago nobilis, Gallinula galeata, Geothlypis philadelphia, Geranoaetus melanoleucus, Glaucidium jardinii, Grallaria quitesis, Grallaria ruficapilla, Grallaria squamigera, Haplospiza rustica, Heliangelus amethysticollis, Heliangelus exortis, Hellmayrea gularis, Hemispingus superciliaris, Hemispingus verticalis, Henicorhina leucophrys, Hirundo rustica, Icterus chrysater, Icterus icterus, Icterus nigrogularis, Ixobrychus exilis, Jacana jacana, Lafresnaya lafresnayi, Leiothlypis peregrina, Leptasthenura andicola, Lesbia nuna, Lesbia victoriae, Machetornis rixosa, Margarornis squamiger, Mecocerculus leucophrys, Megascops choliba, Melanerpes rubricapillus.Merganetta armata.Metallura tyrianthina.Milyago chimachima.Mimus gilyus.Mniotilta yaria.Molothrus bonariensis. Muscisaxicola alpinus, Myiarchus crinitus, Myiodynastes Iuteiventris, Myiotheretes fumigatus, Myiotheretes striaticollis, Myiothlypis nigrocristata, Nomonyx dominicus, Nycticorax nycticorax, Ochthoeca cinnamomeiventris, Ochthoeca diadema, Ochthoeca fumicolor, Ochthoeca rufipectoralis, Orochelidon murina,Oxypogon guerinii,Oxyura jamaicensis,Pachyramphus versicolor,Pandion haliaetus,Pardirallus maculatus, Parkesia noveboracensis, Patagioenas fasciata, Petrochelidon pyrrhonota, Phaetusa simplex, Phalacrocorax brasilianus, Pheucticus aureoventris, Pheucticus Iudovicianus, Phimosus infuscatus, Phrygilus unicolor, Phyllomyias uropygialis, Piaya cayana, Picoides fumigatus, Pipraeidea melanonota, Pipreola riefferii, Piranga olivacea. Piranga rubra. Pitangus sulphuratus. Pluvialis dominica. Podilymbus podiceps. Porphyrio martinicus. Porzana carolina, Progne tapera, Protonotaria citrea, Pseudocolopteryx acutipennis, Pseudoscops clamator, Pterophanes cyanopterus, Pygochelidon cyanoleuca, Pyrocephalus rubinus, Pyrrhomyias cinnamomeus, Quiscalus lugubris, Rallus semiplumbeus, Ramphocelus dimidiatus, Ramphomicron microrhynchum, Riparia riparia, Rupornis magnirostris, Sayornis nigricans, Serpophaga cinerea, Setophaga castanea, Setophaga cerulea, Setophaga petechia, Setophaga ruticilla, Setophaga striata, Sicalis flaveola, Sicalis luteola, Spiza americana, Sporagra spinescens, Sturnella magna, Synallaxis subpudica, Systellura longirostris, Tangara vitriolina, Thraupis episcopus, Thraupis palmarum, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon, Troglodytes solstitialis, Turdus fuscater, Turdus ignobilis, Tyrannus melancholicus, Tyrannus savana, Tyrannus tyrannus, Tyto alba, Vanellus chilensis, Vireo olivaceus, Vultur gryphus, Zenaida auriculata, Zonotrichia capensis abstract:

last modified:

created:

group id:

profile_id:

id:

isbn: 0-618-57424-7

keywords: Anas clypeata, Anas platyrynchos, Ardea herodias, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Columbina talpacoti, Contopus cooperi, Contopus virens, Crotophaga ani, Dendrocygna autumnalis, Dolichonyx oryzivorus, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Falco sparverius, Geothlypis philadelphia, Hirundo rustica, Leiothlypis peregrina, Myiarchus crinitus, Myiodynastes luteiventris, Nomonyx dominicus, Nycticorax nycticorax, Pandion haliaetus, Parkesia noveboracensis, Petrochelidon pyrrhonota, Podilymbus podiceps, Protonotaria citrea, Sayornis nigricans institution:

edition: Hillstar E address: publisher: accessed: websites:

chapter: series: pages: 391 issue: vear: 2005 0: Kaufman, K

title: Guía de campo a las aves de Norteamérica

source: type: book

tags: Anas clypeata, Anas platyrynchos, Ardea herodias, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Columbina talpacoti, Contopus cooperi, Contopus virens, Crotophaga ani, Dendrocygna autumnalis, Dolichonyx oryzivorus, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Falco sparverius, Geothlypis philadelphia, Hirundo rustica, Leiothlypis peregrina, Myiarchus crinitus. Myiodynastes luteiventris, Nomonyx dominicus, Nycticorax nycticorax, Pandion haliaetus, Parkesia noveboracensis, Petrochelidon pyrrhonota, Podilymbus podiceps, Protonotaria citrea, Sayornis nigricans abstract:

last modified: created:

group_id: profile_id: id:

isbn: 978-0-679-45122-8

keywords: Anas clypeata, Ardea herodias, Buteo swainsoni, Cairina moschata, Crotophaga ani, Dendrocygna autumnalis, Dendrocygna viduata, Egretta caerulea, Egretta thula, Empidonax alnorum, Geothlypis philadelphia, Ixobrychus exilis, Leiothlypis peregrina, Myiodynastes luteiventris, Nomonyx dominicus, Parkesia noveboracensis, Petrochelidon pyrrhonota, Pheucticus Iudovicianus, Protonotaria citrea, Sayornis nigricans

institution: edition: 1 st ed.

address:

publisher: National Audubon Society

accessed: websites: chapter: series: pages: 545 issue: year: 2000 0: Sibley, DA

title: The SIBLEY Guide to Birds

source: type: book

tags: Anas clypeata, Ardea herodias, Buteo swainsoni, Cairina moschata, Crotophaga ani, Dendrocygna autumnalis, Dendrocygna viduata, Egretta caerulea, Egretta thula, Empidonax alnorum, Geothlypis philadelphia, Ixobrychus exilis, Leiothlypis peregrina, Myiodynastes luteiventris, Nomonyx dominicus, Parkesia noveboracensis, Petrochelidon pyrrhonota, Pheucticus Iudovicianus, Protonotaria citrea, Sayornis nigricans

abstract: last modified: created: group id:

profile_id: id:

geoPoint: location: thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

behaviorUnstructured: Es una especie generalmente solitaria; casi siempre se le puede ver estática o vadeando en aguas someras (Hilty & Brown, 1986) aleteando lentamente en lo alto, aún a millas del agua (Kaufman, 2005), aunque en las zonas de anidación se le ve agrupada con más individuos. Utilizan sus largas patas para escarbar en el aqua y lanza su pico para atrapar el alimento (EOL, n.d.). En época reproductiva el macho realiza diferentes exhibiciones para atraer a la hembra, realizando movimientos con las plumas de su pecho, también puede volar en círculo alrededor del nido o sacudir las ramas de un árbol para impresionar a la hembra (Alderfer et al., 2006; EOL,

n.d.). Es una especie relativamente silenciosa cuando se encuentra lejos del nido. Su llamado es un ronco crannnkk (Alderfer et al., 2006). Cuando se encuentra en vuelo realiza un profunda vocalización como pregonando un fraaaajk o braaaak. En ataques de agresión vocaliza una serie de fraaaak fraaak taaaaa taaaaa, las últimas notas son más graves (Sibley, 2000).

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

mimeType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

isbn: 0963699636

keywords: Anas clypeata, Anas platyrynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

editors

editors: Alderfer, Jonathan

institution: address:

publisher: Washington D.C. National Geographic Society

accessed: websites: chapter: series: pages: 664 issue: year: 2006

authors

authors: Alderfer, J authors: Zickefoose, J authors: Littlehales, B

title: National Geographic Complete Birds of North America

source: type: book

tags: Anas clypeata, Anas platyrynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

abstract:

identifiers

last modified:

created: group_id:

profile_id:

id:

geoPoint: location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:
agent
mimeType: dataType: identifier: distributionUnstructured: El Garzón Migratorio se distribuye en Canadá, Estados Unidos (zonas de reproducción) Centro y Sudamérica donde pasa la temporada de invierno (Alderfer et al., 2006; Kaufman, 2005). En Colombia se ha registrado hasta los 2600 msnm (Sabana de Bogotá) (Morales-Rozo, 2012).
distributionAtomized
stateProvince: Cauca
ancillaryData
locality: municipality: country: Colombia
temporalCoverage
endDate: startDate:
distributionScope
type:
threatStatus
ancillaryData
threatStatusUnstructured:
threatStatusAtomized
apendiceCITES: locality: municipality: county: stateProvince: country: Global
0: IUCN measurementValue: Preocupación menor (LC) relatedTo: measurementRemarks: measurementMethod:
measurementDeterminedBy
measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementType: IUCN measurementID:

territory

territoryUnstructured:

areaOfOccupancy: extentOfOccurrence: populationBiology 0 dataObject:

additionalInformation:

0

isbn: 0-618-57424-7

keywords: Anas clypeata,Anas platyrynchos,Ardea herodias,Bartramia longicauda,Buteo swainsoni,Cairina moschata,Calidris melanotos,Columbina talpacoti,Contopus cooperi,Contopus virens,Crotophaga ani,Dendrocygna autumnalis,Dolichonyx oryzivorus,Egretta caerulea,Egretta thula,Empidonax alnorum,Empidonax traillii,Falco columbarius,Falco sparverius,Geothlypis philadelphia,Hirundo rustica,Leiothlypis peregrina,Myiarchus crinitus,Myiodynastes luteiventris,Nomonyx dominicus,Nycticorax nycticorax,Pandion haliaetus,Parkesia noveboracensis,Petrochelidon pyrrhonota,Podilymbus podiceps,Protonotaria citrea,Sayornis nigricans institution:

edition: Hillstar E

address: publisher: accessed: websites: chapter: series: pages: 391 issue: year: 2005 0: Kaufman, K

title: Guía de campo a las aves de Norteamérica

source: type: book

tags: Anas clypeata,Anas platyrynchos,Ardea herodias,Bartramia longicauda,Buteo swainsoni,Cairina moschata,Calidris melanotos,Columbina talpacoti,Contopus cooperi,Contopus virens,Crotophaga ani,Dendrocygna autumnalis,Dolichonyx oryzivorus,Egretta caerulea,Egretta thula,Empidonax alnorum,Empidonax traillii,Falco columbarius,Falco sparverius,Geothlypis philadelphia,Hirundo rustica,Leiothlypis peregrina,Myiarchus crinitus,Myiodynastes luteiventris,Nomonyx dominicus,Nycticorax nycticorax,Pandion haliaetus,Parkesia noveboracensis,Petrochelidon pyrrhonota,Podilymbus podiceps,Protonotaria citrea,Sayornis nigricans

abstract: last_modified: created: group_id: profile_id: id:

.

link: http://eol.org/pages/1048656/details

keywords: Ardea herodias

0: Frankis, Michael
1: Jacinto, Valter
2: Parr, Cyndy
3: Mutch, Rob
4: Hole, Robert
5: Sharp, Jason

institution:

address: publisher: accessed: websites: chapter: series: issue: 0: EOL title: Ardea herodias source: Encyclopedia of life type: miscellany tags: Ardea herodias abstract: last_modified: created: group_id: profile_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rights-Holder: rights-Holder: rights: Asociación Bogotana de Ornitología license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier:
populationBiologyUnstructured: Es una especie con un amplio rango de distribución (Kaufman, 2005). En la mayoría de áreas las poblaciones están estables o en aumento, sobre todo han sido beneficiadas en zonas de acuicultura de cangrejo (Estados Unidos) (EOL, n.d.).
legislation
legislationUnstructured:
directThreats
directThreatsUnstructured:
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified:

created: mimeType: dataType: identifier:

measurementOrFact

relatedTo:

measurementRemarks: measurementMethod:

measurementDeterminedDate:

measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:

abstract: El Garzón Migratorio es una garza muy grande, mide aproximadamente 130 cm, tiene cuello largo y esbelto. Tiene pico amarillo verdoso oscuro, cabeza y garganta blancas, área occipital y lados de la coronilla negros; cuello grisáceo, estriado al frente de negro y blanco, resto de las partes superiores y alas grises azuloso, partes inferiores más o menos estriadas de negro y blanco; tibias castaño (Hilty & Brown, 1986). Es una especie ampliamente distribuida; con frecuencia solitaria, excepto alrededor de las colonias de anidación. Se para pacientemente al lado del agua, esperando para atrapar un pez (Kaufman, 2005; Sibley, 2000). Habita cerca de cuerpos de agua, incluidos ríos, bordes de lagos, pantanos, costas y playas de agua salada. Principalmente se alimenta de peces pero también incluye cangrejos, camarones, libélulas, saltamontes, ranas, salamandras, lagartos, serpientes, aves y pequeños mamíferos (EOL, n.d.; Hilty & Brown, 1986).

associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint: location: thumbnailURL:

mediaURL: http://birds.audubon.org/birds/great-blue-heron

description:

subject

source: http://birds.audubon.org

audience

bibliographicCitation: rightsHolder: rights:

license:

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: VÀÅ[ð lg#ç/Đ