

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e7241983c45700544e3f0b

Fecha de creación: 2016-03-14T20:50:40.949Z

creation_date: 2016-03-14T20:50:40.949Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Ateuchus columbianum,Ateuchus hoplopygum,Ateuchus persplendens,Canthidium angusticeps,Canthidium basipunctatum,Canthidium cupreum,Canthidium deplanatum,Canthidium euchalceum,Canthidium funebre,Canthidium gemmingeri,Canthidium gerstaeckeri,Canthidium haroldi,Canthidium onitoides,Canthidium persplendens,Canthidium picipes,Canthidium steinheili,Canthon acutoides,Canthon brunneus,Canthon fulgidus,Canthon luteicollis,Canthon obscuriellus,Canthon pallidus,Canthon plagiatus,Canthon politus,Canthon semiopacus,Canthon subhyalinus,Canthon triangularis,Dichotomius belus,Dichotomius fallax,Dichotomius nisus,Dichotomius sericeus,Onthophagus rubescens,Onthophagus steinheili,Oruscatus opalescens,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon imitans,Scybalocanthon kelleri,Scybalocanthon pygidialis,Scybalocanthon sexspilotus,Scybalocanthon trimaculatus,Uroxys brachialis,Uroxys caucanus,Uroxys coarctatus,Uroxys cuprescens,Uroxys metallescens

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 533--603

issue:

volume: 5

year: 1967

0: Vulcano, M. A.

1: Pereira, F. S.

title: Sinópsese dos Passalidae e Scarabaeidae s. str. da região Amazônica (Insecta, Coleoptera)

source: Atas do Simpósio sobre a Biota Amazônica

type: book_section

tags: Ateuchus columbianum,Ateuchus hoplopygum,Ateuchus persplendens,Canthidium angusticeps,Canthidium basipunctatum,Canthidium cupreum,Canthidium deplanatum,Canthidium euchalceum,Canthidium funebre,Canthidium gemmingeri,Canthidium gerstaeckeri,Canthidium haroldi,Canthidium onitoides,Canthidium persplendens,Canthidium picipes,Canthidium steinheili,Canthon acutoides,Canthon brunneus,Canthon fulgidus,Canthon luteicollis,Canthon obscuriellus,Canthon pallidus,Canthon plagiatus,Canthon politus,Canthon semiopacus,Canthon subhyalinus,Canthon triangularis,Dichotomius belus,Dichotomius fallax,Dichotomius nisus,Dichotomius sericeus,Onthophagus rubescens,Onthophagus steinheili,Oruscatus opalescens,Pseudocanthon perplexus,Pseudocanthon xanthurus,Scybalocanthon imitans,Scybalocanthon kelleri,Scybalocanthon

pygidialis,Scybalocanthon sexspilotus,Scybalocanthon trimaculatus,Uroxys brachialis,Uroxys caucanus,Uroxys coarctatus,Uroxys cuprescens,Uroxys metallescens

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

fullDescriptionUnstructured: Color cobrizo, disco del pronoto con puntos gruesos en los dos sexos, y 7 mm. de longitud (Vulcano & Pereira, 1967).

briefDescription:

references

keywords: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escaleraei,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasi,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

editors

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 19--40

issue:

year: 1986

authors

authors: Mart\ínez, A.

authors: Halffter, G.

title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)

source: Acta Zoológica Mexicana

type: article

tags: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escaleraei,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasi,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili

abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:

identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:

microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:
canonicalAuthorship

authors

year

simple:
simple: (Blanchard, 1846)

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:
uninomial:
simple: Canthidium cupreum
rank: SPECIES
simple: Canthidium cupreum (Blanchard, 1846)

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

ancillaryData

synonymStatus:
synonymName

anyTwo:

anyOne

providerLink:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typeVoucherEntity

typeOfType:
simple:
microReference:
year:
source:
datatype:
identifier:

combinationAuthorship

basionymAuthorship

simple:

authorship

simple:
simple: Harold, 1867

epithet

infraspecificEpithet:
specificEpithet:
infragenericEpithet:

genus

linkType:
ref:
uninomial:
simple: Canthidium aureolum
rank: SPECIES
simple: Canthidium aureolum Harold, 1867
nomenclaturalCode:
isAnamorphic:
id:

[hierarchy](#)

[ancillaryData](#)

dataObject:
additionalInformation:

[reference](#)

geoPoint:
location:
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: The Catalogue of Life, 3rd January 2011

[audience](#)

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-03-14T20:50:20.945Z
created: 2016-03-14T20:50:20.945Z

[agent](#)

homepage:
role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:

identifier:
parentTaxon: Canthidium
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Canthidium
family: Scarabaeidae
order: Coleoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

commonNameAtomized

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

mimeType:
dataType:
identifier:
usedBy:

usedIn

distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Español
name: Escarabajo coprófago

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
reproductionUnstructured:

0

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

audience

rightsHolder:
rights:
license:
modified:
created:

agent

mimeType:
dataType:
identifier:

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

behaviorUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:
additionalInformation:

reference

keywords: Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escaleraei, Canthidium euchalceum, Canthidium funebre, Canthidium gerstaeckeri, Canthidium lebasi, Canthidium onitoides, Canthidium perceptibile, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili

editors

institution:
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 19--40
issue:
year: 1986

authors

authors: Mart\\inez, A.
authors: Halffter, G.
title: Situación del género Canthidium Erichson (Coleoptera: Scarabaeidae: Scarabaeinae)
source: Acta Zoológica Mexicana
type: article
tags: Canthidium angusticeps,Canthidium aurifex,Canthidium basipunctatum,Canthidium bicolor,Canthidium centrale,Canthidium convexifrons,Canthidium cupreum,Canthidium deplanatum,Canthidium elegantulum,Canthidium escaleraei,Canthidium euchalceum,Canthidium funebre,Canthidium gerstaeckeri,Canthidium lebasii,Canthidium onitoides,Canthidium perceptibile,Canthidium rufinum,Canthidium splendidum,Canthidium steinheili
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Claudia Alejandra Medina
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: Esta especie ha sido registrada en Argentina, Bolivia, Brasil y Colombia (Martínez & Halffter, 1986). En Colombia se distribuye en los departamentos del Amazonas, Antioquia, Guainía y Meta (Medina et al., 2001).

distributionAtomized

stateProvince: Amazonas

ancillaryData

locality:
municipality:
country: Colombia

temporalCoverage

endDate:

startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured:

areaOfOccupancy:

extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: *Canthidium cupreum* es una especie de escarabajo que se distribuye en Sudamérica (Martínez & Halffter, 1986). En el país se ha registrado en las regiones de la Amazonia, Andina y Orinoquía (Medina et al., 2001). Esta

especie presenta coloraciones cobrizas y alcanzan longitudes de 7 mm (Vulcano & Pereira, 1967).

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Americanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico.

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:

_id

_bsonType: ObjectId
id: Vç\$ fÄW Dăû