Reporte de Fichas para el usuario: edith gómez Ficha ID: 56d8e5df3c16479905cba97d Fecha de creación: 2016-03-04T01:33:21.014Z annualCycles annualCycleUnstructured: habitats 0 dataObject: additionalInformation: keywords: Prepona praeneste institution: address: publisher: accessed: websites: chapter: series: pages: 381--387 issue: volume: 18 year: 1990 0: Salazar, J.A. title: Estudio preliminar sobre el registro de especies y subespecies del género Prepona Boisduval (Nymphalidae) en Colombia source: SHILAP type: article tags: Prepona praeneste abstract: last modified: created: group\_id: profile\_id: id: 1 keywords: Prepona praeneste institution: address: publisher: accessed: websites: chapter: series: pages: 344--369 issue: volume: 101 year: 2001

title: Synthesis of the Colombian Charaxidae and description of new genera for South America: Rydonia, Annagrapha, Pseudocharaxes, Muyshondtia, Zikania (Lepidoptera, Nymphaloidea) Lambillionea

0: Salazar, J A 1: Constantino, M L type: article tags: Prepona praeneste abstract: last modified: created: group id: profile\_id: id: keywords: Prepona praeneste 0: Amat-G, G 1: Andrade-C, M G 2: Amat-G, E institution: address: publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial accessed: websites: chapter: series: pages: 127--130 issue: year: 2007 0: Constantino, M title: Prepona roja de montaña (Prepona praeneste) source: Libro Rojo de los Invertebrados Terrestres de Colombia type: book\_section tags: Prepona praeneste abstract: last modified: created: group\_id: profile\_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Habita zonas de bosque premontano y montano bajo (Salazar, 1990; Salazar & Constantino, 2001; Constantino, 2007). commonNamesAtomized

source: Rev. Int. Ent.

## ancillaryData

dataObject:

additionalInformation:

### reference

geoPoint: location: thumbnailURL:

### mediaURL

description:

# subject

source:

### audience

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

## agent

mimeType: dataType: identifier: usedBy:

distributionUnstructured:

endDate: startDate:

usedIn

## ancillaryData

type:

language: Español

name: Prepona roja de montaña

creation\_date: 2016-03-04T01:33:21.014Z

uses Management And Conservation

# ancillaryData

dataObject:

additionalInformation:

### reference

keywords: Prepona praeneste

editors

editors: Amat-G, G

editors: Andrade-C, M G editors: Amat-G, E

institution: address:

publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia

Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial

accessed: websites: chapter: series:

pages: 127--130

issue: year: 2007

#### authors

authors: Constantino, M

title: Prepona roja de montaña (Prepona praeneste)

source: Libro Rojo de los Invertebrados Terrestres de Colombia

type: book\_section tags: Prepona praeneste

abstract:

### identifiers

last\_modified: created: group\_id: profile\_id:

id:

geoPoint: location: thumbnailURL:

### mediaURL

description:

## subject

source:

#### audience

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

## agent

mimeType: dataType: identifier:

managementAndConservationUnstructured: El hábitat de la mayoría de sus poblaciones está desprotegido, solo la población distribuida en el Parque Nacional Natural Los Farallones de Cali se encuentra protegida. Así que es necesario conservar y proteger nuevas áreas dentro de su rango de distribución y reforestar con especies nativas

como A. perutilis (planta hospedera). Además es necesario adelantar estudios sobre su biología, ecología y densidad poblacional (Constantino, 2007).

managementAndConservationAtomized 0 dataObject: additionalInformation: keywords: Prepona praeneste 0: Amat-G, G 1: Andrade-C, M G 2: Amat-G, E institution: address: publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial accessed: websites: chapter: series: pages: 127--130 issue: vear: 2007 0: Constantino, M title: Prepona roja de montaña (Prepona praeneste) source: Libro Rojo de los Invertebrados Terrestres de Colombia type: book\_section tags: Prepona praeneste abstract: last modified: created: group\_id: profile\_id: id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: useNotes: Comercio de la especie para colecciones particulares (Constantino, 2007). potential: properties:

ratingPopularity: economics: useTypeAtomized: conservationExplotationData: seasonOfAvailabilityUse: meansOfApplicationAdministration: productionDetails: vernacularNameUseAnnotations: organisms: users: partUsed: useValue: sourceOfInformationText:
references
identificationKeys
fullDescription
0
dataObject: additionalInformation:
0
keywords: Prepona praeneste institution: address: publisher: EcoAndina, Wildlife Conservation Society accessed: websites: chapter: series: pages: 4445 issue: year: 2002 0: Garc\'ia-Robledo, Carlos A 1: Constantino, Luis Miguel 2: Heredia, Mar\'ia Dolores title: Gu\'ia de campo. Mariposas Comunes de la Cordillera Central source:
type: book tags: Prepona praeneste abstract:
last_modified:
created: group_id: profile_id: id:
geoPoint:
location: thumbnailURL:
description:
source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Los imagos se caracterizan por ser mariposas de gran tamaño, con cuerpo robusto, con coloración parda y críptica en el envés de las alas. La coloración dorsal de las alas contrasta con la ventral, ya que es muy llamativa con colores brillantes en combinaciones de rojo, azul, naranja y amarillo sobre el fondo negro. Las larvas tienen cuerpo liso con abultamiento en los segmentos torácicos a manera de joroba y un par de colas y cuernos robustos en la cabeza (García-Robledo et al., 2002).

briefDescription:

#### references

link: https://www.researchgate.net/profile/Gonzalo{\\_}Andrade-C/publication/265641911{\\_}BIODIVERSIDAD{\\_}

links/5417185b0cf2218008becd97.pdf

keywords: Prepona praeneste

### editors

editors: Costa, C editors: Vanin, S editors: Lobo, J editors: Melic, A institution: address: publisher: accessed: websites: chapter:

pages: 153--172

issue: year: 2002

series:

#### authors

authors: Andrade-C, M Gonzalo

title: Biodiversidad de las mariposas (Lepidoptera: Rhopalocera) de Colombia

source: m3m: Monograf\'ias Tercer Milenio

type: book\_section tags: Prepona praeneste

abstract:

#### identifiers

last\_modified: created:

group\_id: profile id:

id:

taxonRecordName

# ancillaryData

# providerSpecificData anyTwo: providerLink: publicationStatus microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: replacementNameFor microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: sanctioned microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: laterHomonymOf microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: conservedAgainst

basedOn

## authors

## year

simple:

canonicalAuthorship

### authors

## year

simple:

simple: Hewitson, 1859

## canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet:

linkType: ref:

uninomial:

simple: Prepona praeneste

rank: SPECIES

simple: Prepona praeneste Hewitson, 1859

### attributes

nomenclaturalCode: isAnamorphic:

id.

# synonymsAtomized

## hierarchy

# ancillaryData

dataObject:

additionalInformation:

### reference

geoPoint: location: thumbnailURL:

## mediaURL

description:

## subject

source: The Catalogue of Life, 3rd January 2011

# audience

bibliographicCitation:

rigthsHolder: rights: license: title: modified: 2016-03-04T13:11:15.437Z created: 2016-03-04T13:11:15.437Z agent homepage: role: email: phone: address: position: organisation: lastName: firstName: mimeType: dataType: identifier: parentTaxon: Prepona higherClassification: infraspecificEpithet: specificEpithet: taxonRank: SPECIES subGenus: genus: Prepona family: Nymphalidae order: Lepidoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification: invasiveness invasivenessUnstructured: reproduction reproductionUnstructured: 0 dataObject: additionalInformation: reference geoPoint: location: thumbnailURL: mediaURL

description: subject

## audience

rightsHolder: rights: license: modified: created:

## agent

mimeType: dataType: identifier: relatedTo:

measurementRemarks: measurementMethod:

measurementDeterminedBy: TraitBank

measurementDeterminedDate:

measurementUnit: measurementAccuracy: measurementValue: Sexual

measurementType: Tipo de Reproducción

measurementID: molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

O

dataObject:

additionalInformation:

0

isbn: 9682524520

keywords: Prepona praeneste

institution:

edition: Sexta edic

address:

publisher: McGraw-Hill

accessed: websites: chapter: series: issue: year: 1996 0: Barnes, R 1: Ruppert, E

title: Zoolog\'ia de los invertebrados

```
type: book
tags: Prepona praeneste
abstract:
last modified:
created:
group id:
profile_id:
id:
keywords: Prepona praeneste
institution:
address:
publisher: EcoAndina, Wildlife Conservation Society
accessed:
websites:
chapter:
series:
pages: 44--45
issue:
vear: 2002
0: Garc\'ia-Robledo, Carlos A
1: Constantino, Luis Miguel
2: Heredia, Mar\'ia Dolores
title: Gu\'ia de campo. Mariposas Comunes de la Cordillera Central
source:
type: book
tags: Prepona praeneste
abstract:
last modified:
created:
group id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
lifeCycleUnstructured: Al igual que los demás lepidópteros presenta una metamorfosis completa (desarrollo
holometábolo). Pasa por tres etapas o estadios sucesivos hasta llegar a la forma adulta o imago: huevo, larva y
pupa o crisálida (Barnes & Ruppert, 1996; (García-Robledo et al., 2002)).
```

interactions

source:

```
dataObject:
additionalInformation:
keywords: Prepona praeneste
0: Amat-G, G
1: Andrade-C, M G
2: Amat-G, E
institution:
address:
publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia
Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial
accessed:
websites:
chapter:
series:
pages: 127--130
issue:
year: 2007
0: Constantino, M
title: Prepona roja de montaña (Prepona praeneste)
source: Libro Rojo de los Invertebrados Terrestres de Colombia
type: book_section
tags: Prepona praeneste
abstract:
last modified:
created:
group id:
profile_id:
id:
1
keywords: Prepona praeneste
institution:
address:
publisher: EcoAndina, Wildlife Conservation Society
accessed:
websites:
chapter:
series:
pages: 44--45
issue:
year: 2002
0: Garc\'ia-Robledo, Carlos A
1: Constantino, Luis Miguel
2: Heredia, Mar\'ia Dolores
title: Gu\'ia de campo. Mariposas Comunes de la Cordillera Central
source:
type: book
tags: Prepona praeneste
abstract:
last modified:
created:
group_id:
profile_id:
```

id: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: interactionsUnstructured: Esta representante de la familia Lauraceae (comino crespo) cumple la función de planta hospedera para la especie (Constantino, 2007; García-Robledo et al., 2002).
0
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source: https://docs.google.com/document/d/1i3mLz_QRu3Ds4Z19EaJM1iNS1XAv8gObGB17ASur8EM/edit?usp=sharing
audience
bibliographicCitation: Futuyma, D.J. 1998. Evolutionary Biology, Third Edition. Sinauer Associates, Inc. EUA rightsHolder: rights: license: modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod:
measurementDeterminedBy

measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Parasitismo measurementType: CONABIO measurementID: interactionSpecies: Aniba perutilis feeding dataObject: additionalInformation: keywords: Prepona praeneste 0: Amat-G, G 1: Andrade-C, M G 2: Amat-G, E institution: address: publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial accessed: websites: chapter: series: pages: 127--130 issue: year: 2007 0: Constantino, M title: Prepona roja de montaña (Prepona praeneste) source: Libro Rojo de los Invertebrados Terrestres de Colombia type: book\_section tags: Prepona praeneste abstract: last modified: created: group\_id: profile\_id: id: keywords: Prepona praeneste institution: address: publisher: EcoAndina, Wildlife Conservation Society accessed: websites: chapter: series: pages: 44--45 issue: year: 2002 0: Garc\'ia-Robledo, Carlos A

1: Constantino, Luis Miguel
2: Heredia, Mar\'ia Dolores title: Gu\'ia de campo. Mariposas Comunes de la Cordillera Central
source:
type: book
tags: Prepona praeneste
abstract: last_modified:
created:
group_id:
profile_id:
id:
geoPoint: location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
feedingUnstructured: Se alimenta de frutos fermentados y secreciones azucaradas de la corteza de algunos arboles que producen fermentos acetílicos (Constantino, 2007; García-Robledo et al., 2002).
0
0 type: Heterótrofos - Herbívoros
type: Heterótrofos - Herbívoros
type: Heterótrofos - Herbívoros environmentalEnvelope
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured:
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured:
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed:
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type:
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type: purpose:
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type:
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type: purpose:
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersallUnstructured: distance: structureDispersed: type: purpose: behavior
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0 dataObject:
type: Heterótrofos - Herbívoros environmentalEnvelope environmentalEnvelopeUnstructured: ecologicalSignificance ecologicalSignificanceUnstructured: dispersal dispersalUnstructured: distance: structureDispersed: type: purpose: behavior  0  dataObject: additionalInformation:

1: Andrade-C, M G 2: Amat-G, E
institution:
address: publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia
Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial
accessed:
websites:
chapter:
series: pages: 127130
issue:
year: 2007
0: Constantino, M
title: Prepona roja de montaña (Prepona praeneste) source: Libro Rojo de los Invertebrados Terrestres de Colombia
type: book_section
tags: Prepona praeneste
abstract:
last_modified:
created: group_id:
profile_id:
id:
geoPoint:
location: thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType: identifier:
behaviorUnstructured: Es una especie de vuelo ágil y veloz, en el dosel del bosque. Forrajea en el sotobosque en
busca de fuentes de alimento. Es una especie muy estacional en los meses de Febrero, Abril y Agosto (Constantino,
2007).
ancillaryData
dataObject:
additionalInformation:
geoPoint: location:
thumbnailURL:
description:
source: http://www.biologyreference.com/Ar-Bi/Behavior-Patterns.html
bibliographicCitation: Alcock, John. Animal Behavior: An Evolutionary Approach, 6th ed. Sunderland, MA: Sinauer Associates, Inc., 1997.
rightsHolder:
rights:
license:

modified: created: mimeType: dataType: identifier:

#### measurementOrFact

relatedTo:

measurementRemarks: measurementMethod:

measurementDeterminedDate:

measurementUnit: measurementAccuracy: measurementValue: null measurementType: null measurementID:

## endemicAtomized

### distribution

# ancillaryData

dataObject:

additionalInformation:

#### reference

keywords: Prepona praeneste

### editors

institution: address: publisher: accessed: websites: chapter: series:

pages: 381--387

issue: volume: 18 year: 1990

### authors

authors: Salazar, J.A.

title: Estudio preliminar sobre el registro de especies y subespecies del género Prepona Boisduval (Nymphalidae) en

Colombia source: SHILAP type: article

tags: Prepona praeneste

abstract:

## identifiers

last\_modified: created:

group_id: profile_id: id: geoPoint: location: thumbnailURL:
as a slight IDI
mediaURL
description:
subject
source:
audience

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

## agent

mimeType: dataType: identifier:

distributionUnstructured: Esta especie se distribuye desde Venezuela hasta Perú en la zona andina. En Colombia se ha reportado en las tres cordilleras en zonas entre los 1500-2000 msnm (Salazar, 1990; Salazar & Constantino, 2001; Constantino, 2007; Andrade-C, 2002).

### distributionAtomized

stateProvince: Antioquia

# ancillaryData

locality: municipality: country: Colombia

temporal Coverage

endDate: startDate:

otartbato.

distributionScope

type:

threatStatus

## ancillaryData

threatStatusUnstructured:

threatStatusAtomized

apendiceCITES:

locality:

municipality: county: stateProvince: country: Colombia 0: IUCN measurementValue: Vulnerable (VU) relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementType: IUCN measurementID: territory territoryUnstructured: areaOfOccupancy: extentOfOccurrence: populationBiology dataObject: additionalInformation: keywords: Prepona praeneste institution: address: publisher: accessed: websites: chapter: series: pages: 381--387 issue: volume: 18 year: 1990 0: Salazar, J.A. title: Estudio preliminar sobre el registro de especies y subespecies del género Prepona Boisduval (Nymphalidae) en Colombia source: SHILAP type: article tags: Prepona praeneste abstract: last modified: created: group\_id: profile\_id: id:

keywords: Prepona praeneste institution: address: publisher: accessed: websites: chapter: series: pages: 33--46 issue: volume: 21 year: 1993 0: Salazar, J A title: Una lista comentada de algunas especies de mariposas de distribución restringida o locales en Colombia (Lepidoptera:Rhopalocera) source: SHILAP type: article tags: Prepona praeneste abstract: last modified: created: group\_id: profile\_id: id: 2 keywords: Prepona praeneste institution: address: publisher: accessed: websites: chapter: series: pages: 344--369 issue: volume: 101 year: 2001 0: Salazar, J A 1: Constantino, M L title: Synthesis of the Colombian Charaxidae and description of new genera for South America: Rydonia, Annagrapha, Pseudocharaxes, Muyshondtia, Zikania (Lepidoptera, Nymphaloidea) Lambillionea source: Rev. Int. Ent. type: article tags: Prepona praeneste abstract: last modified: created: group\_id: profile\_id: id: geoPoint: location: thumbnailURL: description:

source: bibliographicCitation: rightsHolder: rights: Equipo Coordinador del SiB Colombia license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: populationBiologyUnstructured: El tamaño de la poblacion no ha sido cuantificado, por ende no se dispone de datos sobre esta especie. En Colombia es considerada una especie muy rara y poco conocida, solo se tienen 5 registros para el país (Salazar, 1990, 1993, Salazar & Constantino, 2001).
legislation
legislationUnstructured:
directThreats
0
dataObject: additionalInformation:
0
keywords: Prepona praeneste 0: Amat-G, G 1: Andrade-C, M G 2: Amat-G, E institution: address: publisher: Instituto de Ciencias Naturales- Universidad Nacional de Colombia, Conservación Internacional Colombia Instituto Alexander von Humboldt, Ministerio de Ambiente, Vivienda y Crédito Territorial accessed: websites: chapter: series: pages: 127130 issue: year: 2007 0: Constantino, M title: Prepona roja de montaña (Prepona praeneste) source: Libro Rojo de los Invertebrados Terrestres de Colombia type: book_section tags: Prepona praeneste abstract: last_modified: created: group_id: profile_id: id:  4.
1 keywords: Prenona praeneste
keywords: Prepona praeneste institution: address:

publisher: EcoAndina, Wildlife Conservation Society accessed: websites:
chapter:
series:
pages: 4445
issue:
year: 2002 0: Garc\'ia-Robledo, Carlos A
1: Constantino, Luis Miguel
2: Heredia, Mar\'ia Dolores
title: Gu\'ia de campo. Mariposas Comunes de la Cordillera Central
source:
type: book
tags: Prepona praeneste
abstract:
last_modified: created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source: bibliographicCitation:
rightsHolder:
rights: Nancy Carolina Rojas Riaño
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier: directThreatsUnstructured: Destrucción de su hábitat por la tala indiscriminada, siendo afectada principalmente por
la sobreexplotación de su planta hospedera el comino crespo Aniba perutilis (Lauráceae) quedándose sin sitios de
oviposición, alimentación y reproducción; como consecuencia de la expansión de la frontera agrícola y ganadera
(Constantino, 2007; García-Robledo et al., 2002).
ancillaryData
dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
SOURCE:
bibliographicCitation: rightsHolder:
rights:
license:
modified:
created:
mimeType:

dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: null measurementID: abstract: Es una especie de lepidóptero perteneciente a la familia Nynphalidae. Son excelentes voladoras y se encuentran en los bosque premontano y montano entre 1500 - 2000 msnm. Es una especie muy rara y poco conocida, existen solo 5 registros de esta en el país (Salazar, 1990, 1993, Salazar & Constantino 2001).
associatedParty
role: personnelldentifier: personnelDirectory: homepage: email: enataliagomezm@gmail.com phone: postalCode: country: Colombia state: Bogotá Distrito Capital city: Bogotá D.C. address: organisation: position: lastName: Gómez Melendro firstName: Edith Natalia
ancillaryData
dataObject: additionalInformation: Créditos específicos: Al Instituto Amazónico de Investigaciones Científicas Sinchi. Al Sistema de Información Ambiental Territorial de la Amazonia Colombiana SIAT-AC. La elaboración de esta ficha fue posible gracias al apoyo del gobierno de Finlandia a través del convenio entre la Secretaría General de la CAN y el Instituto Sinchi para el proyecto "Definición y conformación de la PIRAA, a partir del fortalecimiento del nodo subnacional de Colombia: Sistema de Información Ambiental Territorial de la Amazonia Colombiana SIATAC", como parte del desarrollo del programa BIOCAN.
reference
geoPoint: location: thumbnailURL:
mediaURL
description:

subject
source:

# audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

# agent

mimeType: dataType: identifier: \_id

\_bsontype: ObjectID id: VØåß< G™\0—Đ