

## Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e6b74b83c45700544e3ebc

Fecha de creación: 2016-03-14T13:06:27.546Z

creation\_date: 2016-03-14T13:06:27.546Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon thrason,Parides erithalion erithalion,Parides eurimedes arriphus,Pterourus birchallii birchallii,Pterourus cacicus

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

pages: 411--752

issue:

volume: 13

year: 1906

0: Rothschild-Rothschild, Lionel Walter

1: Jordan, Karl

title: A revision of the American Papilios. Revisión de las Papilios americanas

source: Novitates Zoologicae.

type: article

tags: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon thrason,Parides erithalion erithalion,Parides eurimedes arriphus,Pterourus birchallii birchallii,Pterourus cacicus

abstract:

last\_modified:

created:

group\_id:

profile\_id:

id:

1

keywords: Anteos menippe,Aphrissa statira statira,Battus lycidas

institution:

address:

publisher: Alfred Kernen

accessed:  
websites:  
chapter:  
series:  
pages: 1139  
issue:  
volume: 5  
year: 1924  
0: Seitz, A  
title: Macrolepidoptera of the world  
source:  
type: book  
tags: Anteos menippe,Aphrissa statira statira,Battus lycidas  
abstract:  
last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Ángela M. Suarez Mayorga  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:

fullDescriptionUnstructured: Las hembras tienen la parte dorsal del abdomen (claspers excepción) blanquecino - amarillo, como en las especies afines (Rothschild-Rothschild & Jordan, 1906). Esta especie es fácil de reconocer por la raya blanca que tiene en el margen posterior, de la superficie superior, de las alas posteriores; esta banda es más corta en los machos que en las hembras (Seitz, 1924). Las escamas de la cara dorsal de ambas alas casi todas enteras, redondeándose en el ápice, con excepción de la ampliación en la celda de las alas anteriores y a lo largo del borde distal de las alas posteriores. Las estrías de las escamas son muy marcadas. Las escamas blanco-amarillento de las alas posteriores son enteras, acuminadas, como las de la cara dorsal del abdomen. Generalmente sólo hay un punto en el disco de las alas posteriores, situado entre C y SC2, pero muchos especímenes tienen una fila completa de los puntos. Tiene manchas rojas submarginales en la parte inferior de las alas posteriores, están mucho más cerca del margen distal que en *P. belus*. Las alas anteriores tienen dos o tres manchas blancas cremosas submarginales (Seitz, 1924).

Órgano aromático: las escamas cortas, algo más anchas que largas; polidentados, tri-o quadridentado, con menos frecuencia bidentado, de color amarillento. Genitalia: El macho Harpe ligeramente cóncavo, pieza cuadrada irregular de la quitina, producido en la ventral y en la esquina distal de cada uno en un diente curvo, un pequeño diente y el borde superior oblicuo, a veces acompañado por un segundo diente pequeño. Las hembras tienen lóbulos peludos situados en la cavidad vaginal algo acuminados, muy juntos; post-esclerito vaginal, que forma el techo de la cavidad (Rothschild-Rothschild & Jordan, 1906).

briefDescription:

## references

keywords: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon

thrason,Parides erithalion erithalion,Parides eurimedes arriphus,Pterourus birchallii birchallii,Pterourus cacicus

editors

institution:  
address:  
publisher:  
accessed:  
websites:  
chapter:  
series:  
pages: 411--752  
issue:  
volume: 13  
year: 1906

authors

authors: Rothschild-Rothschild, Lionel Walter  
authors: Jordan, Karl  
title: A revision of the American Papilios. Revisión de las Papilios americanas  
source: Novitates Zoologicae.  
type: article  
tags: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon thrason,Parides erithalion erithalion,Parides eurimedes arriphus,Pterourus birchallii birchallii,Pterourus cacicus  
abstract:

identifiers

last\_modified:  
created:  
group\_id:  
profile\_id:  
id:  
  
taxonRecordName

ancillaryData

providerSpecificData  
  
anyTwo:  
providerLink:  
  
publicationStatus  
  
microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
  
replacementNameFor

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

sanctioned

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

laterHomonymOf

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

[conservedAgainst](#)

basedOn

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:  
ruleConsidered:

basionym

microReference:  
source:  
datatype:  
identifier:  
source:  
datatype:  
identifier:  
note:

ruleConsidered:

[spellingCorrentionOf](#)

typeNameEntity

source:

datatype:

identifier:

source:

datatype:

identifier:

source:

datatype:

identifier:

typificacion

typeOfType:

[lectotypeMicroReferenceVoucher](#)

[lectotypePublicationVoucher](#)

[voucherReference](#)

simple:

microReference:

year:

publishedIn

simple:

source:

datatype:

identifier:

specialAuthorship

[authors](#)

[year](#)

simple:

canonicalAuthorship

[authors](#)

[year](#)

simple:

simple: (Cramer, 1777)

canonicalName

infraspecificEpithet:

specificEpithet:

infragenericEpithet:  
linkType:  
ref:  
uninomial:  
simple: Battus lycidas  
rank: SPECIES  
simple: Battus lycidas (Cramer, 1777)

attributes

nomenclaturalCode:  
isAnamorphic:  
id:

synonymsAtomized

ancillaryData

synonymStatus:  
synonymName  
anyTwo:

anyOne

providerLink:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:

datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:  
microReference:

publishedIn

source:  
datatype:  
identifier:

reletedName

source:  
datatype:  
identifier:  
note:  
ruleConsidered:

typeNameEntity

source:  
datatype:  
identifier:  
source:

datatype:  
identifier:  
source:  
datatype:  
identifier:

typeVoucherEntity

typeOfType:  
simple:  
microReference:  
year:  
source:  
datatype:  
identifier:

combinationAuthorship

basionymAuthorship

simple:  
authorship

simple:  
simple: Cramer, 1777

epithet  
infraspecificEpithet:  
specificEpithet:  
infragenericEpithet:

genus  
linkType:  
ref:  
uninomial:  
simple: Papilio erymanthus  
rank: SPECIES  
simple: Papilio erymanthus Cramer, 1777  
nomenclaturalCode:  
isAnamorphic:  
id:

hierarchy

ancillaryData

dataObject:  
additionalInformation:

reference

geoPoint:  
location:  
thumbnailURL:

mediaURL

description:



## subject

source: The Catalogue of Life, 3rd January 2011

## audience

bibliographicCitation:

rightsHolder:

rights:

license:

title:

modified: 2016-03-14T13:06:07.545Z

created: 2016-03-14T13:06:07.545Z

## agent

homepage:

role:

email:

phone:

address:

position:

organisation:

lastName:

firstName:

mimeType:

dataType:

identifier:

parentTaxon: Battus

higherClassification:

infraspecificEpithet:

specificEpithet:

taxonRank: SPECIES

subGenus:

genus: Battus

family: Papilionidae

order: Lepidoptera

classHierarchy: Insecta

phylum: Arthropoda

kingdom: Animalia

recommended:

classification:

## commonNameAtomized

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Ángela M. Suarez Mayorga  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:  
reproductionUnstructured:

0

dataObject:  
additionalInformation:

## reference

geoPoint:  
location:  
thumbnailURL:

## mediaURL

description:

## subject

## audience

rightsHolder:  
rights:  
license:  
modified:  
created:

## agent

mimeType:  
dataType:  
identifier:  
relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedBy: TraitBank  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue: Sexual  
measurementType: Tipo de Reproducción  
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

feedingUnstructured:

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

0

dataObject:

additionalInformation:

0

keywords: Anteos menippe,Aphrissa statira statira,Battus lycidas

institution:

address:

publisher: Alfred Kern

accessed:

websites:

chapter:

series:

pages: 1139

issue:

volume: 5

year: 1924

0: Seitz, A

title: Macrolepidoptera of the world

source:

type: book

tags: Anteos menippe,Aphrissa statira statira,Battus lycidas

abstract:

last\_modified:

created:

group\_id:  
profile\_id:  
id:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights: Ángela M. Suarez Mayorga  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:  
mimeType:  
dataType:  
identifier:

behaviorUnstructured: El macho se encuentra comúnmente en los bordes de los cursos de agua. Como las especies afines, las mariposas primero vuelan por los lugares donde van a descender para beber, como si quisieran cerciorarse de la ausencia de enemigos, pero no se disturban fácilmente una vez han empezado a beber (Seitz, 1924).

#### ancillaryData

dataObject:  
additionalInformation:  
geoPoint:  
location:  
thumbnailURL:  
description:  
source:  
bibliographicCitation:  
rightsHolder:  
rights:  
license:  
modified:  
created:  
mimeType:  
dataType:  
identifier:

#### measurementOrFact

relatedTo:  
measurementRemarks:  
measurementMethod:  
measurementDeterminedDate:  
measurementUnit:  
measurementAccuracy:  
measurementValue:  
measurementType:  
measurementID:

#### annualCycle

annualCycleUnstructured:

#### habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

keywords: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion browni,Parides erithalion erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus menatius

editors

institution:

address:

publisher: Carlec Ltda

accessed:

websites:

chapter:

series:

pages: 108

issue:

volume: Tomo I

year: 2002

authors

authors: Le Crom, J F

authors: Constantino, L M

authors: Salazar, J A

authors: Llorente, J

title: Mariposas de Colombia

source:

type: book

tags: Battus belus varus,Battus crassus crassus,Battus crassus lepidus,Battus laodamas laodamas,Battus lycidas,Battus polydamas polydamas,Catasticta cinerea laurentina,Eurytides dolicaon deileon,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Papilio polyxenes americanus,Parides erithalion browni,Parides erithalion erithalion,Parides lysander orinocoensis,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus menatius

abstract:

identifiers

last\_modified:

created:

group\_id:

profile\_id:

id:

geoPoint:  
location:  
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source:

[audience](#)

bibliographicCitation:  
rightsHolder:  
rights: Ángela M. Suarez Mayorga  
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)  
modified:  
created:

[agent](#)

contentType:  
dataType:  
identifier:  
distributionUnstructured: Esta especie se distribuye desde México hasta Bolivia (Le Crom et al., 2002). En el país se ha registrado en los valles del río Magdalena y Cauca, Costa Pacífica, Magdalena Medio Antioqueño, río Nechí, Catatumbo, Sierra Nevada de Santa Marta, en el Piedemonte Llanero, Serranía de la Macarena y la Amazonia (Amazonas, Putumayo, Caquetá, Guaviare, Vaupés) (Le Crom et al., 2002) .

[distributionAtomized](#)

[ancillaryData](#)

locality:  
municipality:  
stateProvince: Cauca  
country: Colombia

temporalCoverage

endDate:  
startDate:

distributionScope

type:

[threatStatus](#)

territory

territoryUnstructured:  
areaOfOccupancy:  
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: Esta especie se distribuye desde México hasta Bolivia (Le Crom et al., 2002). En las hembras, la parte superior del abdomen es de color verde. Tiene una raya blanca a lo largo del pliegue abdominal de las alas posteriores más cortos que en los machos, no alcanza la base, por lo general hay fila completa de manchas en el disco (Rothschild-Rothschild & Jordan, 1906).

associatedParty

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone:

postalCode:

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address:

organisation:

position:

lastName: Gómez Melendro

firstName: Edith Natalia

## ancillaryData

dataObject:

additionalInformation:

## reference

geoPoint:

location:

thumbnailURL:

mediaURL: <https://www.flickr.com/photos/berniedup/8365913958/in/photolist-dKguKQ>

description:

## subject

source: [https://farm9.staticflickr.com/8223/8365913958\\_ee0ae3fce3.jpg](https://farm9.staticflickr.com/8223/8365913958_ee0ae3fce3.jpg)

## audience

bibliographicCitation: Tingo Maria, PERU

rightsHolder: berniedup

rights:

license: <http://creativecommons.org/licenses/by-sa/2.0/>

modified:

created:

## agent

contentType:

dataType:

identifier:

\_id

\_bsontype: ObjectID

id: Væ·KfÄW DæëÀ