

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e6c1e083c45700544e3ebe

Fecha de creación: 2016-03-14T13:51:36.648Z

creation_date: 2016-03-14T13:51:36.648Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Catasticta albofasciata,Prepona praeneste

institution:

address:

publisher: EcoAndina, Wildlife Conservation Society

accessed:

websites:

chapter:

series:

pages: 102

issue:

year: 2002

0: Garc'ia-Robledo, Carlos A

1: Constantino, Luis Miguel

2: Heredia, Mar'ia Dolores

title: Gu'ia de campo. Mariposas Comunes de la Cordillera Central

source:

type: book

tags: Prepona praeneste,Catasticta albofasciata

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:
mimeType:
dataType:
identifier:
fullDescriptionUnstructured: Los Pieridae se reconocen por sus colores blancos, amarillentos o anaranjados, los cuales resultan de la incorporación de pigmentos en las escamas de las alas. Tienen patas bien desarrolladas para caminar, uñas tarsales bífidas y celda discal cerrada en ambas alas. Esta especie en particular, tiene longitudes de ala anterior entre los 24 y 26 mm.(García-Robledo et al., 2002).
briefDescription:

references

keywords: Catasticta albofasciata,Prepona praeneste

editors

institution:
address:
publisher: EcoAndina, Wildlife Conservation Society
accessed:
websites:
chapter:
series:
pages: 102
issue:
year: 2002

authors

authors: García-Robledo, Carlos A
authors: Constantino, Luis Miguel
authors: Heredia, María Dolores
title: Guía de campo. Mariposas Comunes de la Cordillera Central
source:
type: book
tags: Prepona praeneste,Catasticta albofasciata
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:

datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion
typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:
canonicalAuthorship

authors

year

simple:
simple: Lathy & Rosenberg, 1912

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:

linkType:
ref:
uninomial:
simple: Catasticta albofasciata
rank: SPECIES
simple: Catasticta albofasciata Lathy & Rosenberg, 1912

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

ancillaryData

synonymStatus:

synonymName

anyTwo:

anyOne

providerLink:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:

datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:

note:
ruleConsidered:

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typeVoucherEntity

typeOfType:
simple:
microReference:
year:
source:
datatype:
identifier:

combinationAuthorship

basionymAuthorship

simple:

authorship

simple:
simple: Reissinger, 1972

epithet

infraspecificEpithet:
specificEpithet:
infragenericEpithet:

genus

linkType:
ref:
uninomial:
simple: Catasticta albofasciata rubroreducta
rank: SUBSPECIES
simple: Catasticta albofasciata rubroreducta Reissinger, 1972
nomenclaturalCode:
isAnamorphic:
id:

hierarchy

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-03-14T13:51:16.648Z
created: 2016-03-14T13:51:16.648Z

agent

homepage:
role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Catasticta
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Catasticta
family: Pieridae
order: Lepidoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

commonNameAtomized

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:

additionalInformation:

0

keywords: Catasticta albofasciata,Prepona praeneste

institution:

address:

publisher: EcoAndina, Wildlife Conservation Society

accessed:

websites:

chapter:

series:

pages: 102

issue:

year: 2002

0: García-Robledo, Carlos A

1: Constantino, Luis Miguel

2: Heredia, María Dolores

title: Guía de campo. Mariposas Comunes de la Cordillera Central

source:

type: book

tags: Prepona praeneste,Catasticta albofasciata

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

reproductionUnstructured: Ponen huevos alargados de forma ahusada que suelen ser de colores llamativos amarillentos, naranjas o bien de color crema. Las larvas son cilíndricas, generalmente de colores verdosos, con los segmentos abdominales divididos en anillos. Las pupas suelen ser alargadas en los dos extremos y aseguradas al sustrato por un cinturón de seda que rodea los primeros segmentos abdominales. Son muy crípticas y semejan trocitos de hojas, ramitas y yemas (García-Robledo et al., 2002).

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

0

dataObject:

additionalInformation:

0

keywords: Catasticta albofasciata,Prepona praeneste

institution:

address:

publisher: EcoAndina, Wildlife Conservation Society

accessed:

websites:

chapter:

series:

pages: 102

issue:

year: 2002

0: Garc'ia-Robledo, Carlos A

1: Constantino, Luis Miguel

2: Heredia, Mar'ia Dolores

title: Gu'ia de campo. Mariposas Comunes de la Cordillera Central

source:

type: book

tags: Prepona praeneste,Catasticta albofasciata

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataObject:

identifier:

interactionsUnstructured: Las principales familias de plantas hospederas que utilizan son Brassicaceae, Capparidaceae, Fabaceae, Loranthaceae y Tropaeolaceae (García-Robledo et al., 2002).

feeding

0

dataObject:

additionalInformation:

0

keywords: Catasticta albofasciata,Prepona praeneste

institution:

address:

publisher: EcoAndina, Wildlife Conservation Society

accessed:

websites:

chapter:

series:

pages: 102

issue:

year: 2002

0: Garc  a-Robledo, Carlos A

1: Constantino, Luis Miguel

2: Heredia, Mar  a Dolores

title: Gu  a de campo. Mariposas Comunes de la Cordillera Central

source:

type: book

tags: Prepona praeneste,Catasticta albofasciata

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribuci  n - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

feedingUnstructured: Los adultos de esta especie se alimentan de n  ctar (Garc  a-Robledo et al., 2002).

0

type: Heter  trofos - Herb  voros

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

0

dataObject:

additionalInformation:

0

keywords: Catasticta albofasciata,Prepona praeneste

institution:

address:

publisher: EcoAndina, Wildlife Conservation Society

accessed:

websites:

chapter:

series:

pages: 102

issue:

year: 2002

0: Garc\'ia-Robledo, Carlos A

1: Constantino, Luis Miguel

2: Heredia, Mar\'ia Dolores

title: Gu\'ia de campo. Mariposas Comunes de la Cordillera Central

source:

type: book

tags: Prepona praeneste,Catasticta albofasciata

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribuci3n - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

behaviorUnstructured: Con frecuencia los machos forman grandes congregaciones en charcos y zonas lodosas a lo

largo de los ríos (García-Robledo et al., 2002).

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:
additionalInformation:

reference

keywords: Catasticta albofasciata,Prepona praeeneste

editors

institution:
address:
publisher: EcoAndina, Wildlife Conservation Society
accessed:

websites:
chapter:
series:
pages: 102
issue:
year: 2002

authors

authors: García-Robledo, Carlos A
authors: Constantino, Luis Miguel
authors: Heredia, María Dolores
title: Guía de campo. Mariposas Comunes de la Cordillera Central
source:
type: book
tags: Prepona praeneste, Catasticta albofasciata
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: En Colombia se distribuye en zonas de las Cordilleras Oriental y Central que alcanzan altitudes de 3000 msnm (García-Robledo et al., 2002).

distributionAtomized

temporalCoverage

endDate:
startDate:

distributionScope

type:

[threatStatus](#)

territory

territoryUnstructured:

areaOfOccupancy:

extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: Catasticta albofasciata pertenece a la familia Pieridae, la cual se reconoce por sus colores blancos, amarillentos o anaranjados, los cuales resultan de la incorporación de pigmentos en las escamas de las alas. En Colombia esta especie se distribuye en las Cordilleras Oriental y Central en zonas con altitudes de 3000 msnm (García-Robledo et al., 2002).

[associatedParty](#)

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomez@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation: Créditos específicos: Los créditos de las imágenes corresponden a la Unidad de Producción Audiovisual (UPA) del Instituto de Investigación de Recursos Biológicos Alexander von Humboldt. En la revisión científica y taxonómica se contó con el apoyo del profesor investigador M. Gonzalo Andrade-C. del Instituto de Ciencias Naturales de la Universidad Nacional de Colombia.
Imagen: Catasticta_albofasciata_Dorsal.jpg
Registros biológicos: Registros en la colección Schmidt-Mumm, Colombia: IAvH - 4104 (Corregimiento La Pedrera, Amazonas), 1.974.

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:

_id

_bsontype: ObjectID
id: VæÀàfÅW Dãëà