Reporte de Fichas para el usuario: edith gómez Ficha ID: 56e6f10883c45700544e3ed7 Fecha de creación: 2016-03-14T17:12:48.190Z creation_date: 2016-03-14T17:12:48.190Z usesManagementAndConservation ancillaryData managementAndConservationUnstructured: managementAndConservationAtomized identificationKeys fullDescription 0 dataObject: additionalInformation: keywords: Anisocanthon sericinus, Anisocanthon villosus institution: address: publisher: accessed: websites: chapter: series: pages: 363--388 issue: volume: 12 year: 1956 0: Mart\'inez, A. 1: Pereira, F. title: Dois géneros novos de Canthonini americanos (Col. Scarbaeoidea, Scarabaeidae) source: Papéis Avulsos type: article tags: Anisocanthon sericinus, Anisocanthon villosus abstract: last modified: created: group_id: profile_id:

id:

geoPoint: location:

thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created: mimeType: dataType: identifier:

fullDescriptionUnstructured: Cabeza con los dientes clipeales bien manifiestos y las genas salientes en un dentículo en la frente. Pronoto con los ángulos anteriores agudos, los laterales salientes y bien visibles; superficie irregular, con áreas glabras y pubescente intercaladas. Proespisternos con un dentículo un poco más aproximado a los ángulos anteriores que a los medios. Élitros con estrías finas pero visibles; interestrías 3, 4 y 7 con puntos más dispersos y menos conspicuos. Metaesterno con el disco levemente puntuado. Tibias anteriores arqueadas, con el calcar idéntico en ambos sexos; pigidio giboso en la parte central e impreso en los lados de la base (Martínez & Pereira, 1956).

briefDescription:

references

keywords: Anisocanthon sericinus, Anisocanthon villosus

editors

institution: address: publisher: accessed: websites: chapter: series:

pages: 363--388

issue: volume: 12 year: 1956

authors

authors: Mart\'inez, A. authors: Pereira, F.

title: Dois géneros novos de Canthonini americanos (Col. Scarbaeoidea, Scarabaeidae)

source: Papéis Avulsos

type: article

tags: Anisocanthon sericinus, Anisocanthon villosus

abstract:

identifiers

last_modified: created: group_id: profile_id: id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
replacementNameFor
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
sanctioned
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
laterHomonymOf
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
conservedAgainst
basedOn
microReference: source: datatype: identifier: source: datatype: identifier: note:

microReference:

ruleConsidered:
basionym
microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered:
spellingCorrentionOf
typeNameEntity
source: datatype: identifier: source: datatype: identifier: source: datatype: identifier:
typificacion
typeOfType:
lectotypeMicroReferenceVoucher
lectotypePublicationVoucher
voucherReference
simple: microReference: year:
publishedIn
simple: source: datatype: identifier:
specialAuthorship
authors
year
simple:
canonicalAuthorship

authors

year

simple:

simple: (Harold, 1868)

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet:

linkType: ref:

uninomial:

simple: Anisocanthon sericinus

rank: SPECIES

simple: Anisocanthon sericinus (Harold, 1868)

attributes

nomenclaturalCode: isAnamorphic:

id.

synonymsAtomized

ancillaryData

synonymStatus:

synonymName

anyTwo:

anyOne

providerLink: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier:

note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note: ruleConsidered: typeNameEntity source: datatype: identifier: source: datatype: identifier: source: datatype: identifier: typeVoucherEntity typeOfType: simple: microReference: year: source: datatype: identifier: combinationAuthorship basionymAuthorship simple: authorship simple: simple: Harold, 1868 epithet infraspecificEpithet: specificEpithet: infragenericEpithet: genus linkType: ref: uninomial: simple: Canthon asper rank: SPECIES simple: Canthon asper Harold, 1868

hierarchy

ancillaryData

nomenclaturalCode: isAnamorphic:

dataObject: additionalInformation:

reference

geoPoint: location: thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rigthsHolder:

rights: license: title:

modified: 2016-03-14T17:12:28.190Z created: 2016-03-14T17:12:28.190Z

agent

homepage:

role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:

parentTaxon: Anisocanthon

higherClassification: infraspecificEpithet: specificEpithet:

taxonRank: SPECIES

subGenus:

genus: Anisocanthon family: Scarabaeidae order: Coleoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification:

commonNameAtomized

ancillaryData dataObject: additionalInformation: reference geoPoint: location: thumbnailURL: mediaURL description: subject source: audience bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: agent mimeType: dataType: identifier: usedBy: usedIn distributionUnstructured: endDate: startDate: ancillaryData type: language: Español name: Escarabajo coprófago invasiveness invasivenessUnstructured: reproduction dataObject:

additionalInformation:

geoPoint: location: thumbnailURL: description: source:

bibliographicCitation: rightsHolder: rights: Claudia Alejandra Medina license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: reproductionUnstructured: 0
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
audience
rightsHolder: rights: license: modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:

lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
feedingUnstructured:
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
behaviorUnstructured:
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy:

measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject: additionalInformation:

reference

keywords: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum. Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai.Canthidium euchalceum.Canthidium funebre.Canthidium gemmingeri.Canthidium gerstaeckeri.Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon devrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaraqdulus, Canthon steinheili, Canthon subcyaneaus, Canthon subhyalinus, Canthon tetraodon.Canthon triangularis.Canthonella gomezi.Copris incertus.Coprophanaeus ohausi.Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica,Ontherus aphodioides,Ontherus compressicornis,Ontherus diabolicus,Ontherus pilatus,Ontherus pubens,Ontherus sulcator,Ontherus trituberculatus,Onthophagus acuminatus,Onthophagus atriglabrus,Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranius, Onthophagus embrikianus, Onthophagus haematopus, Onthophagus hirculus, Onthophagus landolti, Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubrescens, Onthophagus steinheili, Onthophagus transisthmius, Onthophagus xanthomerus, Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthon perplexus, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon imitans, Scybalocanthon kelleri, Scybalocanthon maculatus, Scybalocanthon pygidialis, Scybalocanthon sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis.Uroxys brachialis.Uroxys caucanus.Uroxys coarctatus.Uroxys cuprescens.Uroxys depressifrons.Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus

editors

institution: edition: 2 address: publisher: accessed: websites: chapter: series:

pages: 131--144

issue: volume: 2 year: 2001

authors

authors: Medina, C. authors: Lopera, A. authors: V\'itolo, A. authors: Gill, B.

title: Escarabajos coprófagos (Coleoptera: Scarabaeidae: Scarabaeinae) de Colombia

source: Biota Colombiana

type: article

tags: Agamopus lampros, Anisocanthon sericinus, Anisocanthon villosus, Ateuchus aeneomicans, Ateuchus columbianum, Ateuchus hoplopygum, Ateuchus persplendens, Bdelyrus seminudus, Canthidium angusticeps, Canthidium aurifex, Canthidium basipunctatum, Canthidium bicolor, Canthidium centrale, Canthidium convexifrons, Canthidium cupreum, Canthidium deplanatum, Canthidium elegantulum, Canthidium escalerai, Canthidium euchalceum, Canthidium funebre, Canthidium gemmingeri, Canthidium gerstaeckeri, Canthidium haroldi, Canthidium lebasi, Canthidium macroculare, Canthidium onitoides, Canthidium perceptibile, Canthidium persplendens, Canthidium picipes, Canthidium rufinum, Canthidium splendidum, Canthidium steinheili, Canthon aberrans, Canthon acutoides, Canthon acutus, Canthon aequinoctialis, Canthon angularis, Canthon angustatus, Canthon brunneus, Canthon columbianus, Canthon cyanellus sallei, Canthon dentiger, Canthon devrollei, Canthon femoralis bimaculatus, Canthon femoralis femoralis, Canthon fulgidus, Canthon juvencus, Canthon lituratus, Canthon luteicollis, Canthon modestus, Canthon morsei, Canthon mutabilis Lucas 1857, Canthon muticus, Canthon obscuriellus, Canthon pallidus, Canthon plagiatus, Canthon politus, Canthon quinquemaculatus, Canthon semiopacus, Canthon septemmaculatus histrio, Canthon septemmaculatus septemmaculatus, Canthon smaragdulus, Canthon steinheili, Canthon subcyaneaus, Canthon subhyalinus, Canthon tetraodon, Canthon triangularis, Canthonella gomezi, Copris incertus, Coprophanaeus ohausi, Coprophanaeus parvulus, Coprophanaeus suredai, Deltochilum (Deltohyboma) valgum, Deltochilum spinipes, Diabroctis mimas, Dichotomius agenor, Dichotomius belus, Dichotomius compressicollis, Dichotomius diabolicus, Dichotomius fallax, Dichotomius longiceps, Dichotomius mamillatus, Dichotomius nisus, Dichotomius ohausi, Dichotomius podalirius, Dichotomius protectus, Dichotomius quinquelobatus, Dichotomius reclinatus, Dichotomius rugatus, Dichotomius satanas, Dichotomius sericeus, Dichotomius worontzowi, Hansreia affinis, Malagoniella astyanax columbica, Ontherus aphodioides, Ontherus compressicornis, Ontherus diabolicus, Ontherus pilatus, Ontherus pubens, Ontherus sulcator, Ontherus trituberculatus, Onthophagus acuminatus, Onthophagus atriglabrus, Onthophagus batesi,Onthophagus belorhinus,Onthophagus bidentatus,Onthophagus buculus,Onthophagus clypeatus, Onthophagus coscineus, Onthophagus curvicornis, Onthophagus dicranius, Onthophagus embrikianus,Onthophagus haematopus,Onthophagus hirculus,Onthophagus landolti,Onthophagus lebasi,Onthophagus marginicollis,Onthophagus mirabilis,Onthophagus nabeleki,Onthophagus nasutus,Onthophagus nyctopus, Onthophagus osculatii, Onthophagus praecellens, Onthophagus rhinophyllus, Onthophagus rubrescens.Onthophagus steinheili.Onthophagus transisthmius.Onthophagus xanthomerus.Oruscatus opalescens, Oxysternon ebeninum, Oxysternon spiniferum, Phanaeus bispinus, Phanaeus cambeforti, Phanaeus chalcomelas, Phanaeus haroldi, Phanaeus hermes, Phanaeus meleagris, Phanaeus prasinus, Phanaeus pyrois, Pseudocanthon perplexus, Pseudocanthon xanthurus, Scybalocanthon darlingtoni, Scybalocanthon imitans, Scybalocanthon kelleri, Scybalocanthon maculatus, Scybalocanthon pygidialis, Scybalocanthon

sexspilotus, Scybalocanthon trimaculatus, Sylvicanthon bridarollii Mart\'inez 1949, Sylvicanthon candezei, Uroxys bidentis, Uroxys brachialis, Uroxys caucanus, Uroxys coarctatus, Uroxys cuprescens, Uroxys depressifrons, Uroxys gatunensis, Uroxys gorgon, Uroxys metallescens, Uroxys micros, Uroxys nebulinus abstract:

identifiers

last_modified: created: group_id: profile_id: id: geoPoint: location:

mediaURL

thumbnailURL:

description:

subject

source:

audience

bibliographic Citation:

rightsHolder:

rights: Claudia Alejandra Medina

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

agent

mimeType: dataType: identifier:

distributionUnstructured: Esta especie ha sido registrada en Argentina, Bolivia, Brasil, Colombia, Guyanas y Venezuela (Vulcano & Pereira, 1964). En Colombia su distribución no es conocida (Medina et al., 2001).

distributionAtomized

temporalCoverage

endDate: startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured: areaOfOccupancy: extentOfOccurrence:

populationBiology

populationBiologyUnstructured:
legislation
legislationUnstructured:
directThreats
directThreatsUnstructured:
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID: abstract: Esta especie de escarabajo pertenece al género Anisocanthon y se distribuye en áreas de Sudamérica (Vulcano & Pereira, 1964). Presenta la cabeza con los dientes clipeales bien manifiestos, las genas salientes en un dentículo en la frente y las tibias anteriores arqueadas, con el calcar idéntico en ambos sexos (Martínez & Pereira, 1956).
associatedParty
role: personnelIdentifier: personnelDirectory: homepage: email: enataliagomezm@gmail.com phone: postalCode: country: Colombia state: Bogotá Distrito Capital city: Bogotá D.C. address: organisation:

position:

lastName: Gómez Melendro firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation: Créditos específicos: La elaboración de estas fichas recibió el apoyo de la Organización de los Estados Américanos (OEA) y la Red Interamericana de Información sobre Biodiversidad (IABIN). Se agradece a la Colección Entomológica del Instituto Humboldt IAVH por facilitar información que contribuyó a la elaboración de las fichas y al Sistema de Información en Biodiversidad de Colombia (SIB) por el apoyo técnico.

reference

geoPoint: location: thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: Væñ^<EpTN>x