Reporte de Fichas para el usuario: edith gómez Ficha ID: 56d4992b3c16479905cba897 Fecha de creación: 2016-02-29T19:17:02.117Z annualCycles annualCycleUnstructured: habitats 0 dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: habitatUnstructured: Esta golondrina habita áreas cercanas a cuerpos de agua durante la época de cría; durante la migración y durante el invierno habita gran variedad de áreas abiertas cerca al agua, como humedales, sabanas, pastizales, cultivos (del Hoyo et al. 2004). commonNamesAtomized ancillaryData usedBy: usedIn distributionUnstructured: endDate:

startDate:

# ancillaryData

type:

language: Portugués

name: Andorinha-das-barreiras

creation\_date: 2016-02-29T19:17:02.117Z

usesManagementAndConservation

# ancillaryData

dataObject:

additionalInformation:

#### reference

geoPoint:

location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType: identifier: managementAndConservationUnstructured: Medidas de conservación tomadas en algunos estados de Estados Unidos incluyen provisión de túneles artificiales para los nidos, evasión de disturbios en las zonas de cría, y protección contra la erosión de su hábitat (Garrison 1999).
managementAndConservationAtomized
identificationKeys
fullDescription
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType:

fullDescriptionUnstructured: Cuerpo de 13 cm de longitud. La parte superior de su cuerpo y la banda pectoral es de color café grisáceo; su garganta y el resto de partes inferiores es color blanco (Hilty y Brown 2001). briefDescription:

references

identifier:

#### taxonRecordName

# ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

replacementNameFor

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

sanctioned

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

laterHomonymOf

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:

ruleConsidered:

conservedAgainst

# basedOn microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: basionym microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: spellingCorrentionOf typeNameEntity source: datatype: identifier: source: datatype: identifier: source: datatype: identifier: typificacion typeOfType: lectotypeMicroReferenceVoucher **lectotypePublicationVoucher** voucherReference simple: microReference: year: publishedIn simple: source: datatype: identifier:

# specialAuthorship

## authors

# year

simple:

canonicalAuthorship

#### authors

## year

simple:

simple: (Linnaeus, 1758)

## canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet:

linkType: ref: uninomial:

simple: Riparia riparia rank: SPECIES

simple: Riparia riparia (Linnaeus, 1758)

#### attributes

nomenclaturalCode: isAnamorphic:

id:

# synonymsAtomized

# ancillaryData

dataObject:

additionalInformation:

## reference

geoPoint: location:

thumbnailURL:

# mediaURL

description:

# subject

source:

# audience

bibliographicCitation:

rightsHolder: rights: license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType: identifier: synonymStatus:
synonymName
anyTwo:
anyOne
providerLink: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype:

identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered:
typeNameEntity
source: datatype: identifier: source: datatype: identifier: source: datatype: identifier:

type Voucher Entity

typeOfType:
typeOfType: simple:
microReference:
year:
source: datatype:
identifier:
combinationAuthorship
basionymAuthorship
simple:
authorship
simple:
simple:
epithet
infraspecificEpithet:
specificEpithet:
infragenericEpithet:
genus
linkType:
ref: uninomial:
simple: Hirundo riparia
rank:
simple: nomenclaturalCode:
isAnamorphic:
id:
hierarchy
ancillaryData
dataObject:
additionalInformation:
reference
geoPoint:
location: thumbnailURL:
mediaURL
description:
subject
source: The Catalogue of Life, 3rd January 2011
audience
bibliographicCitation:

rigthsHolder: rights: license: title: modified: 2016-02-29T19:16:42.115Z created: 2016-02-29T19:16:42.115Z agent homepage: role: email: phone:

address: position: organisation: lastName: firstName: mimeType: dataType: identifier:

parentTaxon: Riparia higherClassification: infraspecificEpithet: specificEpithet: taxonRank: SPECIES

subGenus: genus: Riparia family: Hirundinidae order: Passeriformes classHierarchy: Aves phylum: Chordata kingdom: Animalia recommended: classification:

invasiveness

invasivenessUnstructured:

reproduction

dataObject:

additionalInformation:

geoPoint: location: thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType:

dataType: identifier: reproductionUnstructured: Tanto el macho como la hembra construyen el nido que tiene forma de taza, hecha de pasto, hojas, ramitas, y plumas; se ponen de 2 a 7 huevos que son incubados por la hembra principalmente durante 12 a 16 días (del Hoyo et al. 2004; Kaufman 2001).
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
interactionsUnstructured:
feeding
feedingUnstructured:
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
0
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Nancy Carolina Rojas Riaño license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:

mimeType: dataType: identifier: behaviorUnstructured: Es una especie migratoria boreal (Salaman et al. 2009). En Colombia, es transeúnte de otoño, principalmente entre septiembre y octubre; en primavera sólo se ha registrado en febrero dos veces; se tiene pocos registros de invierno (Hilty y Brown 2001).
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy: measurementValue: measurementType: measurementID:
endemicAtomized
distribution
ancillaryData
dataObject: additionalInformation:
reference
geoPoint: location: thumbnailURL:
mediaURL
description:
subject

#### source:

#### audience

bibliographicCitation:

rightsHolder:

rights: Nancy Carolina Rojas Riaño

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

#### agent

mimeType: dataType: identifier:

distributionUnstructured: Cría en el hemisferio norte y localmente. También se encuentra en las zonas tropicales del viejo mundo aunque no se restringe a estas. En el Nuevo Mundo inverna en Suramérica al sur hasta la Tierra del Fuego (Hilty y Brown 2001). Hasta 3000 msnm (Hilty y Brown 2001).

En el país tiene una distribución puntual pero a lo largo de todo el país (Hilty y Brown 2001).

#### distributionAtomized

temporalCoverage

endDate: startDate:

distributionScope

type:

threatStatus

# ancillaryData

threatStatusUnstructured:

threatStatusAtomized

apendiceCITES:

locality:

municipality: county:

stateProvince: country: Global

0: IUCN

measurementValue: Preocupación menor (LC)

relatedTo:

measurementRemarks: measurementMethod:

#### measurementDeterminedBy

measurementDeterminedDate:

measurementUnit: measurementAccuracy: measurementType: IUCN

measurementID:

territo	pry
areaC	oryUnstructured: DfOccupancy: tOfOccurrence:
popu	lationBiology
0	
additingeoPolocation location thumbed describibliogrights rights licens modifice create mime dataTidentii popul	onailURL: iption: e: graphicCitation: Holder: : Nancy Carolina Rojas Riaño e: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) ied: ed: Type:
legisl	ation
legisla	ationUnstructured:
direc	tThreats
0	
addition geoPolocation thumbed description source bibliogrights rights	onailURL: iption: e: graphicCitation: Holder: : Nancy Carolina Rojas Riaño e: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) ied: ed: Type:

directThreatsUnstructured: No se ha reportado una amenaza apremiante para esta especie, sin embargo las actividades antrópicas (intrusión y disturbios humanos, corredores de transporte y servicio) pueden alterar su hábitat (del Hoyo et al. 2004; Garrison 1999). Asimismo, la pesca deportiva en zonas cercanas a las colonias en época de reproducción, pueden perturbar el éxito reproductivo de la especie (Etxezarreta 2010).

## ancillaryData

dataObject:

additionalInformation:

geoPoint: location:

thumbnailURL: description:

source:

bibliographicCitation:

rightsHolder:

rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

#### measurementOrFact

relatedTo:

measurement Remarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurement Value:

measurementType:

measurementID:

abstract: Golondrina de 12 a 13 cm. de longitud. La coloración de su cuerpo en las partes superiores es parda uniforme, en las partes inferiores es blanca, el pecho presenta una banda parda; la cola es corta y ligeramente ahorquillada. Alas largas 25 - 29 cm (Blasco-Zumeta y Heinze 2012).

#### associatedParty

role:

personnelldentifier: personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone: postalCode: country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address: organisation: position:

lastName: Gómez Melendro firstName: Edith Natalia

## ancillaryData

dataObject:

additionalInformation: Registros biológicos: Colección Ornitológica del Instituto de Ciencias Naturales de la Universidad Nacional de Colombia.

Recursos multimedia: Fotos de la coloración de su plumaje en Laboratorio Virtual Ibercaja y sonidos de sus

vocalizaciones en Xeno-Canto Foundation.

Créditos específicos: Al Instituto Amazónico de Investigaciones Científicas Sinchi. Al Sistema de Información Ambiental Territorial de la Amazonia Colombiana SIAT-AC. La elaboración de esta ficha fue posible gracias al apoyo del gobierno de Finlandia a través del convenio entre la Secretaría General de la CAN y el Instituto Sinchi para el proyecto "Definición y conformación de la PIRAA, a partir del fortalecimiento del nodo subnacional de Colombia: Sistema de Información Ambiental Territorial de la Amazonia Colombiana SIATAC", como parte del desarrollo del programa BIOCAN.

## reference

geoPoint: location: thumbnailURL:

#### mediaURL

description:

#### subject

source:

#### audience

bibliographicCitation:

rightsHolder: Nancy Carolina Rojas Riaño

rignts:

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created:

# agent

mimeType: dataType: identifier:

\_id

\_bsontype: ObjectID id: VÔ™+< G™\%p