Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e6df1b83c45700544e3ed0

Fecha de creación: 2016-03-14T15:56:19.586Z

creation_date: 2016-03-14T15:56:19.586Z usesManagementAndConservation

ancillaryData

managementAndConservationUnstructured:

managementAndConservationAtomized

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon thrason,Papilio polyxenes americus,Parides erithalion erithalion,Parides eurimedes arriphus,Protesilaus protesilaus,Pterourus birchallii birchallii,Pterourus cacicus

institution: address: publisher: accessed: websites: chapter: series:

pages: 411--752

issue: volume: 13 year: 1906

0: Rothschild-Rothschild, Lionel Walter

1: Jordan, Karl

title: A revision of the American Papilios. Revisión de las Papilios americanas

source: Novitates Zoologicae.

type: article

tags: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon thrason,Papilio polyxenes americus,Parides erithalion erithalion,Parides eurimedes arriphus,Protesilaus protesilaus,Pterourus birchallii birchallii,Pterourus cacicus

abstract: last_modified: created: group_id: profile_id: id: geoPoint:

location: thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

fullDescriptionUnstructured: La forma de esta especie es variable e individual en cada localidad donde se distribuye. La banda de la mediana de las alas posteriores abajo es más proximal en los individuos de las Guayanas y la parte inferior media en el Amazonas que en las muestras de los Andes (Rothschild-Rothschild & Jordan, 1906). Las bandas de la primera y segunda de las alas anteriores alcanzan por lo general mas allá de SM2, a veces se extiende a la margen posterior, pero también se presentan las muestras en las que ambos grupos se detienen en SM2. La cuarta banda se extiende sobre todo a través de dos - tercios de la celda, a menudo cerca de la consecución de los márgenes posteriores de la celda, a veces se reduce a un punto costal pequeño. Las celdas de bandas suelen ser más bien pesados en las muestras de la Guayana, la cuarta llega a menudo casi o totalmente a través de la celda. El espacio intermedio submarginal transparente lleva en costales el tercero, aveces casi todos tienen las escalas de color marrón en vez de los blancos, las escamas marrones ocupan en conjunto una mayor porción del espacio transparente que en las formas anteriores geográficas. La posición de la banda media de las alas posteriores es algo variable, las muestras de los Andes de acuerdo en la posición de la banda y el grado de la escala de color rojo con achesilaus (Rothschild-Rothschild & Jordan, 1906). briefDescription:

references

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacicus,Pterourus menatius

editors

institution: address:

publisher: m3m-Monograf\'ias Tercer Milenio

accessed: websites: chapter: series: pages: 536 issue: volume: 8 year: 2008

authors

authors: Beccaloni, G. W authors: Viloria, A. L. authors: Hall, S. K. authors: Robinson, G.S.

title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales

source: type: book tags: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii,Pterourus cacicus,Pterourus menatius

abstract:

identifiers

last_modified: created: group_id: profile_id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo: providerLink:

publicationStatus

microReference:

source:
datatype:
identifier:
source:
datatype:
identifier:
note:

ruleConsidered:

replacementNameFor

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered:

sanctioned

microReference:

source: datatype: identifier: source: datatype: identifier: note:

ruleConsidered: laterHomonymOf microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: conservedAgainst basedOn microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: basionym microReference: source: datatype: identifier: source: datatype: identifier: note: ruleConsidered: spellingCorrentionOf typeNameEntity source: datatype: identifier: source: datatype: identifier: source: datatype: identifier: typificacion typeOfType: **lectotypeMicroReferenceVoucher**

lectotypePublicationVoucher

voucherReference

simple:

microReference:

year:

publishedIn

simple: source: datatype: identifier:

specialAuthorship

authors

year

simple:

canonicalAuthorship

authors

year

simple:

simple: (Linnaeus, 1758)

canonicalName

infraspecificEpithet: specificEpithet: infragenericEpithet:

linkType: ref:

uninomial:

simple: Protesilaus protesilaus

rank: SPECIES

simple: Protesilaus protesilaus (Linnaeus, 1758)

attributes

nomenclaturalCode:

isAnamorphic:

id.

synonymsAtomized

ancillaryData

synonymStatus:

synonymName

anyTwo:

anyOne

providerLink: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:

publishedIn

source: datatype: identifier:

reletedName

source: datatype: identifier: note:

ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered: microReference:
publishedIn
source: datatype: identifier:
reletedName
source: datatype: identifier: note: ruleConsidered:
typeNameEntity
source: datatype: identifier: source: datatype: identifier: source: datatype: identifier: source: datatype: identifier:
typeVoucherEntity
typeOfType: simple: microReference: year: source: datatype: identifier:
combinationAuthorship
basionymAuthorship
simple:
authorship

simple:

simple: Staudinger, 1884

epithet

infraspecificEpithet: specificEpithet: infragenericEpithet:

genus

linkType: ref: uninomial:

simple: Papilio nigricornis

rank: SPECIES

simple: Papilio nigricornis Staudinger, 1884

nomenclaturalCode: isAnamorphic:

id:

hierarchy

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint: location: thumbnailURL:

mediaURL

description:

subject

source: The Catalogue of Life, 3rd January 2011

audience

bibliographicCitation:

rigthsHolder: rights:

license: title:

modified: 2016-03-14T15:55:59.567Z created: 2016-03-14T15:55:59.567Z

agent

homepage:

role: email: phone: address: position: organisation: lastName: firstName: mimeType: dataType: identifier:

parentTaxon: Protesilaus higherClassification: infraspecificEpithet: specificEpithet: taxonRank: SPECIES

subGenus:

genus: Protesilaus family: Papilionidae order: Lepidoptera classHierarchy: Insecta phylum: Arthropoda kingdom: Animalia recommended: classification:

commonNameAtomized

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:

additionalInformation:

geoPoint: location:

thumbnailURL: description: source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified: created: mimeType: dataType: identifier:

reproductionUnstructured:

0

dataObject:

additionalInformation:

reference

geoPoint: location:

thumbnailURL:
mediaURL
description:
subject
audience
rightsHolder: rights: license: modified: created:
agent
mimeType: dataType: identifier: relatedTo: measurementRemarks: measurementMethod: measurementDeterminedBy: TraitBank measurementUnit: measurementUnit: measurementAccuracy: measurementValue: Sexual measurementType: Tipo de Reproducción measurementID:
molecularData
molecularDataUnstructured:
migratory
migratoryUnstructured:
lifeForm
lifeFormUnstructured:
lifeCycle
lifeCycleUnstructured:
interactions
0 dataObject: additionalInformation:

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii,Pterourus

cacicus,Pterourus menatius institution: address: publisher: m2m Menagrafilias Torcor Milenia
publisher: m3m-Monograf\'ias Tercer Milenio accessed: websites: chapter:
series: pages: 536 issue:
volume: 8 year: 2008
0: Beccaloni, G. W 1: Viloria, A. L. 2: Hall, S. K.
3: Robinson, G.S. title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales source:
type: book tags: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Papilio polyxenes americus,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterouru cacicus,Pterourus menatius abstract:
last_modified: created: group_id:
profile_id: id:
geoPoint: location: thumbnailURL: description:
source: bibliographicCitation: rightsHolder:
rights: Ángela M. Suarez Mayorga license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType:
dataType: identifier: interactionsUnstructured: La planta hospedera de esta subespecie es Annona sp, Cinnamomum cinnamomifolium (Beccaloni et al., 2008).
feeding
0
dataObject: additionalInformation: geoPoint: location:

thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: Ángela M. Suarez Mayorga license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created: mimeType: dataType: identifier: feedingUnstructured:
0
type: Heterótrofos - Herbívoros
environmentalEnvelope
environmentalEnvelopeUnstructured:
ecologicalSignificance
ecologicalSignificanceUnstructured:
dispersal
dispersalUnstructured: distance: structureDispersed: type: purpose:
behavior
behaviorUnstructured:
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks:

measurementMethod: measurementDeterminedDate: measurementUnit: measurementAccuracy:

measurementValue: measurementType: measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

keywords: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon thrason,Papilio polyxenes americus,Parides erithalion erithalion,Parides eurimedes arriphus,Protesilaus protesilaus,Pterourus birchallii birchallii,Pterourus cacicus

editors

institution: address: publisher: accessed: websites: chapter: series:

pages: 411--752

issue: volume: 13 year: 1906

authors

authors: Rothschild-Rothschild, Lionel Walter

authors: Jordan, Karl

title: A revision of the American Papilios. Revisión de las Papilios americanas

source: Novitates Zoologicae.

type: article

tags: Battus belus varus,Battus crassus crassus,Battus laodamas copanae,Battus laodamas laodamas,Battus lycidas,Eurytides dolicaon deileon,Eurytides serville acritus,Heraclides androgeus androgeus,Heraclides paeon thrason,Papilio polyxenes americus,Parides erithalion erithalion,Parides eurimedes arriphus,Protesilaus protesilaus,Pterourus birchallii birchallii,Pterourus cacicus

abstract:

identifiers
last_modified: created: group_id: profile_id: id:
geoPoint: location: thumbnailURL:
mediaURL
description:
subject
source:
audience
bibliographicCitation: rightsHolder: rights: Ángela M. Suarez Mayorga license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0) modified: created:
agent
mimeType: dataType: identifier: distributionUnstructured: Esta especie se encuentra en el Orinoco, Guyana, Guyana Francesa, en el Amazonas desde Pará hasta los Andes, el oriente de Ecuador, Perú y Bolivia (Rothschild-Rothschild & Jordan, 1906).
distributionAtomized
temporalCoverage
endDate: startDate:
distributionScope
type:
threatStatus
territory
territoryUnstructured: areaOfOccupancy: extentOfOccurrence:
populationBiology
populationBiologyUnstructured:
legislation

legislationUnstructured:
directThreats
directThreatsUnstructured:
ancillaryData
dataObject: additionalInformation: geoPoint: location: thumbnailURL: description: source: bibliographicCitation: rightsHolder: rights: license: modified: created: mimeType: dataType: identifier:
measurementOrFact
relatedTo: measurementRemarks: measurementDeterminedDate: measurementUnit: measurementValue: measurementType: measurementID: abstract: Esta especie de mariposa de la familia Papilionidae se distribuye en Sudamérica desde el Amazonas hasta los Andes. Las bandas de esta especie, 1 y 2 de las alas posteriores por lo general se extienden más allá de la submedial 2, la banda 4 en su mayoría va más allá de la mitad de la celda y, a veces llega a dificultar su margen, la banda submarginal transparente tiene por lo menos en el costal escalas marrón, las alas posteriores son con más fuerza dentada que en Glaucolaus leucas. En las muestras de los Andes, se encuentran a menudo completamente negro-marrón. (Seitz, 1924).
associatedParty
role: personnelIdentifier: personnelDirectory: homepage: email: enataliagomezm@gmail.com phone: postalCode: country: Colombia state: Bogotá Distrito Capital city: Bogotá D.C. address: organisation: position: lastName: Gómez Melendro

firstName: Edith Natalia

ancillaryData

dataObject:

additionalInformation:

reference

geoPoint: location:

thumbnailURL:

mediaURL: https://www.flickr.com/photos/berniedup/8361384817/in/photolist-dJShpc-cjoYzs-c4bWMm-9GAK9u-

Fm4dZ-arr8ak-Fk1dn-s52CNa-t14QzZ-sXJQFw

description:

subject

source: https://farm9.staticflickr.com/8233/8361384817_93f4cf9fc2.jpg

audience

bibliographicCitation: Satipo, PERU

rightsHolder: berniedup

rights:

license: http://creativecommons.org/licenses/by-sa/2.0/

modified: created:

agent

mimeType: dataType: identifier:

_id

_bsontype: ObjectID id: Væß fÄW Dãí