

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56cc8e84207ecea54a561e36

Fecha de creación: undefined

annualCycles

annualCycleUnstructured:

habitats

0

dataObject:

additionalInformation:

0

isbn: 0963699636

keywords: Anas clypeata, Anas platyrhynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columba livia, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

0: Alderfer, Jonathan

institution:

address:

publisher: Washington D.C. National Geographic Society

accessed:

websites:

chapter:

series:

pages: 664

issue:

year: 2006

0: Alderfer, J

1: Zickefoose, J

2: Littlehales, B

title: National Geographic Complete Birds of North America

source:

type: book

tags: Anas clypeata, Anas platyrhynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columba livia, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

abstract:

last_modified:

created:

group_id:

profile_id:

id:

1

isbn: 978-958-99628-0-0

keywords: *Coccyzua pumila*, *Coccyzus melacoryphus*, *Columbina talpacoti*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Dendrocygna viduata*, *Egretta caerulea*, *Egretta thula*, *Falco sparverius*, *Forpus conspicillatus*, *Geothlypis philadelphia*, *Icterus chrysater*, *Icterus nigrogularis*, *Machetornis rixosa*, *Melanerpes rubricapillus*, *Milvago chimachima*, *Nycticorax nycticorax*, *Pandion haliaetus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Pheucticus ludovicianus*, *Phimosus infuscatus*, *Piaya cayana*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Protonotaria citrea*, *Pygochelidon cyanoleuca*, *Ramphocelus dimidiatus*, *Sayornis nigricans*

0: Calidris, Asociación

1: Fierro, Karolina

2: Falk, Patricia

3: Castillo, Luis Fernando

4: Ramírez, Vianey

5: DAGMA

6: González, Sonia del Mar

7: Forero, Luz Ángela

8: Silva, Juan Carlos

9: Ocampo, Ernesto

institution:

address:

publisher: Departamento Administrativo de Gestión del Medio Ambiente - DAGMA

accessed:

websites:

chapter:

series:

pages: 123

issue:

year: 2010

0: Alcaldía de Santiago de Cali Departamento Administrativo de Gestión del Medio Ambiente

title: Las aves de mi ciudad: una guía de las aves de Cali

source:

type: book

tags: *Coccyzua pumila*, *Coccyzus melacoryphus*, *Columbina talpacoti*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Dendrocygna viduata*, *Egretta caerulea*, *Egretta thula*, *Falco sparverius*, *Forpus conspicillatus*, *Geothlypis philadelphia*, *Icterus chrysater*, *Icterus nigrogularis*, *Machetornis rixosa*, *Melanerpes rubricapillus*, *Milvago chimachima*, *Nycticorax nycticorax*, *Pandion haliaetus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Pheucticus ludovicianus*, *Phimosus infuscatus*, *Piaya cayana*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Protonotaria citrea*, *Pygochelidon cyanoleuca*, *Ramphocelus dimidiatus*, *Sayornis nigricans*

abstract:

last_modified:

created:

group_id:

profile_id:

id:

2

keywords: *Actitis macularius*, *Ampelion rubrocristatus*, *Anas discors*, *Anisognathus igniventris*, *Ardea alba*, *Arremon assimilis*, *Asio flammeus*, *Asio stygius*, *Astragalinus psaltria*, *Atlapetes pallidinucha*, *Atlapetes schistaceus*, *Bartramia longicauda*, *Bubulcus ibis*, *Buteo platypterus*, *Buteo swainsoni*, *Butorides striata*, *Calidris melanotos*, *Cardellina canadensis*, *Catamenia analis*, *Catamenia inornata*, *Catharus fuscescens*, *Catharus ustulatus*, *Chaetocercus mulsant*, *Chrysomus icterocephalus*, *Cinnycerthia unirufa*, *Cistothorus apolinari*, *Coccyzus americanus*, *Coeligena bonapartei*, *Colibri coruscans*, *Columba livia*, *Conirostrum rufum*, *Conirostrum sitticolor*, *Contopus cooperi*, *Contopus fumigatus*, *Contopus sordidulus*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Crotophaga major*, *Diglossa albilatera*, *Diglossa cyanea*, *Diglossa humeralis*, *Diglossa lafresnayii*, *Diglossa sittoides*, *Dubusia taeniata*, *Egretta caerulea*, *Elaenia flavogaster*, *Elaenia frantzii*, *Elanus leucurus*, *Empidonax alnorum*, *Empidonax traillii*, *Ensifera*

ensifera, Eriocnemis cupreiventris, Eriocnemis vestita, Eupsittula pertinax, Falco columbarius, Falco peregrinus, Falco sparverius, Forpus conspicillatus, Fulica americana, Gallinago nobilis, Gallinula galeata, Gallinula melanops, Geothlypis philadelphia, Glaucidium jardinii, Grallaria ruficapilla, Hemispingus superciliaris, Hemispingus verticalis, Henicorhina leucophrys, Hirundo rustica, Icterus chrysater, Icterus nigrogularis, Ixobrychus exilis, Jacana jacana, Leiostyris alpestris, Lesbia nuna, Lesbia victoriae, Leucophaeus atricilla, Margarornis squamiger, Mecocerculus leucophrys, Megascops choliba, Melanerpes rubricapillus, Metallura tyrianthina, Mimus gilvus, Mniotilta varia, Molothrus bonariensis, Myiarchus crinitus, Myiodynastes luteiventris, Myiotheretes striaticollis, Myiothlypis nigrocristata, Nycticorax nycticorax, Ochthoeca diadema, Ochthoeca fumicolor, Ochthoeca rufipectoralis, Orochelidon murina, Oxyura jamaicensis, Pachyramphus versicolor, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis

0: Stiles, F G

1: Bohórquez, C I

2: Cadena, C D

3: De la Zerda, S

4: Hernández, M

5: Roselli, L

6: Kelsey, M

7: Valencia, I D

8: Knapp, D

institution:

edition: Primera Ed

address:

publisher: Asociación Bogotana de Ornitología; Corporación Autónoma Regional de Cundinamarca

accessed:

websites:

chapter:

series:

pages: 276

issue:

year: 2000

0: Asociación Bogotana de Ornitología

title: Aves de la Sabana de Bogotá: guía de campo

source:

type: book

tags: Actitis macularius, Ampelion rubrocristatus, Anas discors, Anisognathus igniventris, Ardea alba, Arremon assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia longicauda, Bubulcus ibis, Buteo platypterus, Buteo swainsoni, Butorides striata, Calidris melanotos, Cardellina canadensis, Catamenia analis, Catamenia inornata, Catharus fuscescens, Catharus ustulatus, Chaetocercus mulsant, Chrysomus icterocephalus, Cinnycerthia unirufa, Cistothorus apolinari, Coccyzus americanus, Coeligena bonapartei, Colibri coruscans, Columba livia, Conirostrum rufum, Conirostrum sitticolor, Contopus cooperi, Contopus fumigatus, Contopus sordidulus, Contopus virens, Coragyps atratus, Crotophaga ani, Crotophaga major, Diglossa albilatera, Diglossa cyanea, Diglossa humeralis, Diglossa lafresnayii, Diglossa sittoides, Dubusia taeniata, Egretta caerulea, Elaenia flavogaster, Elaenia frantzii, Elanus leucurus, Empidonax alnorum, Empidonax traillii, Ensifera ensifera, Eriocnemis cupreiventris, Eriocnemis vestita, Eupsittula pertinax, Falco columbarius, Falco peregrinus, Falco sparverius, Forpus conspicillatus, Fulica americana, Gallinago nobilis, Gallinula galeata, Gallinula melanops, Geothlypis philadelphia, Glaucidium jardinii, Grallaria ruficapilla, Hemispingus superciliaris, Hemispingus verticalis, Henicorhina leucophrys, Hirundo rustica, Icterus chrysater, Icterus nigrogularis, Ixobrychus exilis, Jacana jacana, Leiostyris alpestris, Lesbia nuna, Lesbia victoriae, Leucophaeus atricilla, Margarornis squamiger, Mecocerculus leucophrys, Megascops choliba, Melanerpes rubricapillus, Metallura tyrianthina, Mimus gilvus, Mniotilta varia, Molothrus bonariensis, Myiarchus crinitus, Myiodynastes luteiventris, Myiotheretes striaticollis, Myiothlypis nigrocristata, Nycticorax nycticorax, Ochthoeca diadema, Ochthoeca fumicolor, Ochthoeca rufipectoralis, Orochelidon murina, Oxyura jamaicensis, Pachyramphus versicolor, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis

abstract:

last_modified:

created:

group_id:

profile_id:

id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Asociación Bogotana de Ornitología
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:

habitatUnstructured: Esta especie prefiere sitios frescos y húmedos como humedales, pantanos arbolados, estanques, ríos, matorrales, bosques de coníferas, valles húmedos, montañas y algunas zonas con menor vegetación (en las zonas de anidación) (Alderfer et al., 2006). En la temporada migratoria habita en bosques tropicales, humedales, bordes de arroyos lentos, manglares, zonas verdes (parques, jardines) y áreas urbanas (Asociación Bogotana de Ornitología, 2000; Alcaldía de Santiago de Cali Departamento Administrativo de Gestión del Medio Ambiente, 2010).

commonNamesAtomized

ancillaryData

usedBy:
usedIn
distributionUnstructured:
endDate:
startDate:

ancillaryData

type:
language: Inglés
name: Northern Waterthrush

usesManagementAndConservation

ancillaryData

managementAndConservationUnstructured:

managementAndConservationAtomized

identificationKeys

fullDescription

0

dataObject:
additionalInformation:

0

keywords: *Accipiter striatus*, *Actitis macularius*, *Adelomyia melanogenys*, *Agelaiocercus kingii*, *Amblycercus holosericeus*, *Ampelion rubrocristatus*, *Anas andium*, *Anas clypeata*, *Anas discors*, *Andigena nigrirostris*, *Anisognathus igniventris*, *Ardea alba*, *Ardea herodias*, *Arremon assimilis*, *Asio flammeus*, *Asio stygius*, *Asthenes flammulata*, *Asthenes fuliginosa*, *Astragalinus psaltria*, *Atlapetes pallidinucha*, *Atlapetes schistaceus*, *Bubulcus ibis*, *Buteo platypterus*, *Buteo swainsoni*, *Butorides striata*, *Butorides virescens*, *Cairina moschata*, *Calidris bairdii*, *Calidris melanotos*, *Cardellina canadensis*, *Catamenia analis*, *Catamenia inornata*, *Cathartes aura*, *Catharus minimus*, *Catharus ustulatus*, *Chaetocercus mulsant*, *Chaetura pelagica*, *Chalcostigma heteropogon*, *Chordeiles minor*, *Chrysomus icterocephalus*, *Cinclodes albidiventris*, *Cinclus leucocephalus*, *Cinnycerthia unirufa*, *Cistothorus apolinari*, *Cistothorus platensis*, *Coccyzua pumila*, *Coccyzus americanus*, *Coccyzus melacoryphus*, *Coeligena bonapartei*, *Colibri coruscans*, *Colibri thalassinus*, *Columba livia*, *Columbina talpacoti*, *Conirostrum rufum*, *Conirostrum sitticolor*, *Contopus cinereus*, *Contopus fumigatus*, *Contopus sordidulus*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Crotophaga major*, *Dendrocygna autumnalis*, *Dendrocygna viduata*, *Diglossa albilatera*, *Diglossa cyanea*, *Diglossa humeralis*, *Diglossa lafresnayii*, *Diglossa sittoides*, *Dolichonyx oryzivorus*, *Dubusia taeniata*, *Egretta caerulea*, *Egretta thula*, *Elaenia flavogaster*, *Elaenia frantzii*, *Elanus leucurus*, *Empidonax alnorum*, *Empidonax traillii*, *Ensifera ensifera*, *Eriocnemis cupreiventris*, *Eriocnemis vestita*, *Eupsittula pertinax*, *Falco columbarius*, *Falco peregrinus*, *Falco sparverius*, *Forpus conspicillatus*, *Fulica americana*, *Gallinago nobilis*, *Gallinula galeata*, *Gallinula melanops*, *Geothlypis philadelphia*, *Geranoaetus melanoleucus*, *Glaucidium jardinii*, *Grallaria quitesis*, *Grallaria ruficapilla*, *Grallaria squamigera*, *Haplospiza rustica*, *Heliangelus amethysticollis*, *Heliangelus exortis*, *Hellmayrea gularis*, *Hemispingus supercilialis*, *Hemispingus verticalis*, *Henicorhina leucophrys*, *Hirundo rustica*, *Icterus chrysater*, *Icterus icterus*, *Icterus nigrogularis*, *Ixobrychus exilis*, *Jacana jacana*, *Lafresnaya lafresnayi*, *Leiothlypis peregrina*, *Leptasthenura andicola*, *Lesbia nuna*, *Lesbia victoriae*, *Leucophaeus atricilla*, *Machetornis rixosa*, *Margarornis squamiger*, *Mecocerculus leucophrys*, *Megascops choliba*, *Melanerpes rubricapillus*, *Merganetta armata*, *Metallura tyrianthina*, *Milvago chimachima*, *Mimus gilvus*, *Mniotilta varia*, *Molothrus bonariensis*, *Muscisaxicola alpinus*, *Myiarchus crinitus*, *Myiodynastes luteiventris*, *Myiotheretes fumigatus*, *Myiotheretes striaticollis*, *Myiothlypis nigrocristata*, *Myornis senilis*, *Nomonyx dominicus*, *Nycticorax nycticorax*, *Ochthoeca cinnamomeiventris*, *Ochthoeca diadema*, *Ochthoeca fumicolor*, *Ochthoeca rufipectoralis*, *Orochelidon murina*, *Oxypogon guerinii*, *Oxyura jamaicensis*, *Pachyramphus versicolor*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*, *Patagioenas fasciata*, *Petrochelidon pyrrhonota*, *Phaetusa simplex*, *Phalacrocorax brasilianus*, *Pheucticus aureoventris*, *Pheucticus ludovicianus*, *Phimosus infuscatus*, *Phrygilus unicolor*, *Phyllomyias uropygialis*, *Piaya cayana*, *Picoides fumigatus*, *Pipraeidea melanonota*, *Pipreola riefferii*, *Piranga olivacea*, *Piranga rubra*, *Pitangus sulphuratus*, *Pluvialis dominica*, *Podilymbus podiceps*, *Porphyrio martinicus*, *Porzana carolina*, *Progne tapera*, *Protonotaria citrea*, *Pseudocolopteryx acutipennis*, *Pseudoscops clamator*, *Pterophanes cyanopterus*, *Pygochelidon cyanoleuca*, *Pyrocephalus rubinus*, *Pyrrhomyias cinnamomeus*, *Quiscalus lugubris*, *Rallus semiplumbeus*, *Ramphocelus dimidiatus*, *Ramphomicron microrhynchum*, *Riparia riparia*, *Rupornis magnirostris*, *Sayornis nigricans*, *Serpophaga cinerea*, *Setophaga castanea*, *Setophaga cerulea*, *Setophaga petechia*, *Setophaga ruticilla*, *Setophaga striata*, *Sicalis flaveola*, *Sicalis luteola*, *Spiza americana*, *Sporagra spinescens*, *Sturnella magna*, *Synallaxis subpudica*, *Systellura longirostris*, *Tangara vitriolina*, *Thraupis episcopus*, *Thraupis palmarum*, *Tringa flavipes*, *Tringa melanoleuca*, *Tringa solitaria*, *Troglodytes aedon*, *Troglodytes solstitialis*, *Turdus fuscater*, *Turdus ignobilis*, *Tyrannus melancholicus*, *Tyrannus savana*, *Tyrannus tyrannus*, *Tyto alba*, *Vanellus chilensis*, *Vireo olivaceus*, *Vultur gryphus*, *Zenaida auriculata*, *Zonotrichia capensis*

institution:

address:

publisher: Princeton University Press

accessed:

websites:

chapter:

series:

pages: 836

issue:

year: 1986

0: Hilty, Steven

1: Brown, William

title: A Guide to the Birds of Colombia

source:

type: book

tags: *Accipiter striatus*, *Actitis macularius*, *Adelomyia melanogenys*, *Agelaiocercus kingii*, *Amblycercus*

keywords: *Anas clypeata*, *Anas platyrhynchos*, *Ardea herodias*, *Bartramia longicauda*, *Buteo swainsoni*, *Cairina moschata*, *Calidris melanotos*, *Columbina talpacoti*, *Contopus cooperi*, *Contopus virens*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Dolichonyx oryzivorus*, *Egretta caerulea*, *Egretta thula*, *Empidonax alnorum*, *Empidonax traillii*, *Falco columbarius*, *Falco sparverius*, *Geothlypis philadelphia*, *Hirundo rustica*, *Leiothlypis peregrina*, *Myiarchus crinitus*, *Myiodynastes luteiventris*, *Nomonyx dominicus*, *Nycticorax nycticorax*, *Pandion haliaetus*, *Parkesia noveboracensis*, *Petrochelidon pyrrhonota*, *Podilymbus podiceps*, *Protonotaria citrea*, *Sayornis nigricans*
institution:

edition: Hillstar E
address:
publisher:
accessed:
websites:
chapter:
series:
pages: 391
issue:
year: 2005
0: Kaufman, K
title: Guía de campo a las aves de Norteamérica
source:
type: book
tags: Anas clypeata, Anas platyrhynchos, Ardea herodias, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Columbina talpacoti, Contopus cooperi, Contopus virens, Crotophaga ani, Dendrocygna autumnalis, Dolichonyx oryzivorus, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Falco sparverius, Geothlypis philadelphia, Hirundo rustica, Leiothlypis peregrina, Myiarchus crinitus, Myiodynastes luteiventris, Nomonyx dominicus, Nycticorax nycticorax, Pandion haliaetus, Parkesia noveboracensis, Petrochelidon pyrrhonota, Podilymbus podiceps, Protonotaria citrea, Sayornis nigricans
abstract:
last_modified:
created:
group_id:
profile_id:
id:

2

link: <http://www.museum.lsu.edu/{~}Remsen/SACCprop452.html>
keywords: Parkesia noveboracensis
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
issue:
year: 2010
0: Banks, Richard C
title: Proposal (452) to South American Classification Committee
source: South American Classification Committee
type: miscellany
tags: Parkesia noveboracensis
abstract:
last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:

bibliographicCitation:

rightsHolder:

rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

fullDescriptionUnstructured: La Reinita Acuática Norteña mide aproximadamente 15 cm y pesa 18 gr. Su plumaje por encima café oliva, prominente ceja amarillenta a crema; partes inferiores blanco amarillento, garganta y abdomen con numerosas estrías café oscuro. Patas castaño amarillentas (Hilty & Brown, 1986; Kaufman, 2005). Anteriormente *Seiurus noveboracensis* (Gmelin, 1789). Cambió de género de acuerdo con la propuesta (452) del South American Classification Committee: (Banks, 2010).

briefDescription:

references

isbn: 978-958-99628-0-0

keywords: *Coccyzua pumila*, *Coccyzus melacoryphus*, *Columbina talpacoti*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Dendrocygna viduata*, *Egretta caerulea*, *Egretta thula*, *Falco sparverius*, *Forpus conspicillatus*, *Geothlypis philadelphia*, *Icterus chrysater*, *Icterus nigrogularis*, *Machetornis rixosa*, *Melanerpes rubricapillus*, *Milvago chimachima*, *Nycticorax nycticorax*, *Pandion haliaetus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Pheucticus ludovicianus*, *Phimosus infuscatus*, *Piaya cayana*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Protonotaria citrea*, *Pygochelidon cyanoleuca*, *Ramphocelus dimidiatus*, *Sayornis nigricans*

editors

editors: Calidris, Asociación

editors: Fierro, Karolina

editors: Falk, Patricia

editors: Castillo, Luis Fernando

editors: Ramírez, Vianey

editors: DAGMA

editors: González, Sonia del Mar

editors: Forero, Luz Ángela

editors: Silva, Juan Carlos

editors: Ocampo, Ernesto

institution:

address:

publisher: Departamento Administrativo de Gestión del Medio Ambiente - DAGMA

accessed:

websites:

chapter:

series:

pages: 123

issue:

year: 2010

authors

authors: Alcaldía de Santiago de Cali Departamento Administrativo de Gestión del Medio Ambiente

title: Las aves de mi ciudad: una guía de las aves de Cali

source:

type: book

tags: *Coccyzua pumila*, *Coccyzus melacoryphus*, *Columbina talpacoti*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Dendrocygna viduata*, *Egretta caerulea*, *Egretta thula*, *Falco sparverius*, *Forpus conspicillatus*, *Geothlypis*

philadelphia,Icterus chrysater,Icterus nigrogularis,Machetornis rixosa,Melanerpes rubricapillus,Milvago chimachima,Nycticorax nycticorax,Pandion haliaetus,Parkesia noveboracensis,Phalacrocorax brasilianus,Pheucticus ludovicianus,Phimosus infuscatus,Playa cayana,Pitangus sulphuratus,Podilymbus podiceps,Protonotaria citrea,Pygochelidon cyanoleuca,Ramphocelus dimidiatus,Sayornis nigricans
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

ancillaryData

providerSpecificData

anyTwo:
providerLink:

publicationStatus

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:
canonicalAuthorship

authors

year

simple:
simple: (Gmelin, 1789)

canonicalName

infraspecificEpithet:
specificEpithet:
infragenericEpithet:
linkType:
ref:

uninomial:
simple: Parkesia noveboracensis
rank: SPECIES
simple: Parkesia noveboracensis (Gmelin, 1789)

attributes

nomenclaturalCode:
isAnamorphic:
id:

synonymsAtomized

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:
subject

source:
audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent
mimeType:
dataType:
identifier:
synonymStatus:
synonymName

anyTwo:
anyOne

providerLink:
microReference:
publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn
source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:

note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:

note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:

note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:

note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:

note:
ruleConsidered:

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typeVoucherEntity

typeOfTypes:
simple:
microReference:
year:
source:
datatype:
identifier: (Gmelin, 1789)

[combinationAuthorship](#)

basionymAuthorship

simple:
authorship
simple:
simple:
epithet

infraspecificEpithet:
specificEpithet:
infragenericEpithet:

genus

linkType:
ref:
uninomial:
simple: *Seiurus noveboracensis*
rank:
simple:
nomenclaturalCode:
isAnamorphic:
id:

[hierarchy](#)

[ancillaryData](#)

dataObject:
additionalInformation:

[reference](#)

geoPoint:
location:
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: World Register of Marine Species

[audience](#)

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-02-23T16:34:08.997Z
created: 2016-02-23T16:34:08.997Z

[agent](#)

homepage:
role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Parkesia
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Parkesia
family: Parulidae
order: Passeriformes
classHierarchy: Aves
phylum: Chordata
kingdom: Animalia
recommended:
classification:

invasiveness

invasivenessUnstructured:

reproduction

0

dataObject:
additionalInformation:

0

link: <http://birds.audubon.org/birds/northern-waterthrush>
keywords: Parkesia noveboracensis
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
issue:
year: 2014
0: Audubon
title: Northern Waterthrush (Parkesia noveboracensis)
source:
type: miscellany
tags: Parkesia noveboracensis
abstract:
last_modified:
created:
group_id:
profile_id:
id:

1

link: <http://bna.birds.cornell.edu/bna/species/182/articles/introduction>
keywords: Parkesia noveboracensis
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
issue:
year: 2014
0: Whitaker, D
1: Eaton, S
title: Northern Waterthrush (Seiurus noveboracensis)
source: Cornell Lab of Ornithology
type: miscellany
tags: Parkesia noveboracensis
abstract:
last_modified:
created:
group_id:
profile_id:
id:

2

isbn: 0963699636
keywords: Anas clypeata, Anas platyrhynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo

swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columba livia, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

0: Alderfer, Jonathan

institution:

address:

publisher: Washington D.C. National Geographic Society

accessed:

websites:

chapter:

series:

pages: 664

issue:

year: 2006

0: Alderfer, J

1: Zickefoose, J

2: Littlehales, B

title: National Geographic Complete Birds of North America

source:

type: book

tags: Anas clypeata, Anas platyrhynchos, Ardea herodias, Astragalinus psaltria, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Cardellina canadensis, Cathartes aura, Catharus minimus, Coccyzus americanus, Columba livia, Columbina talpacoti, Contopus cooperi, Contopus virens, Coragyps atratus, Crotophaga ani, Dendrocygna autumnalis, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Fulica americana, Geothlypis philadelphia, Hirundo rustica, Ixobrychus exilis, Jacana jacana, Mniotilta varia, Nycticorax nycticorax, Oxyura jamaicensis, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis, Phalacrocorax brasilianus, Piranga olivacea, Pitangus sulphuratus, Podilymbus podiceps, Porzana carolina, Pyrocephalus rubinus, Rupornis magnirostris, Setophaga fusca, Sturnella magna, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon

abstract:

last_modified:

created:

group_id:

profile_id:

id:

3

isbn: 0-618-57424-7

keywords: Anas clypeata, Anas platyrhynchos, Ardea herodias, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Columbina talpacoti, Contopus cooperi, Contopus virens, Crotophaga ani, Dendrocygna autumnalis, Dolichonyx oryzivorus, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Falco sparverius, Geothlypis philadelphia, Hirundo rustica, Leiothlypis peregrina, Myiarchus crinitus, Myiodynastes luteiventris, Nomonyx dominicus, Nycticorax nycticorax, Pandion haliaetus, Parkesia noveboracensis, Petrochelidon pyrrhonota, Podilymbus podiceps, Protonotaria citrea, Sayornis nigricans

institution:

edition: Hillstar E

address:

publisher:

accessed:

websites:

chapter:
series:
pages: 391
issue:
year: 2005
0: Kaufman, K
title: Guía de campo a las aves de Norteamérica
source:
type: book
tags: Anas clypeata, Anas platyrhynchos, Ardea herodias, Bartramia longicauda, Buteo swainsoni, Cairina moschata, Calidris melanotos, Columbina talpacoti, Contopus cooperi, Contopus virens, Crotophaga ani, Dendrocygna autumnalis, Dolichonyx oryzivorus, Egretta caerulea, Egretta thula, Empidonax alnorum, Empidonax traillii, Falco columbarius, Falco sparverius, Geothlypis philadelphia, Hirundo rustica, Leiothlypis peregrina, Myiarchus crinitus, Myiodynastes luteiventris, Nomonyx dominicus, Nycticorax nycticorax, Pandion haliaetus, Parkesia noveboracensis, Petrochelidon pyrrhonota, Podilymbus podiceps, Protonotaria citrea, Sayornis nigricans
abstract:
last_modified:
created:
group_id:
profile_id:
id:

4

isbn: 978-0-679-45122-8
keywords: Anas clypeata, Ardea herodias, Buteo swainsoni, Cairina moschata, Crotophaga ani, Dendrocygna autumnalis, Dendrocygna viduata, Egretta caerulea, Egretta thula, Empidonax alnorum, Geothlypis philadelphia, Ixobrychus exilis, Leiothlypis peregrina, Myiarchus crinitus, Myiodynastes luteiventris, Nomonyx dominicus, Parkesia noveboracensis, Petrochelidon pyrrhonota, Pheucticus ludovicianus, Protonotaria citrea, Sayornis nigricans
institution:
edition: 1 st ed.
address:
publisher: National Audubon Society
accessed:
websites:
chapter:
series:
pages: 545
issue:
year: 2000
0: Sibley, D A
title: The SIBLEY Guide to Birds
source:
type: book
tags: Anas clypeata, Ardea herodias, Buteo swainsoni, Cairina moschata, Crotophaga ani, Dendrocygna autumnalis, Dendrocygna viduata, Egretta caerulea, Egretta thula, Empidonax alnorum, Geothlypis philadelphia, Ixobrychus exilis, Leiothlypis peregrina, Myiarchus crinitus, Myiodynastes luteiventris, Nomonyx dominicus, Parkesia noveboracensis, Petrochelidon pyrrhonota, Pheucticus ludovicianus, Protonotaria citrea, Sayornis nigricans
abstract:
last_modified:
created:
group_id:
profile_id:
id:

geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Asociación Bogotana de Ornitología
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:

reproductionUnstructured: El macho realiza el cortejo levantando las plumas de la coronilla, vibrando las alas y cantando; la hembra responde con un reclamo. El macho selecciona el área de anidación pero la hembra es la única que escoge donde construir el nido. Generalmente los nidos son contruidos en cavidades de las raíces de árboles (Audubon, 2014; Whitaker & Eaton, 2014). Es una especie monógama. El nido es en forma de tazón construido principalmente de musgos, tallos y hojas de pino, puede tener una puerta de entrada de hojas. Los huevos son depositados a finales de mayo e inicios de junio, entre 4 y 6 huevos blancos manchados de marrón y gris; las hembras incuban los huevos y ambos padres cuidan a los polluelos que salen del nido entre los días 9 y 10. Los juveniles que aún no vuelan se esconden en la vegetación hasta que finalmente emprenden su viaje migratorio (Alderfer et al., 2006; Kaufman, 2005; Sibley, 2000).

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

0

dataObject:

additionalInformation:

0

link: <http://bna.birds.cornell.edu/bna/species/182/articles/introduction>

keywords: Parkesia noveboracensis

institution:

address:

publisher:

accessed:

websites:

chapter:

series:
issue:
year: 2014
0: Whitaker, D
1: Eaton, S
title: Northern Waterthrush (*Seiurus noveboracensis*)
source: Cornell Lab of Ornithology
type: miscellany
tags: *Parkesia noveboracensis*
abstract:
last_modified:
created:
group_id:
profile_id:
id:

1

keywords: *Actitis macularius*, *Ampelion rubrocristatus*, *Anas discors*, *Anisognathus igniventris*, *Ardea alba*, *Arremon assimilis*, *Asio flammeus*, *Asio stygius*, *Astragalinus psaltria*, *Atlapetes pallidinucha*, *Atlapetes schistaceus*, *Bartramia longicauda*, *Bubulcus ibis*, *Buteo platypterus*, *Buteo swainsoni*, *Butorides striata*, *Calidris melanotos*, *Cardellina canadensis*, *Catamenia analis*, *Catamenia inornata*, *Catharus fuscescens*, *Catharus ustulatus*, *Chaetocercus mulsant*, *Chrysomus icterocephalus*, *Cinnycerthia unirufa*, *Cistothorus apolinari*, *Coccyzus americanus*, *Coeligena bonapartei*, *Colibri coruscans*, *Columba livia*, *Conirostrum rufum*, *Conirostrum sitticolor*, *Contopus cooperi*, *Contopus fumigatus*, *Contopus sordidulus*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Crotophaga major*, *Diglossa albilatera*, *Diglossa cyanea*, *Diglossa humeralis*, *Diglossa lafresnayii*, *Diglossa sittoides*, *Dubusia taeniata*, *Egretta caerulea*, *Elaenia flavogaster*, *Elaenia frantzii*, *Elanus leucurus*, *Empidonax alnorum*, *Empidonax traillii*, *Ensifera ensifera*, *Eriocnemis cupreiventris*, *Eriocnemis vestita*, *Eupsittula pertinax*, *Falco columbarius*, *Falco peregrinus*, *Falco sparverius*, *Forpus conspicillatus*, *Fulica americana*, *Gallinago nobilis*, *Gallinula galeata*, *Gallinula melanops*, *Geothlypis philadelphia*, *Glaucidium jardinii*, *Grallaria ruficapilla*, *Hemispingus superciliosus*, *Hemispingus verticalis*, *Henicorhina leucophrys*, *Hirundo rustica*, *Icterus chrysater*, *Icterus nigrogularis*, *Ixobrychus exilis*, *Jacana jacana*, *Leiothlypis peregrina*, *Lesbia nuna*, *Lesbia victoriae*, *Leucophaeus atricilla*, *Margarornis squamiger*, *Mecocerculus leucophrys*, *Megascops choliba*, *Melanerpes rubricapillus*, *Metallura tyrianthina*, *Mimus gilvus*, *Mniotilta varia*, *Molothrus bonariensis*, *Myiarchus crinitus*, *Myiodynastes luteiventris*, *Myiotheretes striaticollis*, *Myiothlypis nigrocristata*, *Nycticorax nycticorax*, *Ochthoeca diadema*, *Ochthoeca fumicolor*, *Ochthoeca rufipectoralis*, *Orochelidon murina*, *Oxyura jamaicensis*, *Pachyrhamphus versicolor*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*

0: Stiles, F G
1: Bohórquez, C I
2: Cadena, C D
3: De la Zerda, S
4: Hernández, M
5: Roselli, L
6: Kelsey, M
7: Valencia, I D
8: Knapp, D
institution:
edition: Primera Ed
address:
publisher: Asociación Bogotana de Ornitología; Corporación Autónoma Regional de Cundinamarca
accessed:
websites:
chapter:
series:
pages: 276
issue:
year: 2000

0: Asociación Bogotana de Ornitología

title: Aves de la Sabana de Bogotá: guía de campo

source:

type: book

tags: *Actitis macularius*, *Ampelion rubrocristatus*, *Anas discors*, *Anisognathus igniventris*, *Ardea alba*, *Arremon assimilis*, *Asio flammeus*, *Asio stygius*, *Astragalinus psaltria*, *Atlapetes pallidinucha*, *Atlapetes schistaceus*, *Bartramia longicauda*, *Bubulcus ibis*, *Buteo platypterus*, *Buteo swainsoni*, *Butorides striata*, *Calidris melanotos*, *Cardellina canadensis*, *Catamenia analis*, *Catamenia inornata*, *Catharus fuscescens*, *Catharus ustulatus*, *Chaetocercus mulsant*, *Chrysomus icterocephalus*, *Cinnycerthia unirufa*, *Cistothorus apolinari*, *Coccyzus americanus*, *Coeligena bonapartei*, *Colibri coruscans*, *Columba livia*, *Conirostrum rufum*, *Conirostrum sitticolor*, *Contopus cooperi*, *Contopus fumigatus*, *Contopus sordidulus*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Crotophaga major*, *Diglossa albilatera*, *Diglossa cyanea*, *Diglossa humeralis*, *Diglossa lafresnayii*, *Diglossa sittoides*, *Dubusia taeniata*, *Egretta caerulea*, *Elaenia flavogaster*, *Elaenia frantzii*, *Elanus leucurus*, *Empidonax alnorum*, *Empidonax traillii*, *Ensifera ensifera*, *Eriocnemis cupreiventris*, *Eriocnemis vestita*, *Eupsittula pertinax*, *Falco columbarius*, *Falco peregrinus*, *Falco sparverius*, *Forpus conspicillatus*, *Fulica americana*, *Gallinago nobilis*, *Gallinula galeata*, *Gallinula melanops*, *Geothlypis philadelphia*, *Glaucidium jardinii*, *Grallaria ruficapilla*, *Hemispingus supercilialis*, *Hemispingus verticalis*, *Henicorhina leucophrys*, *Hirundo rustica*, *Icterus chrysater*, *Icterus nigrogularis*, *Ixobrychus exilis*, *Jacana jacana*, *Leiothlypis peregrina*, *Lesbia nuna*, *Lesbia victoriae*, *Leucophaeus atricilla*, *Margarornis squamiger*, *Mecocerculus leucophrys*, *Megascops choliba*, *Melanerpes rubricapillus*, *Metallura tyrianthina*, *Mimus gilvus*, *Mniotilta varia*, *Molothrus bonariensis*, *Myiarchus crinitus*, *Myiodynastes luteiventris*, *Myiotheretes striaticollis*, *Myiothlypis nigrocristata*, *Nycticorax nycticorax*, *Ochthoeca diadema*, *Ochthoeca fucicolor*, *Ochthoeca rufipectoralis*, *Orochelidon murina*, *Oxyura jamaicensis*, *Pachyramphus versicolor*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*

abstract:

last_modified:

created:

group_id:

profile_id:

id:

2

isbn: 978-958-99628-0-0

keywords: *Coccyzus pumila*, *Coccyzus melacoryphus*, *Columbina talpacoti*, *Crotophaga ani*, *Dendrocygna autumnalis*, *Dendrocygna viduata*, *Egretta caerulea*, *Egretta thula*, *Falco sparverius*, *Forpus conspicillatus*, *Geothlypis philadelphia*, *Icterus chrysater*, *Icterus nigrogularis*, *Machetornis rixosa*, *Melanerpes rubricapillus*, *Milvago chimachima*, *Nycticorax nycticorax*, *Pandion haliaetus*, *Parkesia noveboracensis*, *Phalacrocorax brasilianus*, *Pheucticus ludovicianus*, *Phimosus infuscatus*, *Piaya cayana*, *Pitangus sulphuratus*, *Podilymbus podiceps*, *Protonotaria citrea*, *Pygochelidon cyanoleuca*, *Ramphocelus dimidiatus*, *Sayornis nigricans*

0: *Calidris*, Asociación

1: Fierro, Karolina

2: Falk, Patricia

3: Castillo, Luis Fernando

4: Ramírez, Vianey

5: DAGMA

6: González, Sonia del Mar

7: Forero, Luz Ángela

8: Silva, Juan Carlos

9: Ocampo, Ernesto

institution:

address:

publisher: Departamento Administrativo de Gestión del Medio Ambiente - DAGMA

accessed:

websites:

chapter:

series:

pages: 123

issue:
year: 2010
0: Alcaldía de Santiago de Cali Departamento Administrativo de Gestión del Medio Ambiente
title: Las aves de mi ciudad: una guía de las aves de Cali

source:
type: book
tags: Coccycua pumila, Coccyzus melacoryphus, Columbina talpacoti, Crotophaga ani, Dendrocygna autumnalis, Dendrocygna viduata, Egretta caerulea, Egretta thula, Falco sparverius, Forpus conspicillatus, Geothlypis philadelphia, Icterus chrysater, Icterus nigrogularis, Mactornis rixosa, Melanerpes rubricapillus, Milvago chimachima, Nycticorax nycticorax, Pandion haliaetus, Parkesia noveboracensis, Phalacrocorax brasilianus, Pheucticus ludovicianus, Phimosus infuscatus, Piaya cayana, Pitangus sulphuratus, Podilymbus podiceps, Protonotaria citrea, Pygochelidon cyanoleuca, Ramphocelus dimidiatus, Sayornis nigricans

abstract:
last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Asociación Bogotana de Ornitología
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:

created:
mimeType:
dataType:
identifier:
feedingUnstructured: Durante su época reproductiva, la Reinita Acuática Norteña se alimenta de insectos, arañas y caracoles que consume principalmente del suelo fangoso y en el follaje y hojas caídas; en primavera es muy común verla alimentándose de las larvas de mariposa (Whitaker & Eaton, 2014), en invierno y en las zonas de migración consume una mayor variedad de alimentos tales como peces pequeños, moluscos, crustáceos que obtiene de la hojarasca y decápodos que se encuentra en la superficie del agua (Asociación Bogotana de Ornitología, 2000; Alcaldía de Santiago de Cali Departamento Administrativo de Gestión del Medio Ambiente, 2010). También consume una gran cantidad de agua, la cual toma del follaje de las plantas y del aire (Whitaker & Eaton, 2014).

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:
structureDispersed:

type:
purpose:

behavior

0

dataObject:

additionalInformation:

0

keywords: Accipiter striatus, Actitis macularius, Adelomyia melanogenys, Aglaiocercus kingii, Amblycercus holosericeus, Ampelion rubrocristatus, Anas andium, Anas clypeata, Anas discors, Andigena nigristrois, Anisognathus igniventris, Ardea alba, Ardea herodias, Arremon assimilis, Asio flammeus, Asio stygius, Asthenes flammulata, Asthenes fuliginosa, Astragalinus psaltria, Atlapetes pallidnucha, Atlapetes schistaceus, Bubulcus ibis, Buteo platypterus, Buteo swainsoni, Butorides striata, Butorides virescens, Cairina moschata, Calidris bairdii, Calidris melanotos, Cardellina canadensis, Catamenia analis, Catamenia inornata, Cathartes aura, Catharus minimus, Catharus ustulatus, Chaetocercus mulsant, Chaetura pelagica, Chalcostigma heteropogon, Chordeiles minor, Chrysomus icterocephalus, Cinclodes albidiventris, Cinclus leucocephalus, Cinnycerthia unirufa, Cistothorus apolinari, Cistothorus platensis, Coccyzus pumila, Coccyzus americanus, Coccyzus melacoryphus, Coeligena bonapartei, Colibri coruscans, Colibri thalassinus, Columba livia, Columbina talpacoti, Conirostrum rufum, Conirostrum sitticolor, Contopus cinereus, Contopus fumigatus, Contopus sordidulus, Contopus virens, Coragyps atratus, Crotophaga ani, Crotophaga major, Dendrocygna autumnalis, Dendrocygna viduata, Diglossa albilatera, Diglossa cyanea, Diglossa humeralis, Diglossa lafresnayii, Diglossa sittoides, Dolichonyx oryzivorus, Dubusia taeniata, Egretta caerulea, Egretta thula, Elaenia flavogaster, Elaenia frantzii, Elanus leucurus, Empidonax alnorum, Empidonax traillii, Ensifera ensifera, Eriocnemis cupreiventris, Eriocnemis vestita, Eupsittula pertinax, Falco columbarius, Falco peregrinus, Falco sparverius, Forpus conspicillatus, Fulica americana, Gallinago nobilis, Gallinula galeata, Gallinula melanops, Geothlypis philadelphia, Geranoaetus melanoleucus, Glaucidium jardinii, Grallaria quitesis, Grallaria ruficapilla, Grallaria squamigera, Haplospiza rustica, Heliangelus amethysticollis, Heliangelus exortis, Hellmayrea gularis, Hemispingus superciliosus, Hemispingus verticalis, Henicorhina leucophrys, Hirundo rustica, Icterus chrysater, Icterus icterus, Icterus nigrogularis, Ixobrychus exilis, Jacana jacana, Lafresnaya lafresnaya, Leiostyris alpestris, Leptasthenura andicola, Lesbia nuna, Lesbia victoriae, Leucophaeus atricilla, Machetornis rixosa, Margarornis squamiger, Mecocerculus leucophrys, Megascops choliba, Melanerpes rubricapillus, Merganetta armata, Metallura tyrianthina, Milvago chimachima, Mimus gilvus, Mniotilta varia, Molothrus bonariensis, Muscisaxicola alpinus, Myiarchus cinerascens, Myiodynastes luteiventris, Myiotheretes fumigatus, Myiotheretes striatocollis, Myiothlypis nigrocristata, Myornis senilis, Nomonyx dominicus, Nycticorax nycticorax, Ochthoeca cinnamomeiventris, Ochthoeca diadema, Ochthoeca fumicolor, Ochthoeca rufipennis, Orochelidon murina, Oxypogon guerini, Oxyura jamaicensis, Pachyrhamphus versicolor, Pandion haliaetus, Pardaliparus maculatus, Parkesia noveboracensis, Patagioenas fasciata, Petrochelidon pyrrhonota, Phaethon simplex, Phalacrocorax brasilianus, Pheucticus aureoventris, Pheucticus ludovicianus, Phimosus infuscatus, Phrygilus unicolor, Phyllomyias uropygialis, Piaya cayana, Picoides fumigatus, Pipraeidea melanonota, Pipreola riefferii, Piranga olivacea, Piranga rubra, Pitangus sulphuratus, Pluvialis dominica, Podilymbus podiceps, Porphyrio martinicus, Porzana carolina, Progne subis, Protonotaria citrea, Pseudocolaptes auratus, Pseudocolaptes auratus, Pseudoscops clamator, Pterophanes cyanopterus, Pygochelidon cyanoleuca, Pyrocephalus rubinus, Pyrrhomyias cinnamomeus, Quiscalus lugubris, Rallus semiplumbeus, Ramphocelus dimidiatus, Ramphomycinus microrhynchus, Riparia riparia, Rupornis magnirostris, Sayornis nigricans, Serpophaga cinerea, Setophaga castanea, Setophaga cerulea, Setophaga petechia, Setophaga ruticilla, Setophaga striata, Sicalis flaveola, Sicalis luteola, Spiza americana, Sporagra spinescens, Sturnella magna, Synallaxis subpudica, Systellura longirostris, Tangara vitriolina, Thraupis episcopus, Thraupis palmarum, Tringa flavipes, Tringa melanoleuca, Tringa solitaria, Troglodytes aedon, Troglodytes solstitialis, Turdus fuscater, Turdus ignobilis, Tyrannus melancholicus, Tyrannus savana, Tyrannus tyrannus, Tyto alba, Vanellus chilensis, Vireo olivaceus, Vultur gryphus, Zenaida auriculata, Zonotrichia capensis

institution:

address:

publisher: Princeton University Press

accessed:

websites:

chapter:

series:

pages: 836

issue:

year: 1986

0: Hilty, Steven

1: Brown, William

title: A Guide to the Birds of Colombia

source:

type: book

tags: *Accipiter striatus*, *Actitis macularius*, *Adelomyia melanogenys*, *Agelaiocercus kingii*, *Amblycercus holosericeus*, *Ampelion rubrocristatus*, *Anas andium*, *Anas clypeata*, *Anas discors*, *Andigena nigrirostris*, *Anisognathus igniventris*, *Ardea alba*, *Ardea herodias*, *Arremon assimilis*, *Asio flammeus*, *Asio stygius*, *Asthenes flammulata*, *Asthenes fuliginosa*, *Astragalinus psaltria*, *Atlapetes pallidinucha*, *Atlapetes schistaceus*, *Bubulcus ibis*, *Buteo platypterus*, *Buteo swainsoni*, *Butorides striata*, *Butorides virescens*, *Cairina moschata*, *Calidris bairdii*, *Calidris melanotos*, *Cardellina canadensis*, *Catamenia analis*, *Catamenia inornata*, *Cathartes aura*, *Catharus minimus*, *Catharus ustulatus*, *Chaetocercus mulsant*, *Chaetura pelagica*, *Chalcostigma heteropogon*, *Chordeiles minor*, *Chrysomus icterocephalus*, *Cinclodes albidiventris*, *Cinclus leucocephalus*, *Cinnycerthia unirufa*, *Cistothorus apolinari*, *Cistothorus platensis*, *Coccyzua pumila*, *Coccyzus americanus*, *Coccyzus melacoryphus*, *Coeligena bonapartei*, *Colibri coruscans*, *Colibri thalassinus*, *Columba livia*, *Columbina talpacoti*, *Conirostrum rufum*, *Conirostrum sitticolor*, *Contopus cinereus*, *Contopus fumigatus*, *Contopus sordidulus*, *Contopus virens*, *Coragyps atratus*, *Crotophaga ani*, *Crotophaga major*, *Dendrocygna autumnalis*, *Dendrocygna viduata*, *Diglossa albilatera*, *Diglossa cyanea*, *Diglossa humeralis*, *Diglossa lafresnayii*, *Diglossa sittoides*, *Dolichonyx oryzivorus*, *Dubusia taeniata*, *Egretta caerulea*, *Egretta thula*, *Elaenia flavogaster*, *Elaenia frantzii*, *Elanus leucurus*, *Empidonax alnorum*, *Empidonax traillii*, *Ensifera ensifera*, *Eriocnemis cupreiventris*, *Eriocnemis vestita*, *Eupsittula pertinax*, *Falco columbarius*, *Falco peregrinus*, *Falco sparverius*, *Forpus conspicillatus*, *Fulica americana*, *Gallinago nobilis*, *Gallinula galeata*, *Gallinula melanops*, *Geothlypis philadelphia*, *Geranoaetus melanoleucus*, *Glaucidium jardinii*, *Grallaria quitesis*, *Grallaria ruficapilla*, *Grallaria squamigera*, *Haplospiza rustica*, *Heliangelus amethysticollis*, *Heliangelus exortis*, *Hellmayrea gularis*, *Hemispingus superciliaris*, *Hemispingus verticalis*, *Henicorhina leucophrys*, *Hirundo rustica*, *Icterus chrysater*, *Icterus icterus*, *Icterus nigrogularis*, *Ixobrychus exilis*, *Jacana jacana*, *Lafresnaya lafresnayi*, *Leiothlypis peregrina*, *Leptasthenura andicola*, *Lesbia nuna*, *Lesbia victoriae*, *Leucophaeus atricilla*, *Machetornis rixosa*, *Margarornis squamiger*, *Mecocerculus leucophrys*, *Megascops choliba*, *Melanerpes rubricapillus*, *Merganetta armata*, *Metallura tyrianthina*, *Milvago chimachima*, *Mimus gilvus*, *Mniotilta varia*, *Molothrus bonariensis*, *Muscisaxicola alpinus*, *Myiarchus crinitus*, *Myiodynastes luteiventris*, *Myiotheretes fumigatus*, *Myiotheretes striaticollis*, *Myiothlypis nigrocristata*, *Myornis senilis*, *Nomonyx dominicus*, *Nycticorax nycticorax*, *Ochthoeca cinnamomeiventris*, *Ochthoeca diadema*, *Ochthoeca fumicolor*, *Ochthoeca rufipectoralis*, *Orochelidon murina*, *Oxypogon guerinii*, *Oxyura jamaicensis*, *Pachyramphus versicolor*, *Pandion haliaetus*, *Pardirallus maculatus*, *Parkesia noveboracensis*, *Patagioenas fasciata*, *Petrochelidon pyrrhonota*, *Phaetusa simplex*, *Phalacrocorax brasilianus*, *Pheucticus aureoventris*, *Pheucticus ludovicianus*, *Phimosus infuscatus*, *Phrygilus unicolor*, *Phyllomyias uropygialis*, *Piaya cayana*, *Picoides fumigatus*, *Pipraeidea melanonota*, *Pipreola riefferii*, *Piranga olivacea*, *Piranga rubra*, *Pitangus sulphuratus*, *Pluvialis dominica*, *Podilymbus podiceps*, *Porphyrio martinicus*, *Porzana carolina*, *Progne tapera*, *Protonotaria citrea*, *Pseudocolopteryx acutipennis*, *Pseudoscops clamator*, *Pterophanes cyanopterus*, *Pygochelidon cyanoleuca*, *Pyrocephalus rubinus*, *Pyrrhomias cinnamomeus*, *Quiscalus lugubris*, *Rallus semiplumbeus*, *Ramphocelus dimidiatus*, *Ramphomicron microrhynchum*, *Riparia riparia*, *Rupornis magnirostris*, *Sayornis nigricans*, *Serpophaga cinerea*, *Setophaga castanea*, *Setophaga cerulea*, *Setophaga petechia*, *Setophaga ruticilla*, *Setophaga striata*, *Sicalis flaveola*, *Sicalis luteola*, *Spiza americana*, *Sporagra spinescens*, *Sturnella magna*, *Synallaxis subpudica*, *Systemellura longirostris*, *Tangara vitriolina*, *Thraupis episcopus*, *Thraupis palmarum*, *Tringa flavipes*, *Tringa melanoleuca*, *Tringa solitaria*, *Troglodytes aedon*, *Troglodytes solstitialis*, *Turdus fuscater*, *Turdus ignobilis*, *Tyrannus melancholicus*, *Tyrannus savana*, *Tyrannus tyrannus*, *Tyto alba*, *Vanellus chilensis*, *Vireo olivaceus*, *Vultur gryphus*, *Zenaida auriculata*, *Zonotrichia capensis*

abstract:

last_modified:

created:

group_id:

profile_id:

id:

1

isbn: 978-958-99628-0-0

keywords: *Coccyzua pumila*, *Coccyzus melacoryphus*, *Columbina talpacoti*, *Crotophaga ani*, *Dendrocygna*

autumnalis, Dendrocygna viduata, Egretta caerulea, Egretta thula, Falco sparverius, Forpus conspicillatus, Geothlypis philadelphia, Icterus chrysater, Icterus nigrogularis, Machetornis rixosa, Melanerpes rubricapillus, Milvago chimachima, Nycticorax nycticorax, Pandion haliaetus, Parkesia noveboracensis, Phalacrocorax brasilianus, Pheucticus ludovicianus, Phimosus infuscatus, Piaya cayana, Pitangus sulphuratus, Podilymbus podiceps, Protonotaria citrea, Pygochelidon cyanoleuca, Ramphocelus dimidiatus, Sayornis nigricans

0: Calidris, Asociación

1: Fierro, Karolina

2: Falk, Patricia

3: Castillo, Luis Fernando

4: Ramírez, Vianey

5: DAGMA

6: González, Sonia del Mar

7: Forero, Luz Ángela

8: Silva, Juan Carlos

9: Ocampo, Ernesto

institution:

address:

publisher: Departamento Administrativo de Gestión del Medio Ambiente - DAGMA

accessed:

websites:

chapter:

series:

pages: 123

issue:

year: 2010

0: Alcaldía de Santiago de Cali Departamento Administrativo de Gestión del Medio Ambiente

title: Las aves de mi ciudad: una guía de las aves de Cali

source:

type: book

tags: Coccothraustes vespertina, Coccothraustes melacoryphus, Columbina talpacoti, Crotophaga ani, Dendrocygna

autumnalis, Dendrocygna viduata, Egretta caerulea, Egretta thula, Falco sparverius, Forpus conspicillatus, Geothlypis

philadelphia, Icterus chrysater, Icterus nigrogularis, Machetornis rixosa, Melanerpes rubricapillus, Milvago

chimachima, Nycticorax nycticorax, Pandion haliaetus, Parkesia noveboracensis, Phalacrocorax brasilianus, Pheucticus

ludovicianus, Phimosus infuscatus, Piaya cayana, Pitangus sulphuratus, Podilymbus podiceps, Protonotaria

citrea, Pygochelidon cyanoleuca, Ramphocelus dimidiatus, Sayornis nigricans

abstract:

last_modified:

created:

group_id:

profile_id:

id:

2

keywords: Actitis macularia, Ampelis rubrocrissalis, Anas discors, Anisognathus igniventris, Ardea alba, Arremon

assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia

longicauda, Bubulcus ibis, Buteo platypterus, Buteo swainsoni, Butorides striata, Calidris melanotos, Cardellina

canadensis, Catamenia analis, Catamenia inornata, Catharus fuscescens, Catharus ustulatus, Chaetocercus

mulant, Chrysomitris icterocephalus, Cinnyricerthia unirufa, Cistothorus apolinari, Coccothraustes americana, Coeligena

bonapartei, Colibri coruscans, Columba livia, Conirostrum rufum, Conirostrum sitticolor, Contopus cooperi, Contopus

fumigatus, Contopus sordidulus, Contopus virens, Coragyps atratus, Crotophaga ani, Crotophaga major, Diglossa

albilatera, Diglossa cyanea, Diglossa humeralis, Diglossa lafresnayii, Diglossa sittoides, Dubusia taeniata, Egretta

caerulea, Elaenia flavogaster, Elaenia frantzii, Elanus leucurus, Empidonax alnorum, Empidonax traillii, Ensifera

ensifera, Eriocnemis cupreiventris, Eriocnemis vestita, Eupsittula pertinax, Falco columbarius, Falco peregrinus, Falco

sparverius, Forpus conspicillatus, Fulica americana, Gallinago nobilis, Gallinula galeata, Gallinula melanops, Geothlypis

philadelphia, Glaucidium jardinii, Grallaria ruficapilla, Hemispingus superciliosus, Hemispingus verticalis, Henicorhina

leucophrys, Hirundo rustica, Icterus chrysater, Icterus nigrogularis, Ixobrychus exilis, Jacana jacana, Leiothlypis peregrina, Lesbia nuna, Lesbia victoriae, Leucophaeus atricilla, Margarornis squamiger, Mecocerculus leucophrys, Megascops choliba, Melanerpes rubricapillus, Metallura tyrianthina, Mimus gilvus, Mniotilta varia, Molothrus bonariensis, Myiarchus crinitus, Myiodynastes luteiventris, Myiotheretes striaticollis, Myiothlypis nigrocristata, Nycticorax nycticorax, Ochthoeca diadema, Ochthoeca fumicolor, Ochthoeca rufipectoralis, Orochelidon murina, Oxyura jamaicensis, Pachyramphus versicolor, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis

0: Stiles, F G

1: Bohórquez, C I

2: Cadena, C D

3: De la Zerda, S

4: Hernández, M

5: Roselli, L

6: Kelsey, M

7: Valencia, I D

8: Knapp, D

institution:

edition: Primera Ed

address:

publisher: Asociación Bogotana de Ornitología; Corporación Autónoma Regional de Cundinamarca

accessed:

websites:

chapter:

series:

pages: 276

issue:

year: 2000

0: Asociación Bogotana de Ornitología

title: Aves de la Sabana de Bogotá: guía de campo

source:

type: book

tags: Actitis macularius, Ampelion rubrocristatus, Anas discors, Anisognathus igniventris, Ardea alba, Arremon assimilis, Asio flammeus, Asio stygius, Astragalinus psaltria, Atlapetes pallidinucha, Atlapetes schistaceus, Bartramia longicauda, Bubulcus ibis, Buteo platypterus, Buteo swainsoni, Butorides striata, Calidris melanotos, Cardellina canadensis, Catamenia analis, Catamenia inornata, Catharus fuscescens, Catharus ustulatus, Chaetocercus mulsant, Chrysomus icterocephalus, Cinnycerthia unirufa, Cistothorus apolinari, Coccyzus americanus, Coeligena bonapartei, Colibri coruscans, Columba livia, Conirostrum rufum, Conirostrum sitticolor, Contopus cooperi, Contopus fumigatus, Contopus sordidulus, Contopus virens, Coragyps atratus, Crotophaga ani, Crotophaga major, Diglossa albilatera, Diglossa cyanea, Diglossa humeralis, Diglossa lafresnayii, Diglossa sittoides, Dubusia taeniata, Egretta caerulea, Elaenia flavogaster, Elaenia frantzii, Elanus leucurus, Empidonax alnorum, Empidonax traillii, Ensifera ensifera, Eriocnemis cupreiventris, Eriocnemis vestita, Eupsittula pertinax, Falco columbarius, Falco peregrinus, Falco sparverius, Forpus conspicillatus, Fulica americana, Gallinago nobilis, Gallinula galeata, Gallinula melanops, Geothlypis philadelphia, Glaucidium jardinii, Grallaria ruficapilla, Hemispingus superciliosus, Hemispingus verticalis, Henicorhina leucophrys, Hirundo rustica, Icterus chrysater, Icterus nigrogularis, Ixobrychus exilis, Jacana jacana, Leiothlypis peregrina, Lesbia nuna, Lesbia victoriae, Leucophaeus atricilla, Margarornis squamiger, Mecocerculus leucophrys, Megascops choliba, Melanerpes rubricapillus, Metallura tyrianthina, Mimus gilvus, Mniotilta varia, Molothrus bonariensis, Myiarchus crinitus, Myiodynastes luteiventris, Myiotheretes striaticollis, Myiothlypis nigrocristata, Nycticorax nycticorax, Ochthoeca diadema, Ochthoeca fumicolor, Ochthoeca rufipectoralis, Orochelidon murina, Oxyura jamaicensis, Pachyramphus versicolor, Pandion haliaetus, Pardirallus maculatus, Parkesia noveboracensis

abstract:

last_modified:

created:

group_id:

profile_id:

id:

link: <http://birds.audubon.org/birds/northern-waterthrush>
keywords: Parkesia noveboracensis
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
issue:
year: 2014
0: Audubon
title: Northern Waterthrush (Parkesia noveboracensis)
source:
type: miscellany
tags: Parkesia noveboracensis
abstract:
last_modified:
created:
group_id:
profile_id:
id:

4

link: <http://bna.birds.cornell.edu/bna/species/182/articles/introduction>
keywords: Parkesia noveboracensis
institution:
address:
publisher:
accessed:
websites:
chapter:
series:
issue:
year: 2014
0: Whitaker, D
1: Eaton, S
title: Northern Waterthrush (Seiurus noveboracensis)
source: Cornell Lab of Ornithology
type: miscellany
tags: Parkesia noveboracensis
abstract:
last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

behaviorUnstructured: Esta especie prefiere cursos de agua y áreas anegadas, es común observarla caminando por el suelo (Hilty & Brown, 1986). Generalmente es solitaria, camina en las orillas balanceándose hacia adelante y hacia atrás mientras busca pequeños insectos (Asociación Bogotana de Ornitología, 2000; Alcaldía de Santiago de Cali Departamento Administrativo de Gestión del Medio Ambiente, 2010). Durante su migración y en sus zonas de anidación establece territorios para alimentación y descanso, los cuales defiende en ocasiones con violencia (Alcaldía de Santiago de Cali Departamento Administrativo de Gestión del Medio Ambiente, 2010).

En las zonas de anidación, su canto es un fuerte suiii-suiiii chit-chit wiiii dliiiiuuu y su llamado un tintineo (Audubon, 2014; Whitaker & Eaton, 2014). En migración es frecuente un reclamo fuerte y metálico chink chink o tsinc muy distintivo (Asociación Bogotana de Ornitología, 2000).

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

endemicAtomized

distribution

ancillaryData

dataObject:

additionalInformation:

reference

link: http://awsassets.panda.org/downloads/migratorias{_}aves{_}42{_}final.pdf

keywords: Parkesia noveboracensis

editors

editors: Naranjo, L G

editors: Amaya, J D

editors: Eusse-González, D

editors: Cifuentes-Sarmiento, Y

institution:

address:

publisher: Ministerio de Ambiente y Desarrollo Sostenible / WWF Colombia

accessed:

websites:

chapter:

series:

pages: 708

issue:

volume: 1

year: 2012

authors

authors: Peraza, Camilo

authors: Moreno, J

title: Parkesia noveboracensis

source: Guía de las Especies Migratorias de la Biodiversidad en Colombia Aves

type: book_section

tags: Parkesia noveboracensis

abstract:

identifiers

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:

rightsHolder:

rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

agent

contentType:
dataType:
identifier:
distributionUnstructured: La Reinita Acuática Norteña se reproduce desde el norte y centro de Alaska, norte de los Estados Unidos (Maine y Montana) y sur de Canadá (Nueva Escocia, Ontario y Columbia Británica). Inverna desde Florida (Estados Unidos), las Antillas Mayores y Menores a todos los países de Centroamérica, hasta Colombia, norte de Ecuador, noreste de Perú, gran parte de Venezuela y norte de Guyana, Surinam y Guyana Francesa (Peraza & Moreno, 2012).
Esta especie se distribuye principalmente por debajo de los 2000 msnm; pero se tienen registros visuales hasta los 3000 msnm. En Colombia se le puede encontrar en todas las regiones, con excepción de la zona sur del Amazonas (Asociación Bogotana de Ornitología, 2000; Peraza & Moreno, 2012).

distributionAtomized

stateProvince: Córdoba

ancillaryData

locality:
municipality:
country: Colombia

temporalCoverage

endDate:
startDate:

distributionScope

type:

threatStatus

ancillaryData

threatStatusUnstructured:

threatStatusAtomized

apendiceCITES:
locality:
municipality:
county:
stateProvince:
country: Global
0: IUCN
measurementValue: Preocupación menor (LC)
relatedTo:
measurementRemarks:
measurementMethod:

measurementDeterminedBy

measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementType: IUCN
measurementID:

territory

territoryUnstructured:

areaOfOccupancy:

extentOfOccurrence:

populationBiology

0

dataObject:

additionalInformation:

0

link: <http://maps.iucnredlist.org/map.html?id=22721793>

keywords: *Parkesia noveboracensis*

institution:

address:

publisher:

accessed:

websites:

chapter:

series:

issue:

year: 2014

0: BirdLife International and NatureServe

title: Bird Species Distribution Maps of the World. 2012. *Parkesia noveboracensis*. The IUCN Red List of Threatened Species. Version 2014.3

source:

type: miscellany

tags: *Parkesia noveboracensis*

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Asociación Bogotana de Ornitología

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

populationBiologyUnstructured: La Reinita Acuática Norteña es una especie común, tiene un alto rango de distribución y según sus registros es una especie que presenta una tendencia estable (BirdLife International and NatureServe, 2014).

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: La Reinita Acuática Norteña es una especie de ave terrestre que mide aproximadamente 13 cm y pesa entre 20 y 25 g. Esta especie es café oliva opaco en la espalda, con prominente superciliar crema amarillento; vientre blanco amarillento fuertemente estriado de café oscuro, incluida la garganta. Se le ve con frecuencia moviendo la cola de arriba para abajo en los bordes de arroyos lentos, charcos, bosques y manglares (Peraza & Moreno, 2012). Forrajea en el suelo y se alimenta de insectos, moluscos y crustáceos que se encuentra en la hojarasca (Asociación Bogotana de Ornitología, 2000). La tendencia de la población parece estar estable; la especie es común y tiene un rango de distribución muy amplio en los sitios de anidación y migración (Peraza & Moreno, 2012).

[associatedParty](#)

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomezm@gmail.com

phone:

postalCode:

country: Colombia

state: Bogotá Distrito Capital

city: Bogotá D.C.

address:

organisation:

position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:
mediaURL: http://neotropical.birds.cornell.edu/portal/species/distribution?p_p_spp=571116
description:

subject

source: <http://neotropical.birds.cornell.edu>

audience

bibliographicCitation:
rightsHolder:
rights:
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:

_id

_bsontype: ObjectID
id: VîŽ,, ~Î¥JV 6