

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56e6d57883c45700544e3ec8

Fecha de creación: 2016-03-14T15:15:12.216Z

creation_date: 2016-03-14T15:15:12.216Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

0

keywords: Anteos menippe,Aphrissa statira statira,Battus lycidas,Battus polydamas polydamas,Catasticta teutamis,Colias dimera

institution:

address:

publisher: Alfred Kernén

accessed:

websites:

chapter:

series:

pages: 1139

issue:

volume: 5

year: 1924

0: Seitz, A

title: Macrolepidoptera of the world

source:

type: book

tags: Anteos menippe,Aphrissa statira statira,Battus lycidas,Battus polydamas polydamas,Catasticta teutamis,Colias dimera

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:
created:
mimeType:
dataType:
identifier:

fullDescriptionUnstructured: La superficie superior de las alas anteriores es de color naranja-amarillo, el de las alas posteriores es limón amarillo. El margen oscuro de las alas anteriores es moderadamente amplio, el de las alas posteriores algo variable, en ocasiones es totalmente deficiente, como también el punto negro de la mediana de las alas anteriores. La superficie inferior es amarillo verdoso y tiene una fila de manchas rojizas submarginales, tiene una mancha difusa en la base y un punto medio blanco. La hembra es por encima y por debajo de color blanco amarillento (Seitz, 1924).

briefDescription:

references

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacticus,Pterourus menatius

editors

institution:
address:
publisher: m3m-Monografías Tercer Milenio
accessed:
websites:
chapter:
series:
pages: 536
issue:
volume: 8
year: 2008

authors

authors: Beccaloni, G. W
authors: Viloría, A. L.
authors: Hall, S. K.
authors: Robinson, G.S.
title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales

source:
type: book
tags: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacticus,Pterourus menatius
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:

taxonRecordName

[ancillaryData](#)

providerSpecificData

anyTwo:

providerLink:

publicationStatus

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

replacementNameFor

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

sanctioned

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

laterHomonymOf

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

[conservedAgainst](#)

basedOn

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

basionym

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:

ruleConsidered:

[spellingCorrentionOf](#)

typeNameEntity

source:

datatype:

identifier:

source:

datatype:

identifier:

source:

datatype:

identifier:

typificacion

typeOfType:

[lectotypeMicroReferenceVoucher](#)

[lectotypePublicationVoucher](#)

[voucherReference](#)

simple:

microReference:

year:

publishedIn

simple:

source:

datatype:

identifier:

specialAuthorship

authors

year

simple:

canonicalAuthorship

authors

year

simple:

simple: Doubleday, 1847

canonicalName

infraspecificEpithet:

specificEpithet:

infragenericEpithet:

linkType:

ref:

uninomial:

simple: Colias dimera

rank: SPECIES

simple: Colias dimera Doubleday, 1847

attributes

nomenclaturalCode:

isAnamorphic:

id:

synonymsAtomized

ancillaryData

synonymStatus:

synonymName

anyTwo:

anyOne

providerLink:

microReference:

publishedIn

source:

datatype:

identifier:

reletedName

source:

datatype:

identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:

ruleConsidered:
microReference:

publishedIn

source:
datatype:
identifier:

reletedName

source:
datatype:
identifier:
note:
ruleConsidered:

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typeVoucherEntity

typeOfType:
simple:
microReference:
year:
source:
datatype:
identifier:

combinationAuthorship

basionymAuthorship

simple:
authorship

simple:
simple: Kollar, 1850

epithet
infraspecificEpithet:
specificEpithet:
infragenericEpithet:

genus
linkType:
ref:
uninomial:
simple: Colias erythrogrammus

rank: SPECIES
simple: Colias erythrogrammus Kollar, 1850
nomenclaturalCode:
isAnamorphic:
id:

[hierarchy](#)

[ancillaryData](#)

dataObject:
additionalInformation:

[reference](#)

geoPoint:
location:
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: The Catalogue of Life, 3rd January 2011

[audience](#)

bibliographicCitation:
rightsHolder:
rights:
license:
title:
modified: 2016-03-14T15:14:52.216Z
created: 2016-03-14T15:14:52.216Z

[agent](#)

homepage:
role:
email:
phone:
address:
position:
organisation:
lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Colias
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Colias
family: Pieridae

order: Lepidoptera
classHierarchy: Insecta
phylum: Arthropoda
kingdom: Animalia
recommended:
classification:

[commonNameAtomized](#)

invasiveness
invasivenessUnstructured:
reproduction

0
dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Ángela M. Suarez Mayorga
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
reproductionUnstructured:

0
dataObject:
additionalInformation:

[reference](#)

geoPoint:
location:
thumbnailURL:

[mediaURL](#)

description:

[subject](#)

[audience](#)

rightsHolder:
rights:
license:
modified:
created:

agent

contentType:
dataFormat:
identifier:
relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedBy: TraitBank
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue: Sexual
measurementType: Tipo de Reproducción
measurementID:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

0

dataObject:
additionalInformation:

0

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacticus,Pterourus menatius

institution:

address:

publisher: m3m-Monografías Tercer Milenio

accessed:

websites:

chapter:

series:

pages: 536

issue:

volume: 8

year: 2008

0: Beccaloni, G. W

1: Vilorio, A. L.

2: Hall, S. K.

3: Robinson, G.S.

title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales

source:

type: book

tags: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus

lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides

orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides

paeon thrason,Heraclides thoas nealces,Mimoides pausanias pausanias,Parides erithalion erithalion,Protesilaus

protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacicus,Pterourus menatius

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

interactionsUnstructured: Las plantas hospederas de esta especie son; Cassiasp., Cassia spp., Cassia grandis,

Senna bicapsularis, Senna siamea, pertenecientes a la familia Leguminosae: Caesalpinioideae; y Acacia sp.

perteneciente a la familia Leguminosae: Mimosoideae (Beccaloni et al., 2008).

feeding

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Ángela M. Suarez Mayorga

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

feedingUnstructured:

0

type: Heterótrofos - Herbívoros

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

0

dataObject:

additionalInformation:

0

keywords: Catasticta hebra,Colias dimera

institution:

address:

publisher: Carlec Ltda

accessed:

websites:

chapter:

series:

pages: 133

issue:

volume: Tomo II

year: 2004

0: Le Crom, J F

1: Llorente, J

2: Constantino, L M

3: Salazar, J A

title: Mariposas de Colombia. Pieridae

source:

type: book

tags: Catasticta hebra,Colias dimera

abstract:

last_modified:

created:

group_id:

profile_id:

id:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:
rights: Ángela M. Suarez Mayorga
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:
mimeType:
dataType:
identifier:
behaviorUnstructured: Los adultos de esta especie liban en inflorescencias pequeñas de trébol (*Trifolium*), diente de león (*Taraxacum*), y *Lupinus* en zonas de paramo (Le Crom et al., 2004).

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

annualCycle

annualCycleUnstructured:

habitat

habitatUnstructured:

[endemicAtomized](#)

[distribution](#)

[ancillaryData](#)

dataObject:
additionalInformation:

reference

keywords: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacicus,Pterourus menatius

editors

institution:
address:
publisher: m3m-Monograf'ias Tercer Milenio
accessed:
websites:
chapter:
series:
pages: 536
issue:
volume: 8
year: 2008

authors

authors: Beccaloni, G. W
authors: Vilorio, A. L.
authors: Hall, S. K.
authors: Robinson, G.S.
title: Catálogo de las Plantas Huésped de las Mariposas Neotropicales
source:
type: book
tags: Anteos menippe,Aphrissa statira statira,Ascia monuste orseis,Battus crassus crassus,Battus crassus lepidus,Battus laodamas copanae,Battus laodamas laodamas,Battus polydamas polydamas,Colias dimera,Eurytides orabilis isocharis,Eurytides serville acritus,Eurytides serville columbus,Heraclides androgeus androgeus,Heraclides paeon thrason,Heraclides thoas nealces,Mimoides pausanius pausanius,Parides erithalion erithalion,Protesilaus protesilaus,Protographium dioxippus dioxippus,Pterourus birchallii birchallii,Pterourus cacicus,Pterourus menatius
abstract:

identifiers

last_modified:
created:
group_id:
profile_id:
id:
geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Ángela M. Suarez Mayorga
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataFormat:
identifier:
distributionUnstructured: Esta especie se encuentra de Colombia al norte de Perú en zonas que se encuentran entre los 2000 y 4000 msnm (Le Crom et al., 2004). En Colombia se distribuye en todas las montañas (Le Crom et al., 2004).

distributionAtomized

temporalCoverage

endDate:
startDate:

distributionScope

type:

threatStatus

territory

territoryUnstructured:
areaOfOccupancy:
extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights:
license:
modified:

created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

abstract: Colias dimera se distribuye en zonas que se encuentran entre los 2000 y 4000 msnm de Colombia y Perú (Le Crom et al., 2004). Esta especie se distingue de C. lesbia por presentar APD amarillas, que contrasta con el anaranjado de ADD en machos y una de las formas de hembras. Hay dos formas de hembra, una similar al macho, de color menos encendido y con tres manchas subapicales amarillas en ADD; la otra es de tonalidad blanquecina (Le Crom et al., 2004).

associatedParty

role:
personnelIdentifier:
personnelDirectory:
homepage:
email: enataliagomezm@gmail.com
phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:
mediaURL: <https://www.flickr.com/photos/saulortega/6600816099/in/photolist-b4hUE8>
description:

subject

source: https://farm8.staticflickr.com/7014/6600816099_e5af18f98c.jpg

audience

bibliographicCitation:
rightsHolder: Saúl Ortega
rights:
license: <http://creativecommons.org/licenses/by-sa/2.0/>
modified:
created:

agent

mimeType:
dataType:
identifier:

_id
_bsontype: ObjectID
id: VæÖxfÄW Dãï€