

Reporte de Fichas para el usuario: edith gómez

Ficha ID: 56d6ef073c16479905cba914

Fecha de creación: 2016-03-02T13:47:54.097Z

annualCycles

annualCycleUnstructured:

habitats

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

mimeType:

dataType:

identifier:

habitatUnstructured: Residente común localmente en terreno seco abierto con árboles y rastrojo, especialmente en áreas de parque, jardines de hoteles, etc. (Hilty & Brown 1986). En La Guajira habita en bosque deciduo tropical, de galería y secundario, y en matorral árido de tierras bajas, ribereño y secundario (Cerrejón 2009-2010).

[commonNamesAtomized](#)

[ancillaryData](#)

usedBy:

usedIn

distributionUnstructured:

endDate:

startDate:

[ancillaryData](#)

type:

language: Español

name: Mosquero cardenal

creation_date: 2016-03-02T13:47:54.097Z

usesManagementAndConservation

[ancillaryData](#)

managementAndConservationUnstructured:

[managementAndConservationAtomized](#)

identificationKeys

fullDescription

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

fullDescriptionUnstructured: Se reconocen 13 subespecies:

Pyrocephalus rubinus ardens Zimmer, 1941

Pyrocephalus rubinus blatteus Bangs, 1911

Pyrocephalus rubinus cocachacrae Zimmer, 1941

Pyrocephalus rubinus dubius Gould, 1839

Pyrocephalus rubinus flammeus Van Rossem, 1934

Pyrocephalus rubinus major Pelzelin, 1868

Pyrocephalus rubinus mexicanus P. L. Sclater, 1859

Pyrocephalus rubinus nanus Gould, 1839

Pyrocephalus rubinus obscurus Gould, 1839

Pyrocephalus rubinus pinicola T. R. Howell, 1965

Pyrocephalus rubinus piurae Zimmer, 1941

Pyrocephalus rubinus rubinus (Boddaert, 1783)

Pyrocephalus rubinus saturatus Berlepsch & Hartert, 1902

briefDescription:

[references](#)

taxonRecordName

[ancillaryData](#)

providerSpecificData

anyTwo:

providerLink:

publicationStatus

microReference:

source:

datatype:

identifier:

source:

datatype:

identifier:

note:
ruleConsidered:

replacementNameFor

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

sanctioned

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

laterHomonymOf

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

conservedAgainst

basedOn

microReference:
source:
datatype:
identifier:
source:
datatype:
identifier:
note:
ruleConsidered:

basionym

microReference:
source:
datatype:
identifier:

source:
datatype:
identifier:
note:
ruleConsidered:

spellingCorrentionOf

typeNameEntity

source:
datatype:
identifier:
source:
datatype:
identifier:
source:
datatype:
identifier:

typificacion

typeOfType:

lectotypeMicroReferenceVoucher

lectotypePublicationVoucher

voucherReference

simple:
microReference:
year:

publishedIn

simple:
source:
datatype:
identifier:

specialAuthorship

authors

year

simple:
canonicalAuthorship

authors

year

simple:
simple: (Boddaert, 1783)

canonicalName

infraspecificEpithet:

specificEpithet:

infragenericEpithet:

linkType:

ref:

uninomial:

simple: Pyrocephalus rubinus

rank: SPECIES

simple: Pyrocephalus rubinus (Boddaert, 1783)

attributes

nomenclaturalCode:

isAnamorphic:

id:

[synonymsAtomized](#)

[hierarchy](#)

[ancillaryData](#)

dataObject:

additionalInformation:

[reference](#)

geoPoint:

location:

thumbnailURL:

[mediaURL](#)

description:

[subject](#)

source: The Catalogue of Life, 3rd January 2011

[audience](#)

bibliographicCitation:

rightsHolder:

rights:

license:

title:

modified: 2016-03-02T13:47:34.085Z

created: 2016-03-02T13:47:34.085Z

[agent](#)

homepage:

role:

email:

phone:

address:

position:

organisation:

lastName:
firstName:
mimeType:
dataType:
identifier:
parentTaxon: Pyrocephalus
higherClassification:
infraspecificEpithet:
specificEpithet:
taxonRank: SPECIES
subGenus:
genus: Pyrocephalus
family: Tyrannidae
order: Passeriformes
classHierarchy: Aves
phylum: Chordata
kingdom: Animalia
recommended:
classification:

invasiveness

invasivenessUnstructured:

reproduction

reproductionUnstructured:

molecularData

molecularDataUnstructured:

migratory

migratoryUnstructured:

lifeForm

lifeFormUnstructured:

lifeCycle

lifeCycleUnstructured:

interactions

interactionsUnstructured:

feeding

0

dataObject:
additionalInformation:
geoPoint:
location:
thumbnailURL:
description:
source:
bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

feedingUnstructured: En La Guajira se registró que su dieta se compone de insectos (Cerrejón 2009-2010) y forrajea desde el suelo hasta el dosel (Cerrejón 2009-2010).

environmentalEnvelope

environmentalEnvelopeUnstructured:

ecologicalSignificance

ecologicalSignificanceUnstructured:

dispersal

dispersalUnstructured:

distance:

structureDispersed:

type:

purpose:

behavior

0

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights: Equipo Coordinador del SiB Colombia

license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)

modified:

created:

contentType:

dataType:

identifier:

behaviorUnstructured: Se trata de un ave migratoria austral que se desplaza hacia el suroriente de Colombia (Hilty & Brown 1986).

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:
license:
modified:
created:
mimeType:
dataType:
identifier:

measurementOrFact

relatedTo:
measurementRemarks:
measurementMethod:
measurementDeterminedDate:
measurementUnit:
measurementAccuracy:
measurementValue:
measurementType:
measurementID:

endemicAtomized

distribution

ancillaryData

dataObject:
additionalInformation:

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

mimeType:
dataType:
identifier:

distributionUnstructured: En bases de datos se encontró que: Esta especie se distribuye en: Colombia (Collections MNH SI 2012); Argentina, Brasil, Chile, Colombia, Ecuador, Estados Unidos, México, Paraguay, Perú (Arctos 2012)

Las siguientes subespecies se distribuyen en:

Pyrocephalus rubinus ardens Perú (Arctos 2012)

Pyrocephalus rubinus cocachacrae Perú (Arctos 2012)

Pyrocephalus rubinus dubius Ecuador (Arctos 2012)

Pyrocephalus rubinus flammeus Estados Unidos, México (Arctos 2012)

Pyrocephalus rubinus mexicanus Estados Unidos, México (Arctos 2012)

Pyrocephalus rubinus nanus Ecuador (Arctos 2012)

Pyrocephalus rubinus obscurus Colombia (Collections MNH SI 2012); Perú (Arctos 2012)

Pyrocephalus rubinus piurae Colombia (Collections MNH SI 2012); Colombia, Ecuador, Perú (Arctos 2012)

Pyrocephalus rubinus rubinus Brasil (Arctos 2012)

En bases de datos, literatura y monitoreos de fauna se encontró que: Esta especie se distribuye en: La Guajira

(Cerrejón 2009-2010); Valle del Cauca (Collections MNH SI 2012); Boyacá, Santander (Arctos 2012)

Las siguientes subespecies se distribuyen en Colombia: *Pyrocephalus rubinus piurae* Bogotá, Boyacá, Cauca, Cundinamarca, Huila, Nariño, Santander, Tolima, Valle del Cauca (ICN 2004); Boyacá, Valle del Cauca (Collections MNH SI 2012); Huila, Valle del Cauca (Arctos 2012)

Pyrocephalus rubinus rubinus Amazonas, Caquetá, Vaupés (ICN 2004)

Pyrocephalus rubinus saturatus La Guajira (Collections MNH SI 2012; ICN 2004); Antioquia, Cesar, Huila, Magdalena (Collections MNH SI 2012)

En las regiones de la Amazonía, Andina, Caribe y Pacífica del país hasta los 2600 (Hilty & Brown 1986).

distributionAtomized

temporalCoverage

endDate:

startDate:

distributionScope

type:

threatStatus

ancillaryData

threatStatusUnstructured:

threatStatusAtomized

apendiceCITES:

locality:

municipality:

county:

stateProvince:

country: Global

0: IUCN

measurementValue: Preocupación menor (LC)

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedBy

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementType: IUCN

measurementID:

territory

territoryUnstructured:

areaOfOccupancy:

extentOfOccurrence:

populationBiology

populationBiologyUnstructured:

legislation

legislationUnstructured:

directThreats

directThreatsUnstructured:

ancillaryData

dataObject:

additionalInformation:

geoPoint:

location:

thumbnailURL:

description:

source:

bibliographicCitation:

rightsHolder:

rights:

license:

modified:

created:

contentType:

dataType:

identifier:

measurementOrFact

relatedTo:

measurementRemarks:

measurementMethod:

measurementDeterminedDate:

measurementUnit:

measurementAccuracy:

measurementValue:

measurementType:

measurementID:

abstract: Mide 14 cm aproximadamente. Tiene una cresta corta. Los machos tienen la coronilla y las partes ventrales de color escarlata brillante; la lista ocular el occipucio y las partes dorsales de color pardo hollín. Las hembras tienen el plumaje de las partes dorsales de color pardo ceniza oscuro; garganta y pecho blancos, con barras negruzcas estrechas y difusas; las partes ventrales bajas salmón rosáceo y el centro del abdomen a menudo blanco (Hilty & Brown 1986).

associatedParty

role:

personnelIdentifier:

personnelDirectory:

homepage:

email: enataliagomez@gmail.com

phone:
postalCode:
country: Colombia
state: Bogotá Distrito Capital
city: Bogotá D.C.
address:
organisation:
position:
lastName: Gómez Melendro
firstName: Edith Natalia

ancillaryData

dataObject:
additionalInformation: Registros biológicos: En el portal de Global Biodiversity Information Facility se reporta que para Colombia hay 675 registros. GBIF
Créditos específicos: Ficha elaborada con el apoyo de Carbones del Cerrejón Limited.
Otros recursos en internet: Arctos, Avibase, AVoCet, Colecciones en Línea, EoL, iSpecies, IUCN Red List, SI NMNH, xeno-canto

reference

geoPoint:
location:
thumbnailURL:

mediaURL

description:

subject

source:

audience

bibliographicCitation:
rightsHolder:
rights: Equipo Coordinador del SiB Colombia
license: Atribución - No Comercial - Compartir igual (CC BY-NC-SA 4.0)
modified:
created:

agent

contentType:
dataType:
identifier:

_id

_bsontype: ObjectId
id: VÖisÁdy•E©