

**PROMEDIO DE EDAD DE LAS PERSONAS QUE SOBREVIVIERON POR GENERO****The MEANS Procedure**

<b>Sex</b>	<b>N Obs</b>	<b>Variable</b>	<b>Mean</b>	<b>Median</b>	<b>Lower Quartile</b>	<b>Upper Quartile</b>
female	233	agem	28.4790924	33.5000000	19.6875000	36.0000000
		Fare	51.9385734	26.0000000	13.0000000	76.2917000
male	109	agem	29.6705316	28.5861100	27.2857100	39.8800000
		Fare	40.8214844	26.2875000	9.5000000	39.0000000

DIFERENCIAS DE MEDIA DE LOS HOMBRES Y MAS MUJERES QUE SOBREVIVIERON

The TTEST Procedure


Variable: agem

Sex	Method	N	Mean	Std Dev	Std Err	Minimum	Maximum
female		233	28.4791	10.1368	0.6641	2.0000	62.0000
male		109	29.6705	13.2443	1.2686	0.6700	60.0000
Diff (1-2)	Pooled		-1.1914	11.2176	1.3017		
Diff (1-2)	Satterthwaite		-1.1914		1.4319		

Sex	Method	Mean	95% CL	Mean	Std Dev	95% CL	Std Dev
female		28.4791	27.1707	29.7875	10.1368	9.2924	11.1513
male		29.6705	27.1560	32.1851	13.2443	11.6891	15.2807
Diff (1-2)	Pooled	-1.1914	-3.3384	Infy	11.2176	10.4341	12.1292
Diff (1-2)	Satterthwaite	-1.1914	-3.5596	Infy			

Method	Variances	DF	t Value	Pr > t
Pooled	Equal	340	-0.92	0.8197
Satterthwaite	Unequal	169.38	-0.83	0.7967

Equality of Variances				
Method	Num DF	Den DF	F Value	Pr > F
Folded F	108	232	1.71	0.0008




# DIFERENCIAS DE MEDIA DE LOS HOMBRES Y MAS MUJERES QUE SOBREVIVIERON

## The TTEST Procedure


Variable: agem

### Mean of agem Difference (female - male)

With 95% Upper Confidence Intervals



### Q-Q Plots of agem



**PROMEDIO DE EDAD DE LAS PERSONAS QUE NO SOBREVIVIERON POR GENERO****The MEANS Procedure**

Analysis Variable : agem						
Sex	N Obs	Mean	Median	Lower Quartile	Upper Quartile	N Miss
female	81	22.5070968	25.0000000	14.7500000	26.2750000	0
male	468	31.2416007	28.5861100	28.5861100	33.5540500	0

DIFERENCIAS DE MEDIA DE LOS HOMBRES Y MAS MUJERES QUE NO SOBREVIVIERON

The TTEST Procedure


Variable: agem

Sex	Method	N	Mean	Std Dev	Std Err	Minimum	Maximum
female		81	22.5071	9.0148	1.0016	2.0000	48.0000
male		468	31.2416	8.4366	0.3900	2.0000	70.0000
Diff (1-2)	Pooled		-8.7345	8.5236	1.0258		
Diff (1-2)	Satterthwaite		-8.7345		1.0749		

Sex	Method	Mean	95% CL Mean		Std Dev	95% CL Std Dev	
female		22.5071	20.5138	24.5004	9.0148	7.8085	10.6655
male		31.2416	30.4753	32.0079	8.4366	7.9285	9.0148
Diff (1-2)	Pooled	-8.7345	-10.4246	Infy	8.5236	8.0471	9.0606
Diff (1-2)	Satterthwaite	-8.7345	-10.5182	Infy			

Method	Variances	DF	t Value	Pr > t
Pooled	Equal	547	-8.52	1.0000
Satterthwaite	Unequal	105.68	-8.13	1.0000

Equality of Variances				
Method	Num DF	Den DF	F Value	Pr > F
Folded F	80	467	1.14	0.4087




# DIFERENCIAS DE MEDIA DE LOS HOMBRES Y MAS MUJERES QUE NO SOBREVIVIERON

## The TTEST Procedure

Variable: agem

### Mean of agem Difference (female - male)

With 95% Upper Confidence Intervals



### Q-Q Plots of agem

