Proceedings of the Sixth International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC-2022).
IEEE Xplore Part Number: CFP22OSV-ART; ISBN: 978-1-6654-6941-8

2022 Sixth International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC) | 978-1-6654-6941-8/22/$31.00 ©2022 IEEE | DOI: 10.1109/I-SMAC55078.2022.9987402

# A Model based on Embedded Artificial Intelligence for Retail Industry

1st Dr.Kiran Nair
Associate professor
Department of Management
College Abu Dhabi School of Management.
United Arab Emirates
k.nair@adsm.ac.ae

2nd Khalid K. Moenardy
Business Administration Program
Universitas Nusa Cendana
Indonesia
kh.moenardy@gmail.com

3rd Santosh Rupa Jaladi
Associate Professor Finance
Prin.L.N Welingkar Institute of Management Development & Research
India
santoshrupa.jaladi@ Welingkar.org

4th Yudi Supiyanto
Economics Education Program
Universitas PGRI Ronggolawe
Indonesia
supiyantoyudi64@gmail.com

5thKymbat Suleimenova
Department of Design,
International Education Corporation,
Kazakhstan
kimbat_kasimovna@mail.ru

6th Yuriy Popov
Department of Design,
Abay Myrzakhmetov Kokshetau University,
Kazakhstan.
mugzhanova62@mail.com

**Abstract-The application of fashion technology systems and Artificial Intelligence (AI) implanted in Industrial Automation (IA), and Artificial Intelligence consciousness is a huge registration field for modern retail industrial application. In addition to many customized arrangements, visual regulation is done. Previously, the progress of entrepreneurship advances has determined subjective forward jumps in the presentation of the industrial product art design innovation, their justification, and the effectiveness of their item plan's development. With the steady expansion of Artificial Intelligence reasoning applications, the human investigation of the obscure world and the cutoff field is further evolving. The lives and creation techniques of individuals have undergone drastic changes. In the period of Artificial Intelligence logic, the configuration of modern item embedded systems will undoubtedly have a significant impact, however more critically, to look at the new changes brought to the item embedded system scheme by mechanical improvement in the field of Artificial Intelligence consciousness. In this way, this insightful innovation and embedded system item scheme demonstrates the state of progress of development product art design innovation and talks about the application examples of Artificial Intelligence consciousness innovation in embedded systems. On this basis, research techniques in item configuration of embedded systems are centered inside and outside, with the idea of Artificial Intelligence logic limits as the center. Artificial Intelligence (AI) logic innovation has been applied to the modern item scheme, which now provides electronic assistance to various works to create things based on the human experience. As the rheumatic method, in which information and rules are explicitly given, is its breaking point, new advances based on the applications submitted have been considered significant in AI's innovative work.**

**Keywords:** Embedded System, Artificial Intelligence (AI), Product Art Design, Industrial, Design Innovation.

## 1. INTRODUCTION

After a much longer period of reform, the Artificial Intelligence brain has completed the leap between the two domains of learning and progress and has understood the closed circle of human creation in a novel, productive, accurate and stable way. Artificial Intelligence consciousness's imaginative work initially flourished in embedded system construction and is currently evolving rapidly in different practical fields. Computerized logic and research plans talk individually with science and technology. And are constantly transformed with each other. Artisans in various fields can better improve productivity and planning through Artificial Intelligence consciousness under the foundation of a combination of expressions and science. Modern is a wide field of planting process committed to mechanical applications. Except for many custom-fit configurations (mathematical regulators, device regulators and so on), this visual program is flooded with appropriate logic regulators, commonly known as pruning, which speaks to the most extensive entry class registration stages. Previously, advances in implanted innovations have determined the subjective forward leaps in the computerization innovation's performance, durability, and the scheme's e-capability.

F




**Figure 1: Artificial Intelligence System**

Figure 1 shows the artificial intelligence system. Intelligent Industrial Automation (IIA) has been demonstrated as part of innovative work, taking into account the difficulties of extraordinary and versatile assembling, which requires mass customization rather than mass production. It specifies data and Information and Communication Technologies (ICT) strategy and the use of devices to create a self-con-printable or able durable control innovation for robotizing fake steps. Computerization Innovation Research faces a similar sign fi as included innovations can be a challenge in the world, of which it is a fundamental part. One of these is an elevated level planning strategy, a mission for bids and devices. This has evolved into segment-based programming structures supporting visual programming and controlling broadcast programs in the computerization space. Difficulties in planning these programs using installed advances are adding improved the included advances, thus offering a convenient opportunity.

Work that is described to promote a major retail and technology innovation, as part of the manufacturers' current project, the purpose of some help apparel companies stays, three-dimensional basic hand drawing of the (3D) it is to build the development platform of apparel products. Currently, the apparel industry uses a Two-Dimensional (2D) Computer Aided Design (CAD) tool. 3D tools and efficiency of pattern generation are expected to be used in clothing design to improve the presentation of a more attractive design. Research shows that the pattern designer to design the pattern directly to the three-dimensional human model. Alternative technologies will currently focus from 2D model to 3D dressing result input but cannot be simulated in 3D Design.

Model maker to design a model in the three-dimensional space, it is major that would have the option to design stage to change. Still, by far, most of the fashioners, for instance, are evaluated to address the chance of imaginative arrangement through 2D hand drawing in the determined arrangement measure. The information is huge for helped plan structure the new procedure for showing a three-dimensional piece of clothing around 3D features life measured model through 2D hand drawing. The three-dimensional piece of clothing can normally re-make another nature of the human body model. 3-dimensional type articles of clothing have been shown in the 2D hand drawing. Related profiles using a changed assortments area plot edges should be added by going with cross-segment refinement measure. Cutting the structure surfaces, it is the model of a three-dimensional clothing piece fixed to a 2D model for making or even more unequivocally setup changes.

The prototyping of valid 3D virtual fashion clothing, a competitive sports process, analyzes efficiency compared to existing technology. The typical 3D body scans of people. The human body model can import the human body model to commercially available CAD software; it needs much reconstruction. We've also prepared a parametric model of the virtual volume used for 3D virtual prototypes and virtual try-on. A very important visualization of realistic virtual clothing fit, special attention has been paid to the correct data for calculating the material model. Finally, the use of different mannequins for virtual clothes and reality is suitable for "comparison. Based on these results, taking into account the material properties, must explain textile detail knowledge. It is a prototype of virtual clothes.

## 2. RELATED WORK

Many industry sectors, including Artificial Intelligence (AI), space exploration, have faced moves in directing business due to the unlimited use of AI innovations. Over the past few years, AI has become a major device used to investigate the universe in space missions. The multi-target ideal scheme for payload orbital exchange, including space relations [1]. Calculation insight support scheme. In these processes, the evaluation of ISR is semantically grouped by its effect, for example, high, medium or low; with this goal, ambiguity may arise in the assessment result. The security agenda is used in the Database Management System (DBMS) [2].

The calculation of self-governing fertilization for future cultivation using mechanical miniature air vehicle pollen grains forms a special guide. The exam offers new knowledge in a self-contained plan and possible approaches to creating forged and fabricated effectiveness that shorten the time to announce from the lab. Self-governing accept the use of Artificial Intelligence consciousness and human potential repeatedly for a sensible agro-industry [3]. While there is an ever-increasing number of explorations on the large commercial human asset board, human resources officials should be aware of events' pace, so it needs constant development. Considering the Artificial Intelligence consciousness time foundations, combined with the current hot Virtual Reality (VR). Innovation, this system examines the interest. The enterprise sets up an executive innovation with more human resources' full capabilities and tests the structure [4].

Similarly, rice is effectively spread across different plants, so picture recognition does not return to normal. In light of The Internet of Things (IOT) phase for soil development, to create the right tech venture using no image IOT gadgets to identify rice's impact. As the identification of picture-based plant infections approaches, our agribusiness sensors generate nominee information naturally generated and verified by the AI component. [5]. On the Internet The Things (IOT) period, billions of sensors and gadgets gather and cycle information from the climate, contact them on Cloud Focus and critique the web for availability and insight. However, it isn't easy to send enormous heterogeneous information measures, look at complex situations from this information, and ideally compromise on rational choices [6].

The cutting edge offers another technique to improve the accuracy of recreational examination of the structure, productivity and intensity structure of Artificial Intelligence consciousness innovation. The progress of connected Artificial Intelligence consciousness faces many new difficulties, including huge difficulties, high dimensions, solid connections, and complex relationships [7]. Due to the unpredictability of the vast space power innovation entertainment information. The original objective is to create a novel of neuromorphic figuring innovations, including novel calculations and gadgets, which could generate computerized reasoning AI information with less force and closer to organic innovation. To achieve this goal and created biometric neural bodies [8].

The next phase is expansion, making the first dataset of 2086 examples to grow many times larger. The decision of the expansion procedures to put in place to complete the minimum contact in terms of controlling the highlights of the pictures. This platform helps to overcome the overfitting issue and prepare the model to accomplish more precision. The third phase is the in-depth Convolutional Neural Network (CNN) design [9]. In particular, Hartnett has received extraordinary premiums from the scholarly world and industry for sending more systematic systems based on Artificial Intelligence (AI) reasoning methods, such as

AI, bio-russet calculations, fluffy neural organization, etc. Strategies can generally deal with issues of the structure of enormous space complexes, for example, towards wiser and programmed advancing issues [10].

Edge processing, the emerging world view that pushes extraordinary assignments and administration from the organization's center to the organization's edge, is generally regarded as a promising system to meet this need. New interdisciplinary have emerged about Edge AI or Edge, which are beginning to receive huge interest rates [11]. The same registering asset has emerged as a promising method due to favorable circumstances for providing load-flooding administration to low-identity calculations for restricted, portable client gadgets and Internet of Things applications. Although competently centered Artificial Intelligence (AI) logic arrays are suitable for loading the load to the cloudlet worker, this edge is the absence of clearly defined energy-defer improvement models for the AI situation [12].

However, various provocations should be made if such benefits are to be accomplished. From one point of view, considering their restricted reach and the costs of charging Electrical Vehicle (EV). For batteries, it is imperative to plan calculations that will limit costs and avoid abandoning customers. The overall EV should then be coordinated to stay away from the top on the network, bringing high power consumption and excessive load neighborhood dispersion matrices [13]. Artificial Neural Network (ANN) models despite that error, the values represented by the erring ones are practically the same. The relevant examination is completed in two wind lanes located. The proposed approach is an exceptionally important option for improving the intensity curve estimate based on an obscure inference system [14].

The organization and then taken care of once again in the breeding season to predict organizational tax growth. Two recreational tests were directed to assess the presentation of the method. Initially, the foot's impact was led by one person on the shirking test. The results showed that virtual walkers with learned passive behavior could move sensitively to avoid the expected crashes with different people on foot [15]. It is a long convention as a logical field, which is achieved in the long run behind us. Simultaneously, over the last several years, have seen the growing popularity of intelligent games and multi-client virtual situations, which have attracted many customers to this virtual universe. [16].

Schemes of Artificial Intelligence consciousness modules and control guide encryption are considered. Finally, the apparel store's presentation plan atmosphere is completed by the subsequent structure under the new environment. Research results show that the 4G climate postponement season is more limited than Wi-Fi environments. [17]. To accomplish these objectives, it is important to shape the process cycle's overall spellbinding reference model, including trial information, thermomechanical investigations, measurements, or Artificial Intelligence brains AI use of models. More productive process steps, expanding requests to complete the right surface, and demonstrating strategy have improved more attractive display techniques and approaches [18].

## 3. MATERIALS AND METHODS

Given the inclusion of plan dematerialization and configuration model advancement, the embedded system plan involves ever-increasing requirements and contemplation. The limits of configuration objects are becoming increasingly obscure and the object guiltier. Similarly, due to the constant increase in various media's specific strategies, it is difficult to deal with the complex advanced tolerance issues of the present-day culture with the information and capabilities. With the idea of a curious plan, the quality configuration is a statement of aesthetic imagination and the most logical.

### 3.1. Artificial intelligence in industrial product art design

Embedded system configuration integrates information from a variety of fields. It includes stylish rhetoric; however, there is more sensible speculation in the way of thinking. In this way, it is a cycle of building experts and a cycle of rational reasoning.

With this period, under the new period's progress, the union point has been found with the planning and computerized logic of embedded systems. The ideas and utilities of the combination of Artificial Intelligence consciousness and embedded systems configuration have also progressed. As shown in Figure 1, the embedded system's configuration step after artificial intelligence consciousness is greatly improved. For instance, clever computer images can be recreated as a progression of numerical activities, offering a library of ideas for depicting and organizing psychological science and Artificial Intelligence logic design. Subsequently, programmed the estimation model can adapt designs. Planning strategy driven by computerized logic is one of the issues discussed in the working circle. It can help architects to dispose of monotonous plan steps in a particular corner.




**Figure 2: Artificial Intelligence in Industrial Product Art Design**

Figure 2 shows artificial intelligence in industrial product art design. In an environment of computerized logic, whether designing a plan to find answers to complex issues or a painting embedded system plan, Artificial Intelligence brains and configurations show great integration. The installed item configuration is one of the specialized regions that includes many ready-made specialists, working with cutting edge devices and gear to change ideas into things. The installed planning innovation incorporates, just like devices, programming and mechanical plans. Item configuration cycles include exercises, for example, settling on a mechanical design, selecting materials and wheels that meet ecological prerequisites, designing different parts that are important for the item to function, and finishing the item's look and feel. Computerized logic additionally assumes jobs in the field of embedded system construction.

#### 3.1.1. Gradient Boost Algorithm

**Step 1**: Gradual boo boosting is an exciting calculation and can quickly fit that preparation dataset.

**Step 2:** It can make a profit through regularization techniques that punish different pieces of the calculation and improve the calculation's presentation by reducing overfitting in most parts.

**Step 3:** Use this calculation to plan a mechanical thing.

#### 3.1.2. The Innovative Design Method of Art Products Based On AI

Artificial Intelligence consciousness, embedded systems scheme has a significant impact on the industry. Conflicting and traditional scheme strategies, the configuration of embedded systems associated with Artificial Intelligence brainpower innovation is more advantageous and less costly. Simultaneously, auxiliary devices powered by Artificial Intelligence consciousness can improve specialists' innovative quality and imaginative effectiveness. Again, advancements include recognizing new open doors on the lookout and creating items that appeal to the chosen market's needs. The concentration in the improvement cycle is on improving or changing and testing things in the last model. The Implanted Innovation aims to help control power proficiency, extend implementation, and control steps when operating in a request mode. For the most part, the installed innovation takes after scaling down circuit sheets with chips, memory, power supply and external interfaces that speak to different parts of the larger structure.




**Figure 3: Method of Product Art Innovation**

Figure 3 shows the product art innovation method. In a mechanical application, machine control and machine checking are essential when thinking about the included innovation. The connection between the customer and the plan item meets the customer's needs, i.e., the customer's emotional behavior. The traditional plan will generally be more disposed of on visual features, plan consideration, and objects' communication. In contrast, the current plan is not just a cycle of creation, yet additionally adds plenty of extensible components. To make the planned items more focused and functional, architects, leaders and manufacturers need to collect more adequate data on client behavior and other data, improve the "temperature" of the planned items and show their concern to customers.

Design is inseparable from necessity and seriousness, and the advancement of computerized logic is vaguely influencing the style circle. From one point of view, the styling plan will have more non-wear clients. Then again, design brands can use clever examination innovations to understand deal patterns, changing the displays changing in this display and reducing inconsistent items. Despite differences in stylish thinking and individuals' usefulness, the style is not limited to misrepresentation and interesting schemes. The number of individuals incorporating traditional social elements to more easily integrate individual cultures is constantly increasing. Artificial Intelligence logic makes social heritage more dynamic, and integration into traditional culture and current culture is satisfying.

**3.1.3. Embedded system in industrial automation applications**

Modern installed innovations are used in a wide area of the enterprise to monitor the specified activities within a large mechanical or electrical innovation. From units to complex aviation flight, modern implanted structures are extensive. In larger innovations, the mechanically implanted innovation goes as a programmable working innovation that performs explicit assignments, such as controlling the driving engine's speed, sequential construction system, adjusting the gear, or potential temperature changes.

**3.1.4. Industrial embedded systems for machine control**

For machine control, the introduced computerization innovation is used to perform mechanical hardware activities, such as maintaining fluid flow rates in a CNC machine, controlling the speed of a sequential construction system, and naturally changing the amount of material engine-driven cycle. Many assembling innovations include Programmable Logic Controller (PLC) that can provide level.




**Figure 4: Application of Embedded System.**

Figure 4 shows the application of an embedded system. Therefore, the mechanically inserted innovation can be integrated into existing machine controls, using programming with restricted PLC and CNC utilities. The modern included innovation helps bring together and integrate the control design, reduce support costs and increase the machine's performance. What's more, machine control is installed automation that allows manufacturers to improve an item's quality generally.

### 3.1.5. Industrial embedded systems for machine monitoring

In machine inspection, the mechanically implanted innovation continuously monitors the innovation's condition, estimates the power, pressure, temperature, vibration, flow rate and is just the beginning. In machine checking, existing assembling innovations can be used by existing organization organizations to send execution information to a functional or cloud-based passage.

This information is collected and broken down, providing significant data through reports, notifications and dashboards. Modern implanted structures can inspect the machine to help measure execution, improve profitability, and advance gear capabilities. Machine observation is an active method for keeping uptime and losing creation through installed innovations.

### 3.1.6. The Future of Embedded Industrial Systems

With systems administration and correspondence for mechanically implanted innovations currently entering the IoT (IOT) domain, new creations are being created that allow the inserted innovation to be directly or integrated with the web. This allows parts with inserted microchips to interact directly with parts of different innovations. Moreover, the implanted automation innovation is currently using AI, Artificial Intelligence consciousness and information detection to help the screen and provide instructions to administrators circulating as a human interface.



**Figure 5: Circuit Diagram of Embedded System.**

Figure 5 shows the circuit diagram of an embedded system. The included innovation is essential for intelligent assembling's ultimate future, which gives a clearer, more direct degree of modern control than at any time in recent memory. There may be an included innovation effect for upgrading both new and existing modern hardware production steps. Given the rapidly evolving pace of chip upgrades, machine control and machine inspection are constantly evolving and taking into account more advanced installed structural logic, control, and versatility.

## 4. RESULT AND DISCUSSION

Artificial Intelligence (AI) is a psychological science with rich examination exercises in picture management, typical language preparation, mechanical technique, and so forth. Machine learning and AI are generally seen as dark embedded systems. And are regularly absent. . For convincing evidence to convince the industry that these strategies will work increasingly and confidently with relative profits. Simultaneously, the performance of AI calculations is exceptionally subject to the designer's experience and inclination. From now on, the achievement of AI in modern applications is restricted. Indus-Early AI is an efficient control centered on creating, approving and sending various AI calculations for mechanical applications with economic execution. Industry experts run as a systematic philosophy and control for answering for mechanical applications and abilities due to the scaffold's scholarly examinations.

**Table 1: Efficiency Analysis Comparison**

| Industry | Gradient Boost Algorithm values in % | Random Forest Algorithm values in % | K-Means Algorithm values in % |
|---|---|---|---|
| Automation Industry | 4.3 | 3 | 2 |
| Fashion Design | 5 | 4.4 | 2 |
| Interior Design | 3.5 | 1.8 | 3 |
| Graphic Design | 4.5 | 2.8 | 3.2 |

Table 1 shows the efficiency analysis comparison. Simulated intelligence-driven computerization still does not significantly impact functional development unless existing ventures face new difficulties related to market interest and competition. Industry them 4.0. An extreme change called 4.0 is needed. The integration of AI with the current emergence, for example, the Indus-Early Internet, the Industrial Internet of Things (IIOT), enormous data scrutiny, distributed computing and real digital infrastructure, will strengthen existing enterprises. Since Industrial AI is at an early stage, it is fundamental to clearly define its design, processes and difficulties as a system for its implementation in the industry. For this purpose, that has planned an Industrial AI Biological System, which covers this space's basic components and gives a better agreement and rule of execution. Besides, empowerment innovations that may be based on Industrial AI innovation are illustrated. Industrial AI with other learning structures over long distances. A schematic correlation of the implementation of the ideal structure.




**Figure 6: Efficiency Analysis**

Figure 6 shows the efficiency analysis. Artificial Intelligence (AI) logic is not the only field for AI, and intensive education is the standard progress that an association can face. These can be sensational vehicles for some businesses, including fabricating. AI's effect on a mechanical object would probably represent a completely different period of the modern turn of events. The first three modern se passes to set apart by introducing mechanical, electrical and advanced advances. Enhancing AI vision is a cycle of bringing up another conceived child. However, there is a difference because this cognitive does not have an actual composition. The actual structure could be a data worker lab or a robot with a comparable cerebrum structure.

**Table 2: Economic Growth in Year Wise**

| Year | Artificial Intelligence values in % | Internet Of Things values in % | Other Technology values in % |
|---|---|---|---|
| 2016 | 4.3 | 2.4 | 2 |
| 2017 | 3.5 | 2.5 | 2 |
| 2018 | 3.5 | 1.8 | 3 |

Table 2 shows the technology growth. Mechanical item configuration using the application is a specialized field that requires the ability to prepare expensive devices and existing hardware. Similarly, various assistance administration is also required, such as modern design, mechanical planning, and hot designing with administrative support. Because it is always difficult to get each of these components under one roof. Moreover, the rapid change in innovation and the contract's timing to announce make the devices, individuals and structures of interest. That's where the administration of a trusted ally, like Happy Minds, will be a position of wide choice. Most Pleasurable Minds Technologies offers a wide range of applications filed using Mechanical Item Design Services that are expected to turn an idea into a total item.




**Figure 7: Technology of Economic Growth**

Figure 7 shows the technology economic growth. These include framework engineering, equipment planning, programming planning, mechanical planning, prototyping, approval, administrative confirmation, and pilot creation. With each time limit of the item life cycle, Happy Minds Technologies gives people an abundance of engagement in arranging the cutting of items in different spaces, for example, systems administration, stock filing and telecom, registering, and mechanical robotics. The skilled staff, the most sophisticated gadgets, sophisticated labs and trusted eco-development teammates are on the verge of bleeding to capture the circle of progress and legacy. To dedicated Integration Association can manage enterprises moving from low adjustment factor plans to multi-board progress plans in the ideal combination of improvement.

## 5. CONCLUSION

Artificial Intelligence product design innovation using the embedded systems and scheme of the traditional mechanical item. However, in addition to that, there is also a positive effect. The pace of science and innovation not only made another flash between innovation and embedded systems, but it also shared in an area of new product art design expressions. Simultaneously, the industry's improvement is that the combination of devices and programming in a brilliantly planted structure will bring extraordinary comfort to Artificial Intelligence (AI) applications. In any case, those savvy gadgets with savvy constraints at the time are largely indicated on an overall basis, where one component closes and different starts when it is formed. Modern uses of implanted structures, especially in the product line and cycle automation, present difficulties to fashionistas from the often possible novel requirements forced by the mechanical climate. Even though these prerequisites will generally be needed, part of the general requirements includes accessibility and uninterrupted quality, well-being and safety, persistent certainty and the need for preventive response, and the need for worldly harmony, power use limits, life cycle, and so on. Artificial Intelligence brain power and embedded system arrangement have also broken the example of traditional embedded systems, giving embedded systems a more encouraging future. The introspective exploration of Artificial Intelligence consciousness is astonishing. Since there is a difference in individuals' taste, the embedded systems will be linked to Artificial Intelligence.

## REFERENCE

1. X. Ren and Y. Chen, "How Can Artificial Intelligence Help With Space Missions - A Case Study: Computational Intelligence-Assisted Design

of Space Tether for Payload Orbital Transfer Under Uncertainties," in IEEE Access, vol. 7, pp. 161449-161458, 2019.

2. Y. Azan Basallo, V. Estrada Senti and N. Martinez Sanchez, "Artificial intelligence techniques for information security risk assessment," in IEEE Latin America Transactions, vol. 16, no. 3, pp. 897-901, March 2018.
3. Y. Chen and Y. Li, "Intelligent Autonomous Pollination for Future Farming - A Micro Air Vehicle Conceptual Innovation With Artificial Intelligence and Human-in-the-Loop," in IEEE Access, vol. 7, pp. 119706-119717, 2019.
4. D. Xu and X. Xiao, "Influence of the Development of V.R. Technology on Enterprise Human Resource Management in the Era of Artificial Intelligence," in IEEE Access.
5. W. Chen, Y. Lin, F. Ng, C. Liu and Y. Lin, "RiceTalk: Rice Blast Detection Using Internet of Things and Artificial Intelligence Technologies," in IEEE Internet of Things Journal, vol. 7, no. 2, pp. 1001-1010, Feb. 2020.
6. J. Zhang and D. Tao, "Empowering Things with Intelligence: A Survey of the Progress, Challenges, and Opportunities in Artificial Intelligence of Things," in IEEE Internet of Things Journal.
7. Y. Tang, Y. Huang, H. Wang, C. Wang, Q. Guo and W. Yao, "Innovation for artificial intelligence analysis in large-scale power grids based on digital simulation," in CSEE Journal of Power and Energy Systems, vol. 4, no. 4, pp. 459-468, Dec. 2018.
8. T. Levi, T. Nanami, A. Tange, K. Aihara and T. Kohno, "Development and Applications of Biomimetic Neuronal Networks Toward BrainMorphic Artificial Intelligence," in IEEE Transactions on Circuits and Systems II: Express Briefs, vol. 65, no. 5, pp. 577-581, May 2018.
9. Dr.G.Kavithaa, M.Prithivi Raj, 2019, "Dynamic signal driving strategy based high speed and low powered dual edge-triggered flip flop design used memory applications," in Microprocessors and Microsystems, Elsevier, November 2019, Volume 71, https://doi.org/10.1016/j.micpro.2019.102879
10. X. Wang, X. Li and V. C. M. Leung, "Artificial Intelligence-Based Techniques for Emerging Heterogeneous Network: State of the Arts, Opportunities, and Challenges," IEEE Access, vol. 3, pp. 1379-1391, 2015.
11. Z. Zhou, X. Chen, E. Li, L. Zeng, K. Luo and J. Zhang, "Edge Intelligence: Paving the Last Mile of Artificial Intelligence With Edge Computing," in Proceedings of the IEEE, vol. 107, no. 8, pp. 1738-1762, Aug. 2019.
12. W. Zhang, Z. Zhang, S. Zeadally, H. Chao and V. C. M. Leung, "MASM: A Multiple-Algorithm Service Model for Energy-Delay Optimization in Edge Artificial Intelligence," in IEEE Transactions on Industrial Informatics, vol. 15, no. 7, pp. 4216-4224, July 2019.
13. E. S. Rigas, S. D. Ramchurn and N. Bassiliades, "Managing Electric Vehicles in the Smart Grid Using Artificial Intelligence: A Survey," in IEEE Transactions Intelligent Transportation Systems, vol. 16, no. 4, pp. 1619-1635, Aug. 2015.
14. J. C. de Albuquerque, R. R. B. de Aquino, O. N. Neto, M. M. S. Lira, A. A. Ferreira and M. A. de Carvalho, "Power Curve Modeling for Wind Turbine using Artificial Intelligence Tools and Pre-Established Inference Criteria," in Journal of Modern Power Systems and Clean Energy.
15. Y. Ma, E. W. M. Lee and R. K. K. Yuen, "An Artificial Intelligence-Based Approach for Simulating Pedestrian Movement," in IEEE Transactions on Intelligent Transportation Systems, vol. 17, no. 11, pp. 3159-3170, Nov. 2016.
16. V. M. Petrović, "Artificial Intelligence and Virtual Worlds – Toward Human-Level AI Agents," in IEEE Access, vol. 6, pp. 39976-39988, 2018.
17. Mingfu Jiang, Zhuo Chen, "Symmetry detection algorithm to classify the tea grades using Artificial Intelligence," Microprocessors and Microsystems,2020,103738, ISSN 0141-9331.
18. Hong Li, "Research on the color of medical rehabilitation products based on embedded system and artificial intelligence," Microprocessors and Microsystems, Volume 81,2021,103673, ISSN 0141-9331.