Model Report

Version •



Date/Time Generated: Author:

1/28/2023 4:36:38 PM andresyfr

Table of Contents

1odel	6
Class Model	6
Class Model diagram	6
<anonymous></anonymous>	6
<anonymous></anonymous>	6
Note	7
\$help://class_model_pattern.htm	7
\$help://classdiagram.htm.	7
System	7
Frameworks	
Class Model diagram	8
com	9
satisfaccion	9
servicio	9
encuestas	10
commons	10
moduloadministracion	11
modulocanalesatencion	11
modulodesempenoproceso	11
moduloexpectativa	12
moduloresultado	12
modulotalentohumano	12
Class Model Complet diagram	12
SatisfaccionServicioApplication	13
SatisfaccionServicioApplicationTests	13
GenericServiceImpl	13
GenericService	14
AdministracionController	15
EncuestaGeneral	18
EncuestaGeneralServiceImpl	19
EncuestaGeneralService	20
EncuestaModuloCanalesAtencionController	21
EncuestaModuloCanalesAtencion	23
EncuestaModuloCanalesAtencionRepository	24
EncuestaModuloCanalesAtencionServiceImpl	24
EncuestaModuloCanalesAtencionService	25
Encuesta Modulo Desempeno Proceso Controller	26
Encuesta Modulo Desempeno Proceso	27
Encuesta Modulo Desempeno Proceso Repository	28
EncuestaModuloDesempenoProcesoServiceImpl	29
EncuestaModuloDesempenoProcesoService	30
EncuestaModuloExpectativaController	30
EncuestaModuloExpectativa	32
EncuestaModuloExpectativaRepository	33
EncuestaModuloExpectativaServiceImpl	33
EncuestaModuloExpectativaService	34

EncuestaModuloResultadoController	35			
ncuestaModuloResultado36				
EncuestaModuloResultadoRepository	37			
EncuestaModuloResultadoServiceImpl	37			
EncuestaModuloResultadoService	38			
EncuestaModuloTalentoHumanoController	39			
EncuestaModuloTalentoHumano	40			
EncuestaModuloTalentoHumanoRepository	42			
EncuestaModuloTalentoHumanoServiceImpl	42			
EncuestaModuloTalentoHumanoService	43			
com	44			
springboot	44			
satisfaccion	44			
servicio	45			
servicio diagram	45			
encuestas				
commons	46			
commons diagram				
GenericServiceImpl				
GenericService				
moduloadministracion				
controller				
controller diagram				
AdministracionController				
model				
entities				
entities diagram				
EncuestaGeneral				
service				
service diagram				
EncuestaGeneralServiceImpl				
Encuesta General Service				
modulocanalesatencion				
controller				
controller diagram				
Encuesta Modulo Canales Atencion Controller				
model				
entities				
entities diagram				
EncuestaModuloCanalesAtencion				
repository				
repository diagram				
EncuestaModuloCanalesAtencionRepository				
service				
service diagram				
Encuesta Modulo Canales Atencion Service Impl.				
EncuestaModuloCanalesAtencionService				
modulodesempenoproceso				
controller				
controller diagram	68			

EncuestaModuloDesempenoProcesoController	68
model	71
entities	71
entities diagram	71
EncuestaModuloDesempenoProceso	71
repository	73
repository diagram	73
EncuestaModuloDesempenoProcesoRepository	73
service	74
service diagram	74
EncuestaModuloDesempenoProcesoServiceImpl	74
EncuestaModuloDesempenoProcesoService	75
moduloexpectativa	77
controller	77
controller diagram	77
EncuestaModuloExpectativaController	77
model	80
entities	80
entities diagram	80
EncuestaModuloExpectativa	80
repository	
repository diagram	82
EncuestaModuloExpectativaRepository	82
service	
service diagram	83
EncuestaModuloExpectativaServiceImpl	
EncuestaModuloExpectativaService	84
moduloresultado	86
controller	86
controller diagram	86
EncuestaModuloResultadoController	
model	89
entities	89
entities diagram	89
EncuestaModuloResultado	89
repository	91
repository diagram	91
EncuestaModuloResultadoRepository	91
service	92
service diagram	92
EncuestaModuloResultadoServiceImpl	92
EncuestaModuloResultadoService	93
modulotalentohumano	95
controller	95
controller diagram	95
EncuestaModuloTalentoHumanoController	95
model	98
entities	98
entities diagram	98
Encuesta Modulo Talento Humano	98

repository	100
repository diagram	100
EncuestaModuloTalentoHumanoRepository	100
service	101
service diagram	101
EncuestaModuloTalentoHumanoServiceImpl	101
EncuestaModuloTalentoHumanoService	102
SatisfaccionServicioApplication	103
SatisfaccionServicioApplicationTests	103
System	104
System diagram	104
Class1	104
Class2	105
Class3	105
Interface1	105
Frameworks	107
Frameworks diagram	107
Note	107

Model

Package in package "

Model
Version Phase 1.0 Proposed
andresyfr created on 1/28/2023. Last modified 1/28/2023

Class Model

Package in package 'Model'

Class Model Version Phase 1.0 Proposed created on 1/28/2023. Last modified 1/28/2023

Class Model diagram

Class diagram in package 'Class Model'

 $\begin{tabular}{ll} Class Model \\ Version 1.0 \\ and resyfr created on 1/28/2023. Last modified 1/28/2023 \\ \end{tabular}$

The Class Model is a logical model of the software system under construction. Classes generally have a direct relationship to source code or other software artifacts that can be grouped together into executable components.

The System package contains the classes and artifacts which are being built or designed as part of the current model. The Frameworks package generally contains classes and components that have been designed and built earlier and are being reused as part of the current project.



Read about Class Modeling



View Further Examples




Figure 1: Class Model

<anonymous>

Note in package 'Class Model'

Classes, interfaces and logical components for the new system

<anonymous>
 Version 1.0 Phase 1.0 Proposed
created on 1/28/2023. Last modified 1/28/2023
 Extends

<anonymous>

Note in package 'Class Model'

Class libraries, API's and other re-usable components

<anonymous>
 Version 1.0 Phase 1.0 Proposed
created on 1/28/2023. Last modified 1/28/2023
 Extends

Note

Note in package 'Class Model'

The Class Model is a logical model of the software system under construction. Classes generally have a direct relationship to source code or other software artifacts that can be grouped together into executable components.

The System package contains the classes and artifacts which are being built or designed as part of the current model. The Frameworks package generally contains classes and components that have been designed and built earlier and are being reused as part of the current project.

Note Version 1.0 Phase 1.0 Proposed created on 1/28/2023. Last modified 1/28/2023 Extends

\$help://class_model_pattern.htm

Text in package 'Class Model'

\$help://class_model_pattern.htm Version 1.0 Phase 1.0 Proposed created on 1/28/2023. Last modified 1/28/2023 Alias Read about Class Modeling Extends

\$help://classdiagram.htm

Text in package 'Class Model'

\$help://classdiagram.htm Version 1.0 Phase 1.0 Proposed created on 1/28/2023. Last modified 1/28/2023 Alias View Further Examples Extends

System

Package in package 'Class Model'

System Version 1.0 Phase 1.0 Proposed created on 1/28/2023. Last modified 1/28/2023

Frameworks

Package in package 'Class Model'

Frameworks
Version 1.0 Phase 1.0 Proposed
created on 1/28/2023. Last modified 1/28/2023

Class Model diagram

Package diagram in package 'Class Model'

 $\begin{tabular}{ll} Class Model & Version 1.0 \\ and resyfr created on 1/28/2023. Last modified 1/28/2023 \end{tabular}$




Figure 2: Class Model

com

Package in package 'Class Model'

com Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency Source -> Destination
From: com : Package, Public
To: satisfaccion : Package, Public

satisfaccion

Package in package 'springboot'

satisfaccion Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

DependencySource -> DestinationFrom:satisfaccion: Package, PublicTo:servicio: Package, Public

Dependency Source -> Destination From: com: Package, Public To: satisfaccion: Package, Public

servicio

Package in package 'satisfaccion'

servicio Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency Source -> Destination From: satisfaccion: Package, Public To: servicio: Package, Public

DependencyDestination -> SourceFrom:encuestas : Package, PublicTo:servicio : Package, Public

encuestas

Package in package 'servicio'

encuestas Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS Source -> Destination **Dependency** From: encuestas: Package, Public To: modulodesempenoproceso: Package, Public Dependency Source -> Destination encuestas: Package, Public From: To: moduloexpectativa: Package, Public **Dependency** Source -> Destination From: encuestas: Package, Public modulocanalesatencion: Package, Public To: Source -> Destination **Dependency** From: encuestas: Package, Public commons: Package, Public To: Dependency Source -> Destination encuestas: Package, Public From: To: moduloadministracion: Package, Public **Dependency** Source -> Destination From: encuestas: Package, Public To: modulotalentohumano: Package, Public **Dependency** Destination -> Source From: encuestas: Package, Public To: servicio: Package, Public Dependency Source -> Destination

commons

From:

To:

Package in package 'encuestas'

encuestas: Package, Public

moduloresultado: Package, Public

commons
Version 1.0 Phase 1.0 Proposed
andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

7

Dependency Source -> Destination From: encuestas : Package, Public To: commons : Package, Public

moduloadministracion

Package in package 'encuestas'

moduloadministracion Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

7 1

Dependency Source -> Destination From: encuestas: Package, Public

To: moduloadministracion : Package, Public

modulocanalesatencion

Package in package 'encuestas'

modulocanalesatencion Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

/ I

Dependency Source -> Destination From: encuestas: Package, Public

To: modulocanalesatencion : Package, Public

modulodesempenoproceso

Package in package 'encuestas'

modulodesempenoproceso Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS



Dependency Source -> Destination From: encuestas: Package, Public

To: modulodesempenoproceso: Package, Public

moduloexpectativa

Package in package 'encuestas'

moduloexpectativa Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

~]

Dependency Source -> Destination From: encuestas: Package, Public

To: moduloexpectativa : Package, Public

moduloresultado

Package in package 'encuestas'

moduloresultado Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

7

Dependency Source -> Destination From: encuestas : Package, Public To: moduloresultado : Package, Public

modulotalentohumano

Package in package 'encuestas'

modulotalentohumano Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS



Dependency Source -> Destination From: encuestas: Package, Public

To: modulotalentohumano : Package, Public

Class Model Complet diagram

Class diagram in package 'Class Model'

 $\label{eq:Class Model Complet} Class \ Model \ Complet \\ Version \ 1.0 \\ and resyfr \ created \ on \ 1/28/2023. \ Last \ modified \ 1/28/2023$




Figure 3: Class Model Complet

SatisfaccionServicioApplication

Class in package 'servicio'

SatisfaccionServicioApplication Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

OPERATIONS

main (args : String[]) : void Public

[Is static True. Is abstract False. Is return array False. Is query False. Is synchronized False.]

SatisfaccionServicioApplicationTests

Class in package 'servicio'

SatisfaccionServicioApplicationTests Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

OPERATIONS

contextLoads () : void Package

Properties:

annotations = @Test

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

GenericServiceImpl

Class in package 'commons'

GenericServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from GenericServiceImpl to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

→ Generalization from EncuestaModuloDesempenoProcesoServiceImpl to GenericServiceImpl [Direction is 'Source -> Destination'.] → Generalization from EncuestaModuloTalentoHumanoServiceImpl to GenericServiceImpl [Direction is 'Source -> Destination'.] → Generalization from EncuestaModuloCanalesAtencionServiceImpl to GenericServiceImpl [Direction is 'Source -> Destination'.] → Generalization from EncuestaModuloResultadoServiceImpl to GenericServiceImpl [Direction is 'Source -> Destination'.] → Generalization from EncuestaModuloExpectativaServiceImpl to GenericServiceImpl [Direction is 'Source -> Destination'.] **OPERATIONS** delete (id : ID) : void Public Properties: annotations = @Override [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] 🌳 get (id : ID) : T Public Properties: annotations = @Override [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] 🌳 getAll () : List<T> Public Properties: annotations = @Override [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] getDao () : CrudRepository<T, ID> Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] save (entity : T) : T Public

GenericService

Properties:

Interface in package 'commons'

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

INCOMING STRUCTURAL RELATIONSHIPS	
⇒ Generalization from EncuestaModuloResultadoService to GenericService	[Direction is 'Source -> Destination'.]
→ Generalization from EncuestaModuloDesempenoProcesoService to GenericService	[Direction is 'Source -> Destination'.]
→ Realization from GenericServiceImpl to GenericService	[Direction is 'Source -> Destination'.]
⇒ Generalization from EncuestaModuloTalentoHumanoService to GenericService	[Direction is 'Source -> Destination'.]
⇒ Generalization from EncuestaModuloExpectativaService to GenericService	[Direction is 'Source -> Destination'.]
⇒ Generalization from EncuestaModuloCanalesAtencionService to GenericService	[Direction is 'Source -> Destination'.]

OPERATIONS	
delete (id : ID) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
♦ get (id : ID) : T Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
♦ getAll () : List <t> Public</t>	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
save (entity: T): T Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

AdministracionController

Class in package 'controller'

AdministracionController Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

ATTRIBUTES

encuestaGeneralService : EncuestaGeneralService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

encuesta Modulo Canales Atencion Service: Encuesta Modulo Canales Atencion Service: Private and Canales Atencion Service: Private AtProperties: annotations = @Autowired [Is static False. Containment is Not Specified.] 📝 encuestaModuloDesempenoProcesoService : EncuestaModuloDesempenoProcesoService Private Properties: annotations = @Autowired [Is static False. Containment is Not Specified.] encuestaModuloExpectativaService : EncuestaModuloExpectativaService Private Properties: annotations = @Autowired [Is static False. Containment is Not Specified.] encuestaModuloResultadoService : EncuestaModuloResultadoService Private Properties: annotations = @Autowired [Is static False. Containment is Not Specified.] encuestaModuloTalentoHumanoService: EncuestaModuloTalentoHumanoService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS Association (direction: Source -> Destination) $Target: Private\ encuesta Modulo Resultado Service$ Source: Public (Class) AdministracionController (Interface) EncuestaModuloResultadoService Association (direction: Source -> Destination) Source: Public (Class) AdministracionController Target: Private encuestaModuloTalentoHumanoService (Interface) EncuestaModuloTalentoHumanoService Association (direction: Source -> Destination) Source: Public (Class) AdministracionController Target: Private encuestaGeneralService (Interface) EncuestaGeneralService Association (direction: Source -> Destination) Source: Public (Class) AdministracionController Target: Private encuestaModuloCanalesAtencionService (Interface) Encuesta Modulo Canales Atencion Service Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private
encuestaModuloDesempenoProcesoService
(Interface)
EncuestaModuloDesempenoProcesoService

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private encuestaModuloExpectativaService
(Interface) EncuestaModuloExpectativaService

OPERATIONS

🌳 filtrarAnual (anio : String , model : Model) : String Public

Properties:

annotations = @GetMapping(value = "/filtros/anual/{anio}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

filtrarMensual (anio : String , model : Model) : String Public

Properties:

annotations = @GetMapping(value = "/filtros/mensual/{anio}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

iltrarSemestral (anio : String , model : Model) : String Public

Properties:

annotations = @GetMapping(value = "/filtros/semestral/{anio}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

home (model : Model) : String Public

Properties:

annotations = @GetMapping(value = "/home")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

index (model : Model) : String Public

Properties:

annotations = @GetMapping(value = "/index")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

totalEncuestasModuloCanalesAtencion (): List<EncuestaModuloCanalesAtencion> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

totalEncuestasModuloDesempenoProceso (): List<EncuestaModuloDesempenoProceso> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

totalEncuestasModuloExpectativa (): List<EncuestaModuloExpectativa> Public

[Is static False. Is abstract False. Is return array False. Is guery False. Is synchronized False.]

totalEncuestasModuloResultado (): List<EncuestaModuloResultado> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

totalEncuestasModuloTalentoHumano () : List<EncuestaModuloTalentoHumano> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

vistaConsultarAnio (anio : String , model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/consultar/{anio}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EncuestaGeneral

Class in package 'entities'

EncuestaGeneral Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency

Source -> Destination

From: EncuestaGeneralServiceImpl: Class, Public

To: EncuestaGeneral : Class, Public

ATTRIBUTES

fechaDiligenciada : String Private

[Is static False. Containment is Not Specified.]

idCiudadano : long Private

Properties:

annotations = @Id

[Is static False. Containment is Not Specified.]

name : String Private

[Is static False. Containment is Not Specified.]

pregunta : String Private

[Is static False. Containment is Not Specified.]

respuesta : int Private

[Is static False. Containment is Not Specified.]

OPERATIONS

EncuestaGeneral (): Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EncuestaGeneralServiceImpl

Class in package 'service'

EncuestaGeneralServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from EncuestaGeneralServiceImpl to EncuestaGeneralService

[Direction is 'Source -> Destination'.]

CONNECTORS

7

Dependency Source -> Destination

From: EncuestaGeneralServiceImpl: Class, Public

To: EncuestaGeneral : Class, Public

ATTRIBUTES

CANAL : String Private Const = "Encuesta de canal atencion"

[Is static True. Containment is Not Specified.]

DESEMPENO : String Private Const = "Encuesta de desempeño"

[Is static True. Containment is Not Specified.]

EXPECTATIVA: String Private Const = "Encuesta de expectativa"

[Is static True. Containment is Not Specified.]

RESULTADO : String Private Const = "Encuesta de resultado"

[Is static True. Containment is Not Specified.]

TALENTO: String Private Const = "Encuesta de talento humano"

[Is static True. Containment is Not Specified.]

OPERATIONS

agruparEncuestasMes (totalRespuestasObj : List<EncuestaGeneral>) : Map<Integer,List<EncuestaGeneral>> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🎙 agruparEncuestasSemestre (totalRespuestasObj : List<EncuestaGeneral>) : Map<Integer,List<EncuestaGeneral>> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🌳 agruparRespuestas (totalRespuestasObj : List<EncuestaGeneral>) : Map<String, List<Integer>> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

obtenerEncuestasDentroDeAnio (anio: String, totalEncuestasModuloCanalesAtencion: List<EncuestaModuloCanalesAtencion>, totalEncuestasModuloDesempenoProceso: List<EncuestaModuloDesempenoProceso>, totalEncuestasModuloExpectativa: List<EncuestaModuloExpectativa>, totalEncuestasModuloResultado: List<EncuestaModuloResultado>, totalEncuestaSModuloResultado: List<EncuestaModuloResultado>

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

obtenerModuloPregunta (pregunta : String) : String Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🗣 obtenerPromedio (respuestasAgrupadas : Map<String,List<Integer>>) : Map<String,Double> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EncuestaGeneralService

Interface in package 'service'

EncuestaGeneralService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaGeneralServiceImpl to EncuestaGeneralService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private encuestaGeneralService (Interface) EncuestaGeneralService

OPERATIONS

- agruparEncuestasMes (totalRespuestasObj : List<EncuestaGeneral>) : Map<Integer,List<EncuestaGeneral>> Public

 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
- agruparEncuestasSemestre (totalRespuestasObj : List<EncuestaGeneral>) : Map<Integer,List<EncuestaGeneral>> Public

 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
- agruparRespuestas (totalRespuestasObj: List<EncuestaGeneral>): Map<String, List<Integer>> Public

 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

obtenerEncuestasDentroDeAnio (anio: String, totalEncuestasModuloCanalesAtencion: List<EncuestaModuloCanalesAtencion>, totalEncuestasModuloDesempenoProceso: List<EncuestaModuloDesempenoProceso>, totalEncuestasModuloExpectativa: List<EncuestaModuloExpectativa>, totalEncuestasModuloResultado: List<EncuestaModuloResultado>, totalEncuestaModuloTalentoHumano>): List<EncuestaGeneral> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

obtenerPromedio (respuestasAgrupadas : Map<String,List<Integer>>) : Map<String,Double> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Encuesta Modulo Canales Atencion Controller

Class in package 'controller'

EncuestaModuloCanalesAtencionController Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

_

Dependency Source -> Destination

From: EncuestaModuloCanalesAtencionController: Class, Public

To: EncuestaModuloCanalesAtencion : Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

encuestaModuloCanalesAtencionService : EncuestaModuloCanalesAtencionService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

pregunta1Valor : String Private Const = "1. ¿Identificol claramente a quel oficina o ventanilla dirigirse para realizar su trámite? "

[Is static True. Containment is Not Specified.]

pregunta2Valor : String Private Const = "2. ¿Cómo califica la comodidad limpieza y orden de las instalaciones?"

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloCanalesAtencionController

Target: Private

encuestaModuloCanalesAtencionService (Interface)

Encuesta Modulo Canales Atencion Service

OPERATIONS

getAll () : List<EncuestaModuloCanalesAtencion> Public


```
Properties:
         annotations = @GetMapping(value = "/all")
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
indexModuloCanalesAtencion (model: Map<String, Object>): String Public
       Properties:
         annotations = @GetMapping(value = "/index")
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
🗣 indexModuloCanalesAtencion (cedula : String , model : Map<String, Object> ) : String Public
       Properties:
         annotations = @GetMapping(value = "/index/{cedula}")
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
🌳 save (encuestaModuloCanalesAtencion : EncuestaModuloCanalesAtencion , result : BindingResult , model : Model , flash :
RedirectAttributes , cedula : String ) : String Public
       Properties:
         annotations = @PostMapping(value = "/save/{cedula}")
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
```


Encuesta Modulo Canales Atencion

Class in package 'entities'

EncuestaModuloCanalesAtencion Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS Dependency Source → Destination From: EncuestaModuloCanalesAtencion ServiceImpl: Class, Public To: EncuestaModuloCanalesAtencion: Class, Public Dependency Source → Destination From: EncuestaModuloCanalesAtencionController: Class, Public To: EncuestaModuloCanalesAtencion: Class, Public





Encuesta Modulo Canales Atencion Repository

Interface in package 'repository'

EncuestaModuloCanalesAtencionRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Target: Private

 $Encuesta Modulo Canales Atencion Service Impl \\ encuesta Modulo Canales Atencion Repository \\$

(Interface)

EncuestaModuloCanalesAtencionRepository

${\bf Encuesta Modulo Canales A tencion Service Impl}$

Class in package 'service'

EncuestaModuloCanalesAtencionServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from EncuestaModuloCanalesAtencionServiceImpl to EncuestaModuloCanalesAtencionService

[Direction is 'Source -> Destination'.]

Generalization from EncuestaModuloCanalesAtencionServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

CONNECTORS

Dependency Source -> Destination

Encuesta Modulo Canales Atencion Service Impl: Class, PublicFrom:

To: EncuestaModuloCanalesAtencion: Class, Public

ATTRIBUTES

encuestaModuloCanalesAtencionRepository : EncuestaModuloCanalesAtencionRepository Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Target: Private Encuesta Modulo Canales Atencion Service Impl

encuesta Modulo Canales Atencion Repository

(Interface)

Encuesta Modulo Canales Atencion Repository

OPERATIONS

getDao () : CrudRepository<EncuestaModuloCanalesAtencion, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Encuesta Modulo Canales Atencion Service

Interface in package 'service'

Encuesta Modulo Canales Atencion Service Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloCanalesAtencionService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaModuloCanalesAtencionServiceImpl to EncuestaModuloCanalesAtencionService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController Target: Private

encuestaModuloCanalesAtencionService (Interface)

Encuesta Modulo Canales Atencion Service

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloCanalesAtencionController Target: Private

encuestaModuloCanalesAtencionService (Interface)

Encuesta Modulo Canales Atencion Service

Encuesta Modulo Desempeno Proceso Controller

Class in package 'controller'

EncuestaModuloDesempenoProcesoController Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency

Source -> Destination

From: EncuestaModuloDesempenoProcesoController: Class, Public

To: EncuestaModuloDesempenoProceso: Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

encuestaModuloDesempenoProcesoService : EncuestaModuloDesempenoProcesoService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

pregunta1Valor: String Private Const = "1. ¿Cómo califica la cantidad de tiempo que le tomoì colocar su petición, queja, reclamo o sugerencia? "

[Is static True. Containment is Not Specified.]

pregunta2AValor : String Private Const = "2. ¿Cómo califica los siguientes aspectos de la entidad? \n" + "A. Rapidez y sencillez en la atención y en el acceso a los servicios"

[Is static True. Containment is Not Specified.]

pregunta2BValor : String Private Const = "2. ¿Cómo califica los siguientes aspectos de la entidad? \n" +

"B. Respeto por el turno de atenci \tilde{A}^3 n y por el cumplimiento de los horarios de atenci \tilde{A}^3 n."

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Desempeno Proceso Controller

Target: Private

encuesta Modulo De sempeno Proceso Service

(Interface)

Encuesta Modulo Desempeno Proceso Service

OPERATIONS

getAll (): List<EncuestaModuloDesempenoProceso> Public

Properties:

```
annotations = @GetMapping(value = "/all")
```

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🗣 indexModuloDesempenoProceso (model : Map<String, Object>) : String Public

Properties:

```
annotations = @GetMapping(value = "/index")
```

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🗣 indexModuloDesempenoProceso (cedula : String , model : Map<String, Object>) : String Public

Properties:

```
annotations = @GetMapping(value = "/index/{cedula}")
```

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🗣 save (encuestaModuloDesempenoProceso : EncuestaModuloDesempenoProceso , result : BindingResult , model : Model , flash : RedirectAttributes, cedula: String): String Public

Properties:

```
annotations = @PostMapping(value = "/save/{cedula}")
```

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EncuestaModuloDesempenoProceso

Class in package 'entities'

EncuestaModuloDesempenoProceso Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS



Dependency Source -> Destination

From: EncuestaModuloDesempenoProcesoServiceImpl: Class, Public

To: EncuestaModuloDesempenoProceso: Class, Public

7

Dependency Source -> Destination

From: EncuestaModuloDesempenoProcesoController: Class, Public

To: EncuestaModuloDesempenoProceso : Class, Public

```
ATTRIBUTES
fechaDiligenciada : String Private
Properties:
         annotations = @Column(name = "fecha_diligenciada")
                                                                               [ Is static False. Containment is Not Specified. ]
idCiudadano : long Private
Properties:
         annotations = @Id@Column(name = "id_ciudadano")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta1 : String Private
Properties:
         annotations = @Column(name = "pregunta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta2a : String Private
Properties:
         annotations = @Column(name = "pregunta_2_a")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta2b : String Private
Properties:
         annotations = @Column(name = "pregunta_2_b")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta1: int Private
Properties:
         annotations = @Column(name = "respuesta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta2a : int Private
Properties:
         annotations = @Column(name = "respuesta_2_a")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta2b : int Private
Properties:
         annotations = @Column(name = "respuesta_2_b")
                                                                               [ Is static False. Containment is Not Specified. ]
```

EncuestaModuloDesempenoProcesoRepository

Interface in package 'repository'

EncuestaModuloDesempenoProcesoRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Desempeno Proceso Service Impl

Target: Private

encuestaModuloDesempenoProcesoRepository

(Interface)

EncuestaModuloDesempenoProcesoRepository

Encuesta Modulo Desempeno Proceso Service Impl

Class in package 'service'

Encuesta Modulo Desempeno Proceso Service ImplVersion 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloDesempenoProcesoServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

Realization from EncuestaModuloDesempenoProcesoServiceImpl to EncuestaModuloDesempenoProcesoService

[Direction is 'Source -> Destination'.]

CONNECTORS

Dependency Source -> Destination

Encuesta Modulo Desempeno Proceso Service Impl: Class, PublicFrom:

To: EncuestaModuloDesempenoProceso: Class, Public

ATTRIBUTES

🐶 encuestaModuloDesempenoProcesoRepository : EncuestaModuloDesempenoProcesoRepository Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) Target: Private

Encuesta Modulo Desempeno Proceso Service Implencuesta Modulo Desempeno Proceso Repository

(Interface)

EncuestaModuloDesempenoProcesoRepository

OPERATIONS

🗣 getDao () : CrudRepository<EncuestaModuloDesempenoProceso, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Encuesta Modulo Desempeno Proceso Service

Interface in package 'service'

EncuestaModuloDesempenoProcesoService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloDesempenoProcesoService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaModuloDesempenoProcesoServiceImpl to EncuestaModuloDesempenoProcesoService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Desempeno Proceso Controller

Target: Private

encuesta Modulo De sempeno Proceso Service

(Interface)

Encuesta Modulo Desempeno Proceso Service

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private

encuesta Modulo De sempeno Proceso Service

(Interface)

EncuestaModuloDesempenoProcesoService

Encuesta Modulo Expectativa Controller

Class in package 'controller'

andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Source -> Destination **Dependency**

 $Encuesta Modulo Expectativa Controller: Class, \ Public$ From:

EncuestaModuloExpectativa: Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

encuestaModuloExpectativaService : EncuestaModuloExpectativaService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

🐓 pregunta1Valor : String Private Const = "1. ¿Cómo califica la calidad de la prestación del servicio ofrecido por la entidad, cumplió sus expectativas?''

[Is static True. Containment is Not Specified.]

🌶 pregunta2Valor : String Private Const = "2. ¿RecomendarÃa la entidad por el servicio prestado?"

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloExpectativaController

Target: Private encuestaModuloExpectativaService (Interface) EncuestaModuloExpectativaService

OPERATIONS

getAll (): List<EncuestaModuloExpectativa> Public

Properties:

annotations = @GetMapping(value = "/all")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🗣 indexModuloExpectativa (model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

indexModuloExpectativa (cedula : String , model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

```
save (encuestaModuloExpectativa : EncuestaModuloExpectativa , result : BindingResult , model : Model , flash :
RedirectAttributes , cedula : String ) : String Public

Properties:
    annotations = @PostMapping(value = "/save/{cedula}")
    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
```

Encuesta Modulo Expectativa

Class in package 'entities'

EncuestaModuloExpectativa Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

Dependency Source -> Destination From: EncuestaModuloExpectativaServiceImpl : Class, Public To: EncuestaModuloExpectativa : Class, Public Dependency Source -> Destination From: EncuestaModuloExpectativaController : Class, Public To: EncuestaModuloExpectativa : Class, Public

```
ATTRIBUTES
 fechaDiligenciada : String Private
Properties:
         annotations = @Column(name = "fecha_diligenciada")
                                                                              [ Is static False. Containment is Not Specified. ]
idCiudadano : long Private
Properties:
         annotations = @Id@Column(name = "id_ciudadano")
                                                                              [ Is static False. Containment is Not Specified. ]
pregunta1 : String Private
Properties:
         annotations = @Column(name = "pregunta_1")
                                                                              [ Is static False. Containment is Not Specified. ]
pregunta2 : String Private
Properties:
         annotations = @Column(name = "pregunta_2")
                                                                              [ Is static False. Containment is Not Specified. ]
respuesta1 : int Private
Properties:
         annotations = @Column(name = "respuesta_1")
```

[Is static False. Containment is Not Specified.]

respuesta2 : int Private

Properties:

annotations = @Column(name = "respuesta_2")

[Is static False. Containment is Not Specified.]

Encuesta Modulo Expectativa Repository

Interface in package 'repository'

EncuestaModuloExpectativaRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloExpectativaServiceImpl

Target: Private encuestaModuloExpectativaRepository (Interface) EncuestaModuloExpectativaRepository

Encuesta Modulo Expectativa Service Impl

Class in package 'service'

Encuesta Modulo Expectativa Service ImplVersion 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from EncuestaModuloExpectativaServiceImpl to EncuestaModuloExpectativaService

[Direction is 'Source -> Destination'.]

Generalization from EncuestaModuloExpectativaServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

CONNECTORS

Dependency Source -> Destination

EncuestaModuloExpectativaServiceImpl: Class, Public From:

To: EncuestaModuloExpectativa: Class, Public

ATTRIBUTES



encuesta Modulo Expectativa Repository: Encuesta Modulo Expectativa Repository: Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloExpectativaServiceImpl

Target: Private

 $encuesta Modulo Expectativa Repository \ (Interface) \\ Encuesta Modulo Expectativa Repository$

OPERATIONS

🗣 getDao () : CrudRepository<EncuestaModuloExpectativa, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Encuesta Modulo Expectativa Service

Interface in package 'service'

EncuestaModuloExpectativaService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloExpectativaService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaModuloExpectativaServiceImpl to EncuestaModuloExpectativaService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloExpectativaController

 $Target: Private\ encuesta Modulo Expectativa Service \\ (Interface)\ Encuesta Modulo Expectativa Service$

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private encuestaModuloExpectativaService (Interface) EncuestaModuloExpectativaService

Encuesta Modulo Resultado Controller

Class in package 'controller'

EncuestaModuloResultadoController Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

7 1

Dependency Source -> Destination

From: EncuestaModuloResultadoController: Class, Public

To: EncuestaModuloResultado : Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

encuestaModuloResultadoService : EncuestaModuloResultadoService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

pregunta1Valor : String Private Const = "1. ¿La entidad le diol respuesta efectiva y oportuna a su requerimiento?"

[Is static True. Containment is Not Specified.]

pregunta2Valor : String Private Const = "2. ¿La entidad cumplióÌ con los acuerdos, tiempos o compromisos establecidos?"

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloResultadoController

Target: Private encuestaModuloResultadoService (Interface) EncuestaModuloResultadoService

OPERATIONS

🗣 getAll () : List<EncuestaModuloResultado> Public

Properties:

annotations = @GetMapping(value = "/all")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

indexModuloExpectativa (cedula : String , model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

indexModuloResultado (model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🌳 save (encuestaModuloResultado : EncuestaModuloResultado , result : BindingResult , model : Model , flash : RedirectAttributes , cedula : String) : String Public

Properties:

annotations = @PostMapping(value = "/save/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Encuesta Modulo Resultado

Class in package 'entities'

EncuestaModuloResultado Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency Source -> Destination

Encuesta Modulo Resultado Service Impl: Class, PublicFrom:

EncuestaModuloResultado: Class, Public To:

Dependency Source -> Destination

Encuesta Modulo Resultado Controller: Class, PublicFrom:

To: EncuestaModuloResultado: Class, Public

ATTRIBUTES



fechaDiligenciada : String Private

Properties:

annotations = @Column(name = "fecha_diligenciada")

[Is static False. Containment is Not Specified.]

idCiudadano : long Private

Properties:

annotations = @Id@Column(name = "id_ciudadano")

[Is static False. Containment is Not Specified.]

pregunta1 : String Private

Properties:

annotations = @Column(name = "pregunta_1")

[Is static False. Containment is Not Specified.]

pregunta2 : String Private

Properties:

annotations = @Column(name = "pregunta_2")

[Is static False. Containment is Not Specified.]

respuesta1: int Private Properties:

annotations = @Column(name = "respuesta_1")

[Is static False. Containment is Not Specified.]

respuesta2: int Private

Properties:

annotations = @Column(name = "respuesta_2")

[Is static False. Containment is Not Specified.]

EncuestaModuloResultadoRepository

Interface in package 'repository'

EncuestaModuloResultadoRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloResultadoServiceImpl

Target: Private

 $encuesta Modulo Resultado Repository\ (Interface)$

Encuesta Modulo Resultado Repository

EncuestaModuloResultadoServiceImpl

Class in package 'service'

EncuestaModuloResultadoServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from EncuestaModuloResultadoServiceImpl to EncuestaModuloResultadoService

[Direction is 'Source -> Destination'.]

Generalization from EncuestaModuloResultadoServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

CONNECTORS

Dependency Source -> Destination

From: EncuestaModuloResultadoServiceImpl: Class, Public

To: EncuestaModuloResultado: Class, Public

ATTRIBUTES

encuestaModuloResultadoRepository : EncuestaModuloResultadoRepository Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloResultadoServiceImpl

Target: Private

encuestaModuloResultadoRepository (Interface)

Encuesta Modulo Resultado Repository

OPERATIONS

🗣 getDao () : CrudRepository<EncuestaModuloResultado, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Encuesta Modulo Resultado Service

Interface in package 'service'

EncuestaModuloResultadoService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloResultadoService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaModuloResultadoServiceImpl to EncuestaModuloResultadoService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

 $Target: Private\ encuesta Modulo Resultado Service \\ (Interface)\ Encuesta Modulo Resultado Service \\$

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloResultadoController

Target: Private encuestaModuloResultadoService (Interface) EncuestaModuloResultadoService

Encuesta Modulo Talento Humano Controller

Class in package 'controller'

EncuestaModuloTalentoHumanoController Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

₹ I

Dependency Source -> Destination

From: EncuestaModuloTalentoHumanoController: Class, Public

To: EncuestaModuloTalentoHumano: Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

📝 encuestaModuloTalentoHumanoService : EncuestaModuloTalentoHumanoService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

pregunta1AValor: String Private Const = "1. ¿Cómo califica los siguientes aspectos del servidor que lo atendióì ?\n" + "A. Presentación personal."

[Is static True. Containment is Not Specified.]

pregunta1BValor: String Private Const = "1. ¿Cómo califica los siguientes aspectos del servidor que lo atendióÌ ?\n"
 + "B. Actitud y amabilidad."

[Is static True. Containment is Not Specified.]

pregunta1CValor: String Private Const = "1. ¿Cómo califica los siguientes aspectos del servidor que lo atendióì ?\n" + "C. Claridad, calidad y conocimiento de la asesorÃa recibida."

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloTalentoHumanoController

Target: Private

encuestaModuloTalentoHumanoService (Interface)

EncuestaModuloTalentoHumanoService

OPERATIONS

🔖 getAll () : List<EncuestaModuloTalentoHumano> Public


```
Properties:
         annotations = @GetMapping(value = "/all")
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
🗣 indexModuloTalentoHumano (model : Map<String, Object> ) : String Public
       Properties:
         annotations = @GetMapping(value = "/index")
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
🗣 indexModuloTalentoHumano (cedula : String , model : Map<String, Object> ) : String Public
       Properties:
         annotations = @GetMapping(value = "/index/{cedula}")
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
🌳 save (encuestaModuloTalentoHumano : EncuestaModuloTalentoHumano , result : BindingResult , model : Model , flash :
RedirectAttributes , cedula : String ) : String Public
       Properties:
         annotations = @PostMapping(value = "/save/{cedula}")
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
```

Encuesta Modulo Talento Humano

Class in package 'entities'

EncuestaModuloTalentoHumano Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS Dependency Source → Destination From: EncuestaModuloTalentoHumanoController: Class, Public To: EncuestaModuloTalentoHumano: Class, Public Dependency Source → Destination From: EncuestaModuloTalentoHumanoServiceImpl: Class, Public To: EncuestaModuloTalentoHumano: Class, Public





EncuestaModuloTalentoHumanoRepository

Interface in package 'repository'

EncuestaModuloTalentoHumanoRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

Association (direction: Source -> Destination) Source: Public (Class) EncuestaModuloTalentoHumanoServiceImpl EncuestaModuloTalentoHumanoRepository (Interface) EncuestaModuloTalentoHumanoRepository

Encuesta Modulo Talento Humano Service Impl

Class in package 'service'

Encuesta Modulo Talento Humano Service Impl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

⊨ Realization from EncuestaModuloTalentoHumanoServiceImpl to EncuestaModuloTalentoHumanoService

[Direction is 'Source -> Destination'.]

Generalization from EncuestaModuloTalentoHumanoServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

CONNECTORS

Dependency Source -> Destination

EncuestaModuloTalentoHumanoServiceImpl: Class, Public From:

EncuestaModuloTalentoHumano: Class, Public To:

ATTRIBUTES

🐶 encuestaModuloTalentoHumanoRepository : EncuestaModuloTalentoHumanoRepository Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Talento Humano Service Impl

Target: Private

encuestaModuloTalentoHumanoRepository

(Interface)

EncuestaModuloTalentoHumanoRepository

OPERATIONS

🗣 getDao () : CrudRepository<EncuestaModuloTalentoHumano, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Encuesta Modulo Talento Humano Service

Interface in package 'service'

EncuestaModuloTalentoHumanoService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloTalentoHumanoService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

➡ Realization from EncuestaModuloTalentoHumanoServiceImpl to EncuestaModuloTalentoHumanoService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private

encuestaModuloTalentoHumanoService (Interface)

Encuesta Modulo Talento Humano Service

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloTalentoHumanoController

Target: Private

encuestaModuloTalentoHumanoService (Interface)

Encuesta Modulo Talento Humano Service

com

Package in package 'Class Model'

Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

LINKS TO OTHER PACKAGES ☐ Dependency from 'com' Package to 'satisfaccion' Package Direction: Source -> Destination

springboot

Package in package 'com'

springboot Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

satisfaccion

Package in package 'springboot'

satisfaccion Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

LINKS TO OTHER PACKAGES		
← Dependency from 'satisfaccion' Package to 'servicio' Package	Direction:	Source -> Destination
← Dependency from 'com' Package to 'satisfaccion' Package	Direction:	Source -> Destination

servicio

Package in package 'satisfaccion'

servicio Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

LINKS TO OTHER PACKAGES		
← Dependency from 'satisfaccion' Package to 'servicio' Package	Direction:	Source -> Destination
← Dependency from 'encuestas' Package to 'servicio' Package	Direction:	Destination -> Source

servicio diagram

Class diagram in package 'servicio'



Figure 4: servicio

encuestas

Package in package 'servicio'

LINKS TO OTHER PACKAGES		
← Dependency from 'encuestas' Package to 'modulodesempenoproceso' Package	Direction:	Source -> Destination
← Dependency from 'encuestas' Package to 'moduloexpectativa' Package	Direction:	Source -> Destination
← Dependency from 'encuestas' Package to 'modulocanalesatencion' Package	Direction:	Source -> Destination
← Dependency from 'encuestas' Package to 'commons' Package	Direction:	Source -> Destination
← Dependency from 'encuestas' Package to 'moduloadministracion' Package	Direction:	Source -> Destination
← Dependency from 'encuestas' Package to 'modulotalentohumano' Package	Direction:	Source -> Destination
← Dependency from 'encuestas' Package to 'servicio' Package	Direction:	Destination -> Source
← Dependency from 'encuestas' Package to 'moduloresultado' Package	Direction:	Source -> Destination

commons

Package in package 'encuestas'

LINKS TO OTHER PACKAGES		
← Dependency from 'encuestas' Package to 'commons' Package	Direction:	Source -> Destination

commons diagram

Class diagram in package 'commons'




Figure 5: commons

GenericServiceImpl

Class in package 'commons'

GenericServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from GenericServiceImpl to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

➡ Generalization from EncuestaModuloDesempenoProcesoServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

→ Generalization from EncuestaModuloTalentoHumanoServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

→ Generalization from EncuestaModuloCanalesAtencionServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

→ Generalization from EncuestaModuloResultadoServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

→ Generalization from EncuestaModuloExpectativaServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

OPERATIONS

🗣 delete (id : ID) : void Public

Properties:

annotations = @Override [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] get (id : ID) : T Public Properties: annotations = @Override [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] getAll () : List<T> Public Properties: annotations = @Override [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] getDao () : CrudRepository<T, ID> Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] save (entity : T) : T Public Properties: annotations = @Override [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

GenericService

Interface in package 'commons'

GenericService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

INCOMING STRUCTURAL RELATIONSHIPS	
→ Generalization from EncuestaModuloResultadoService to GenericService	[Direction is 'Source -> Destination'.]
→ Generalization from EncuestaModuloDesempenoProcesoService to GenericService	[Direction is 'Source -> Destination'.]
→ Realization from GenericServiceImpl to GenericService	[Direction is 'Source -> Destination'.]
→ Generalization from EncuestaModuloTalentoHumanoService to GenericService	[Direction is 'Source -> Destination'.]
→ Generalization from EncuestaModuloExpectativaService to GenericService	[Direction is 'Source -> Destination'.]
→ Generalization from EncuestaModuloCanalesAtencionService to GenericService	[Direction is 'Source -> Destination'.]

OPERATIONS	
delete (id : ID) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
♦ get (id : ID) : T Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
♦ getAll () : List <t> Public</t>	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
save (entity: T): T Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

moduloadministracion

Package in package 'encuestas'

moduloadministracion Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

LINKS TO OTHER PACKAGES		
Dependency from 'encuestas' Package to 'moduloadministracion' Package	Direction:	Source -> Destination

controller

Package in package 'moduloadministracion'

controller Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

controller diagram

Class diagram in package 'controller'

controller Version 1.0 andresyfr created on 1/28/2023. Last modified 1/28/2023

AdministracionController

- encuestaGeneralService: EncuestaGeneralService
- encuestaModuloCanalesAtencionService: EncuestaModuloCanalesAtencionService
- encuesta Modulo Desempeno Proceso Service: Encuesta Modulo Desempeno Proceso Service
- encuestaModuloExpectativaService: EncuestaModuloExpectativaService
- encuestaModuloResultadoService: EncuestaModuloResultadoService
- encuestaModuloTalentoHumanoService: EncuestaModuloTalentoHumanoService
- + filtrarAnual(String, Model): String
- + filtrarMensual(String, Model): String
- + filtrarSemestral(String, Model): String
- + home(Model): String
- + index(Model): String
- + totalEncuestasModuloCanalesAtencion(): List<EncuestaModuloCanalesAtencion>
- + totalEncuestasModuloDesempenoProceso(): List<EncuestaModuloDesempenoProceso>
- + totalEncuestasModuloExpectativa(): List<EncuestaModuloExpectativa>
- + totalEncuestasModuloResultado(): List<EncuestaModuloResultado>
- + totalEncuestasModuloTalentoHumano(): List<EncuestaModuloTalentoHumano>
- + vistaConsultarAnio(String, Map<String, Object>): String

Figure 6: controller

AdministracionController

Class in package 'controller'

AdministracionController Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

ATTRIBUTES encuestaGeneralService : EncuestaGeneralService Private Properties: annotations = @Autowired [Is static False. Containment is Not Specified.] encuestaModuloCanalesAtencionService : EncuestaModuloCanalesAtencionService Private Properties: annotations = @Autowired [Is static False. Containment is Not Specified.] encuestaModuloDesempenoProcesoService : EncuestaModuloDesempenoProcesoService Private Properties: annotations = @Autowired [Is static False. Containment is Not Specified.] encuestaModuloExpectativaService : EncuestaModuloExpectativaService Private Properties: annotations = @Autowired [Is static False. Containment is Not Specified.] encuestaModuloResultadoService : EncuestaModuloResultadoService Private Properties: annotations = @Autowired [Is static False. Containment is Not Specified.]

encuestaModuloTalentoHumanoService : EncuestaModuloTalentoHumanoService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS	
Association (direction: Source -> Destination)	
Source: Public (Class) AdministracionController	Target: Private encuestaModuloResultadoService (Interface) EncuestaModuloResultadoService
Association (direction: Source -> Destination)	
Source: Public (Class) AdministracionController	Target: Private encuestaModuloTalentoHumanoService (Interface) EncuestaModuloTalentoHumanoService
Association (direction: Source -> Destination)	
Source: Public (Class) AdministracionController	Target: Private encuestaGeneralService (Interface) EncuestaGeneralService

Association (direction: Source -> Destination) Source: Public (Class) AdministracionController Target: Private encuestaModuloCanalesAtencionService (Interface) Encuesta Modulo Canales Atencion Service Association (direction: Source -> Destination) Source: Public (Class) AdministracionController Target: Private encuesta Modulo Desempeno Proceso Service(Interface) EncuestaModuloDesempenoProcesoService Association (direction: Source -> Destination) Source: Public (Class) AdministracionController Target: Private encuestaModuloExpectativaService (Interface) EncuestaModuloExpectativaService **OPERATIONS** 🗣 filtrarAnual (anio : String , model : Model) : String Public Properties: annotations = @GetMapping(value = "/filtros/anual/{anio}") [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] 🗣 filtrarMensual (anio : String , model : Model) : String Public Properties: annotations = @GetMapping(value = "/filtros/mensual/{anio}") [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] filtrarSemestral (anio: String, model: Model): String Public Properties: annotations = @GetMapping(value = "/filtros/semestral/{anio}") [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] home (model : Model) : String Public Properties: annotations = @GetMapping(value = "/home") [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] index (model : Model) : String Public Properties: annotations = @GetMapping(value = "/index") [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] totalEncuestasModuloCanalesAtencion (): List<EncuestaModuloCanalesAtencion> Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.] totalEncuestasModuloDesempenoProceso (): List<EncuestaModuloDesempenoProceso> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

totalEncuestasModuloExpectativa (): List<EncuestaModuloExpectativa> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

totalEncuestasModuloResultado (): List<EncuestaModuloResultado> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

♦ totalEncuestasModuloTalentoHumano () : List<EncuestaModuloTalentoHumano> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

vistaConsultarAnio (anio : String , model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/consultar/{anio}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

model

Package in package 'moduloadministracion'

entities

Package in package 'model'

entities

Version 1.0 Phase 1.0 Proposed
andresyfr created on 1/28/2023. Last modified 1/28/2023

entities diagram

Class diagram in package 'entities'

EncuestaGeneral

- fechaDiligenciada: String
- idCiudadano: long
- name: String
- pregunta: String
- respuesta: int
- + EncuestaGeneral()

Figure 7: entities

EncuestaGeneral

Class in package 'entities'

EncuestaGeneral Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency Source -> Destination

From: EncuestaGeneralServiceImpl: Class, Public

To: EncuestaGeneral : Class, Public

ATTRIBUTES

fechaDiligenciada : String Private

[Is static False. Containment is Not Specified.]

🌶 idCiudadano : long Private

Properties: annotations = @Id	
amountain & 12	[Is static False. Containment is Not Specified.]
name: String Private	[Is static False. Containment is Not Specified.]
pregunta : String Private	[Is static False. Containment is Not Specified.]
respuesta: int Private	[Is static False. Containment is Not Specified.]

OPERATIONS

EncuestaGeneral (): Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

service

Package in package 'moduloadministracion'

service Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

service diagram

Class diagram in package 'service'




Figure 8: service

EncuestaGeneralServiceImpl

Class in package 'service'

EncuestaGeneralServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

OUTGOING STRUCTURAL RELATIONSHIPS Realization from EncuestaGeneralServiceImpl to EncuestaGeneralService [Direction is 'Source -> Destination'.]

CONNECTORS

Dependency Source -> Destination

From: EncuestaGeneralServiceImpl: Class, Public

To: EncuestaGeneral : Class, Public

ATTRIBUTES

CANAL : String Private Const = "Encuesta de canal atencion"

[Is static True. Containment is Not Specified.]

DESEMPENO : String Private Const = "Encuesta de desempeño"

```
OPERATIONS
🗣 agruparEncuestasMes (totalRespuestasObj : List<EncuestaGeneral> ) : Map<Integer,List<EncuestaGeneral>> Public
       Properties:
         annotations = @Override
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
  agruparEncuestasSemestre (totalRespuestasObj: List<EncuestaGeneral>): Map<Integer,List<EncuestaGeneral>> Public
       Properties:
         annotations = @Override
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
🗣 agruparRespuestas (totalRespuestasObj : List<EncuestaGeneral> ) : Map<String, List<Integer>> Public
       Properties:
          annotations = @Override
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
obtenerEncuestasDentroDeAnio (anio : String , totalEncuestasModuloCanalesAtencion :
{\sf List} < {\sf EncuestaModuloCanalesAtencion} , total {\sf EncuestasModuloDesempenoProceso} : {\sf List} < {\sf EncuestaModuloDesempenoProceso} ,
{\it totalEncuestasModuloExpectativa: List \le EncuestaModuloExpectativa > \ ,\ totalEncuestasModuloResultado: }
{\sf List} < Encuesta Modulo Resultado>, total Encuestas Modulo Talento Humano: {\sf List} < Encuesta Modulo Talento Humano>):
List<EncuestaGeneral> Public
       Properties:
          annotations = @Override
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
obtenerModuloPregunta (pregunta : String ) : String Public
                                    [ Is static False. Is abstract False. Is return array False. Is guery False. Is synchronized False. ]
🗣 obtenerPromedio (respuestasAgrupadas : Map<String,List<Integer>> ) : Map<String,Double> Public
       Properties:
         annotations = @Override
                                    [ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]
```

EncuestaGeneralService

Interface in package 'service'

EncuestaGeneralService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaGeneralServiceImpl to EncuestaGeneralService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private encuestaGeneralService (Interface)

EncuestaGeneralService

OPERATIONS

- agruparEncuestasMes (totalRespuestasObj : List<EncuestaGeneral>) : Map<Integer,List<EncuestaGeneral>> Public

 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
- agruparEncuestasSemestre (totalRespuestasObj : List<EncuestaGeneral>) : Map<Integer,List<EncuestaGeneral>> Public

 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
- agruparRespuestas (totalRespuestasObj: List<EncuestaGeneral>): Map<String, List<Integer>> Public
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
- obtenerEncuestasDentroDeAnio (anio: String, totalEncuestasModuloCanalesAtencion: List<EncuestaModuloCanalesAtencion>, totalEncuestasModuloDesempenoProceso: List<EncuestaModuloDesempenoProceso>, totalEncuestasModuloExpectativa: List<EncuestaModuloExpectativa>, totalEncuestasModuloResultado: List<EncuestaModuloResultado>, totalEncuestasModuloTalentoHumano: List<EncuestaModuloTalentoHumano>): List<EncuestaGeneral> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

obtenerPromedio (respuestasAgrupadas : Map<String,List<Integer>>) : Map<String,Double> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

modulocanalesatencion

Package in package 'encuestas'

modulocanalesatencion Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

LINKS TO OTHER PACKAGES 🗲 Dependency from 'encuestas' Package to 'modulocanalesatencion' Source -> Destination Direction: Package

controller

Package in package 'modulocanalesatencion'

controller Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

controller diagram

Class diagram in package 'controller'

controller Version 1.0 andresyfr created on 1/28/2023. Last modified 1/28/2023

EncuestaModuloCanalesAtencionController

- dateFormat: DateFormat = new SimpleDateF... {readOnly}
- encuestaModuloCanalesAtencionService: EncuestaModuloCanalesAtencionService
- pregunta1Valor: String = "1. \hat{A} ¿Identific... {readOnly} pregunta2Valor: String = "2. \hat{A} ¿ \hat{C} A 3 mo cal... {readOnly}
- getAll(): List<EncuestaModuloCanalesAtencion>
- indexModuloCanalesAtencion(Map<String, Object>): String
- indexModuloCanalesAtencion(String, Map<String, Object>): String
- save (Encuesta Modulo Canales Atencion, Binding Result, Model, Redirect Attributes, String): String

Figure 9: controller

EncuestaModuloCanalesAtencionController

Class in package 'controller'

Encuesta Modulo Canales Atencion ControllerVersion 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency

Source -> Destination

EncuestaModuloCanalesAtencionController: Class, Public From:

To: EncuestaModuloCanalesAtencion: Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

encuestaModuloCanalesAtencionService : EncuestaModuloCanalesAtencionService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

pregunta1Valor : String Private Const = "1. \hat{A}_i Identificol claramente a quel oficina o ventanilla dirigirse para realizar su tr \hat{A}_i mite?"

[Is static True. Containment is Not Specified.]

pregunta2Valor : String Private Const = "2. ¿Cómo califica la comodidad limpieza y orden de las instalaciones?"

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloCanalesAtencionController

Target: Private

 $encuesta Modulo Canales Atencion Service \ (Interface)$

EncuestaModuloCanalesAtencionService

OPERATIONS

getAll (): List<EncuestaModuloCanalesAtencion> Public

Properties:

annotations = @GetMapping(value = "/all")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🗣 indexModuloCanalesAtencion (model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🗣 indexModuloCanalesAtencion (cedula : String , model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

save (encuestaModuloCanalesAtencion : EncuestaModuloCanalesAtencion , result : BindingResult , model : Model , flash : RedirectAttributes , cedula : String) : String Public

Properties:

annotations = @PostMapping(value = "/save/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

model

Package in package 'modulocanalesatencion'

model Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

entities

Package in package 'model'

entities diagram

Class diagram in package 'entities'

EncuestaModuloCanalesAtencion

- fechaDiligenciada: String
- idCiudadano: long
- pregunta1: Stringpregunta2: String
- respuesta1: int
- respuesta2: int

Figure 10: entities

EncuestaModuloCanalesAtencion

Class in package 'entities'

EncuestaModuloCanalesAtencion Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

7 1

Dependency Source -> Destination

From: EncuestaModuloCanalesAtencionServiceImpl: Class, Public

To: EncuestaModuloCanalesAtencion : Class, Public

Dependency Source -> Destination

 $From: \qquad Encuesta Modulo Canales Atencion Controller: Class, Public$

To: EncuestaModuloCanalesAtencion: Class, Public

ATTRIBUTES

```
fechaDiligenciada : String Private
Properties:
         annotations = @Column(name = "fecha_diligenciada")
                                                                               [ Is static False. Containment is Not Specified. ]
idCiudadano : long Private
Properties:
         annotations = @Id@Column(name = "id_ciudadano")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta1 : String Private
Properties:
         annotations = @Column(name = "pregunta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta2 : String Private
Properties:
         annotations = @Column(name = "pregunta_2")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta1: int Private
Properties:
         annotations = @Column(name = "respuesta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta2 : int Private
Properties:
         annotations = @Column(name = "respuesta_2")
                                                                               [ Is static False. Containment is Not Specified. ]
```

repository

Package in package 'model'

repository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

repository diagram

Class diagram in package 'repository'

 $\begin{tabular}{ll} repository \\ Version 1.0 \\ and resyfr created on 1/28/2023. Last modified 1/28/2023 \\ \end{tabular}$

MongoRepository
«interface»
EncuestaModuloCanalesAtencionRepository

Figure 11: repository

Encuesta Modulo Canales Atencion Repository

Interface in package 'repository'

EncuestaModuloCanalesAtencionRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Canales Atencion Service Impl

Target: Private

encuesta Modulo Canales Atencion Repository

(Interface)

EncuestaModuloCanalesAtencionRepository

service

Package in package 'modulocanalesatencion'

service Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

service diagram

Class diagram in package 'service'

service Version 1.0 andresyfr created on 1/28/2023. Last modified 1/28/2023




Figure 12: service

EncuestaModuloCanalesAtencionServiceImpl

Class in package 'service'

EncuestaModuloCanalesAtencionServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from EncuestaModuloCanalesAtencionServiceImpl to EncuestaModuloCanalesAtencionService

[Direction is 'Source -> Destination'.]

► Generalization from EncuestaModuloCanalesAtencionServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

CONNECTORS

7

Dependency Source -> Destination

From: EncuestaModuloCanalesAtencionServiceImpl: Class, Public

To: EncuestaModuloCanalesAtencion : Class, Public

ATTRIBUTES

encuestaModuloCanalesAtencionRepository : EncuestaModuloCanalesAtencionRepository Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Canales Atencion Service Impl

Target: Private

encuesta Modulo Canales Atencion Repository

(Interface)

Encuesta Modulo Canales Atencion Repository

OPERATIONS

getDao (): CrudRepository<EncuestaModuloCanalesAtencion, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Encuesta Modulo Canales Atencion Service

Interface in package 'service'

Encuesta Modulo Canales Atencion Service Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloCanalesAtencionService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaModuloCanalesAtencionServiceImpl to EncuestaModuloCanalesAtencionService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private

encuestaModuloCanalesAtencionService (Interface)

Encuesta Modulo Canales Atencion Service

Association (direction: Source -> Destination)

 $Source: Public \ (Class) \ Encuesta Modulo Canales Atencion Controller$

Target: Private encuestaModuloCanalesAtencionService (Interface) EncuestaModuloCanalesAtencionService

modulodesempenoproceso

Package in package 'encuestas'

modulodesempenoproceso Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

LINKS TO OTHER PACKAGES Dependency from 'encuestas' Package to 'modulodesempenoproceso' Direction: Source -> Destination Package

controller

Package in package 'modulodesempenoproceso'

controller Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

controller diagram

Class diagram in package 'controller'

controller Version 1.0 andresyfr created on 1/28/2023. Last modified 1/28/2023

EncuestaModuloDesempenoProcesoController

- dateFormat: DateFormat = new SimpleDateF... {readOnly}
- encuestaModuloDesempenoProcesoService: EncuestaModuloDesempenoProcesoService
- pregunta1Valor: String = "1. ¿Cómo cal... {readOnly}
- pregunta2AValor: String = "2. ¿CÃ3mo cal... {readOnly}
- pregunta2BValor: String = "2. ¿Cómo cal... {readOnly}
- getAll(): List<EncuestaModuloDesempenoProceso>
- indexModuloDesempenoProceso(Map<String, Object>): String
- indexModuloDesempenoProceso(String, Map<String, Object>): String
- save(EncuestaModuloDesempenoProceso, BindingResult, Model, RedirectAttributes, String): String

Figure 13: controller

EncuestaModuloDesempenoProcesoController

Class in package 'controller'

Encuesta Modulo Desempeno Proceso ControllerVersion 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency Source -> Destination

Encuesta Modulo Desempeno Proceso Controller: Class, PublicFrom:

To: EncuestaModuloDesempenoProceso: Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

📝 encuestaModuloDesempenoProcesoService : EncuestaModuloDesempenoProcesoService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

[Is static True. Containment is Not Specified.]

pregunta2AValor : String Private Const = "2. ¿Cómo califica los siguientes aspectos de la entidad? \n" + "A. Rapidez y sencillez en la atención y en el acceso a los servicios"

[Is static True. Containment is Not Specified.]

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Desempeno Proceso Controller

Target: Private

encuesta Modulo De sempeno Proceso Service

(Interface)

EncuestaModuloDesempenoProcesoService

OPERATIONS

getAll (): List<EncuestaModuloDesempenoProceso> Public

Properties:

annotations = @GetMapping(value = "/all")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

indexModuloDesempenoProceso (model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

indexModuloDesempenoProceso (cedula : String , model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🌳 save (encuestaModuloDesempenoProceso : EncuestaModuloDesempenoProceso , result : BindingResult , model : Model , flash :

RedirectAttributes , cedula : String) : String Public

Properties:

annotations = @PostMapping(value = "/save/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

model

Package in package 'modulodesempenoproceso'

model Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

entities

Package in package 'model'

entities diagram

Class diagram in package 'entities'

EncuestaModuloDesempenoProceso

- fechaDiligenciada: String

- idCiudadano: long

pregunta1: Stringpregunta2a: String

- pregunta2b: String

respuesta1: intrespuesta2a: int

- respuesta2b: int

Figure 14: entities

EncuestaModuloDesempenoProceso

Class in package 'entities'

EncuestaModuloDesempenoProceso Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

∕ De]

Dependency Source -> Destination

From: EncuestaModuloDesempenoProcesoServiceImpl: Class, Public

To: EncuestaModuloDesempenoProceso : Class, Public

Dependence

Dependency Source -> Destination

From: EncuestaModuloDesempenoProcesoController: Class, Public

To: EncuestaModuloDesempenoProceso : Class, Public

ATTRIBUTES

```
fechaDiligenciada : String Private
Properties:
         annotations = @Column(name = "fecha_diligenciada")
                                                                               [ Is static False. Containment is Not Specified. ]
idCiudadano : long Private
Properties:
         annotations = @Id@Column(name = "id_ciudadano")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta1 : String Private
Properties:
         annotations = @Column(name = "pregunta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta2a : String Private
Properties:
         annotations = @Column(name = "pregunta_2_a")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta2b : String Private
Properties:
         annotations = @Column(name = "pregunta_2_b")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta1 : int Private
Properties:
         annotations = @Column(name = "respuesta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta2a: int Private
Properties:
         annotations = @Column(name = "respuesta_2_a")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta2b : int Private
Properties:
         annotations = @Column(name = "respuesta_2_b")
                                                                               [ Is static False. Containment is Not Specified. ]
```

repository

Package in package 'model'

repository
Version 1.0 Phase 1.0 Proposed
andresyfr created on 1/28/2023. Last modified 1/28/2023

repository diagram

Class diagram in package 'repository'

repository Version 1.0 andresyfr created on 1/28/2023. Last modified 1/28/2023

MongoRepository
«interface»
EncuestaModuloDesempenoProcesoRepository

Figure 15: repository

${\it Encuesta} Modulo Desempeno Proceso Repository$

Interface in package 'repository'

EncuestaModuloDesempenoProcesoRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Desempeno Proceso Service Impl

Target: Private

encuesta Modulo Desempeno Proceso Repository

(Interface)

EncuestaModuloDesempenoProcesoRepository

service

Package in package 'modulodesempenoproceso'

service Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

service diagram

Class diagram in package 'service'

service Version 1.0 andresyfr created on 1/28/2023. Last modified 1/28/2023




Figure 16: service

Encuesta Modulo Desempeno Proceso Service Impl

Class in package 'service'

EncuestaModuloDesempenoProcesoServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloDesempenoProcesoServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

← Realization from EncuestaModuloDesempenoProcesoServiceImpl to EncuestaModuloDesempenoProcesoService

[Direction is 'Source -> Destination'.]

CONNECTORS

7

Dependency Source -> Destination

From: EncuestaModuloDesempenoProcesoServiceImpl: Class, Public

To: EncuestaModuloDesempenoProceso: Class, Public

ATTRIBUTES

🐓 encuestaModuloDesempenoProcesoRepository : EncuestaModuloDesempenoProcesoRepository Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

EncuestaModuloDesempenoProcesoServiceImpl

Target: Private

encuestaModuloDesempenoProcesoRepository

(Interface)

EncuestaModuloDesempenoProcesoRepository

OPERATIONS



getDao () : CrudRepository<EncuestaModuloDesempenoProceso, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EncuestaModuloDesempenoProcesoService

Interface in package 'service'

Encuesta Modulo Desempeno Proceso ServiceVersion 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloDesempenoProcesoService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaModuloDesempenoProcesoServiceImpl to EncuestaModuloDesempenoProcesoService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Desempeno Proceso Controller

Target: Private

encuesta Modulo De sempeno Proceso Service

(Interface)

Encuesta Modulo Desempeno Proceso Service

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private

encuesta Modulo De sempeno Proceso Service

(Interface)

 $\label{lem:condition} Encuesta Modulo Desempeno Proceso Service$

moduloexpectativa

Package in package 'encuestas'

moduloexpectativa Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

LINKS TO OTHER PACKAGES Dependency from 'encuestas' Package to 'moduloexpectativa' Package Direction: Source -> Destination

controller

Package in package 'moduloexpectativa'

controller Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

controller diagram

Class diagram in package 'controller'

EncuestaModuloExpectativaController

- dateFormat: DateFormat = new SimpleDateF... {readOnly}
- encuestaModuloExpectativaService: EncuestaModuloExpectativaService
- pregunta1Valor: String = "1. ¿Cómo cal... {readOnly}
- pregunta2Valor: String = "2. ¿Recomenda... {readOnly}
- + getAll(): List<EncuestaModuloExpectativa>
- + indexModuloExpectativa(Map<String, Object>): String
- + indexModuloExpectativa(String, Map<String, Object>): String
- + save(EncuestaModuloExpectativa, BindingResult, Model, RedirectAttributes, String): String

Figure 17: controller

EncuestaModuloExpectativaController

Class in package 'controller'

EncuestaModuloExpectativaController Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency Source -> Destination

From: EncuestaModuloExpectativaController : Class, Public

To: EncuestaModuloExpectativa : Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

encuestaModuloExpectativaService : EncuestaModuloExpectativaService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

pregunta1 Valor: String Private Const = "1. ¿Cómo califica la calidad de la prestación del servicio ofrecido por la entidad, cumplió sus expectativas?"

[Is static True. Containment is Not Specified.]

🕨 pregunta2Valor : String Private Const = "2. ¿RecomendarÃa la entidad por el servicio prestado?"

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloExpectativaController

Target: Private encuestaModuloExpectativaService (Interface) EncuestaModuloExpectativaService

OPERATIONS

getAll (): List<EncuestaModuloExpectativa> Public

Properties:

annotations = @GetMapping(value = "/all")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

indexModuloExpectativa (model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

indexModuloExpectativa (cedula : String , model : Map<String, Object>) : String Public

Properties:

```
annotations = @GetMapping(value = "/index/{cedula}")
```

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

save (encuestaModuloExpectativa : EncuestaModuloExpectativa , result : BindingResult , model : Model , flash : RedirectAttributes , cedula : String) : String Public

Properties:

```
annotations = @PostMapping(value = "/save/{cedula}")
```

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

model

Package in package 'moduloexpectativa'

model Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

entities

Package in package 'model'

entities diagram

Class diagram in package 'entities'

EncuestaModuloExpectativa

- fechaDiligenciada: String
- idCiudadano: long
- pregunta1: Stringpregunta2: String
- respuesta1: int
- respuesta1: int

Figure 18: entities

EncuestaModuloExpectativa

Class in package 'entities'

EncuestaModuloExpectativa Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

7 1

Dependency Source -> Destination

From: EncuestaModuloExpectativaServiceImpl: Class, Public

To: EncuestaModuloExpectativa: Class, Public

Dependency Source -> Destination

 $From: \qquad Encuesta Modulo Expectativa Controller: Class, Public$

To: EncuestaModuloExpectativa: Class, Public

ATTRIBUTES

```
fechaDiligenciada : String Private
Properties:
         annotations = @Column(name = "fecha_diligenciada")
                                                                               [ Is static False. Containment is Not Specified. ]
idCiudadano : long Private
Properties:
         annotations = @Id@Column(name = "id_ciudadano")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta1 : String Private
Properties:
         annotations = @Column(name = "pregunta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta2 : String Private
Properties:
         annotations = @Column(name = "pregunta_2")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta1: int Private
Properties:
         annotations = @Column(name = "respuesta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta2 : int Private
Properties:
         annotations = @Column(name = "respuesta_2")
                                                                               [ Is static False. Containment is Not Specified. ]
```

repository

Package in package 'model'

repository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

repository diagram

Class diagram in package 'repository'

 $\begin{tabular}{ll} repository & Version 1.0 \\ and resyfr created on 1/28/2023. Last modified 1/28/2023 \\ \end{tabular}$

MongoRepository «interface» EncuestaModuloExpectativaRepository

Figure 19: repository

EncuestaModuloExpectativaRepository

Interface in package 'repository'

EncuestaModuloExpectativaRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloExpectativaServiceImpl Target: Private

encuestaModuloExpectativaRepository (Interface) EncuestaModuloExpectativaRepository

service

Package in package 'moduloexpectativa'

service Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

service diagram

Class diagram in package 'service'

 $\begin{tabular}{ll} & service \\ & Version 1.0 \\ & and resyfr created on 1/28/2023. Last modified 1/28/2023 \\ \end{tabular}$




Figure 20: service

${\bf Encuesta Modulo Expectativa Service Impl}$

Class in package 'service'

EncuestaModuloExpectativaServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from EncuestaModuloExpectativaServiceImpl to EncuestaModuloExpectativaService

[Direction is 'Source -> Destination'.]

Generalization from EncuestaModuloExpectativaServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

CONNECTORS

7

Dependency Source -> Destination

From: EncuestaModuloExpectativaServiceImpl : Class, Public

To: EncuestaModuloExpectativa: Class, Public

ATTRIBUTES

· circues

encuestaModuloExpectativaRepository : EncuestaModuloExpectativaRepository Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloExpectativaServiceImpl

Target: Private

encuestaModuloExpectativaRepository (Interface)

Encuesta Modulo Expectativa Repository

OPERATIONS

🎙 getDao () : CrudRepository<EncuestaModuloExpectativa, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EncuestaModuloExpectativaService

Interface in package 'service'

EncuestaModuloExpectativaService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloExpectativaService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaModuloExpectativaServiceImpl to EncuestaModuloExpectativaService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloExpectativaController

Target: Private encuestaModuloExpectativaService (Interface) EncuestaModuloExpectativaService

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private encuestaModuloExpectativaService

(Interface) EncuestaModuloExpectativaService

moduloresultado

Package in package 'encuestas'

moduloresultado Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

LINKS TO OTHER PACKAGES Dependency from 'encuestas' Package to 'moduloresultado' Package Direction: Source -> Destination

controller

Package in package 'moduloresultado'

controller Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

controller diagram

Class diagram in package 'controller'

EncuestaModuloResultadoController

- dateFormat: DateFormat = new SimpleDateF... {readOnly}
- encuestaModuloResultadoService: EncuestaModuloResultadoService
- pregunta1Valor: String = "1. ¿La entida... {readOnly}
- pregunta2Valor: String = "2. ¿La entida... {readOnly}
- + getAll(): List<EncuestaModuloResultado>
- + indexModuloExpectativa(String, Map<String, Object>): String
- + indexModuloResultado(Map<String, Object>): String
- + save(EncuestaModuloResultado, BindingResult, Model, RedirectAttributes, String): String

Figure 21: controller

EncuestaModuloResultadoController

Class in package 'controller'

EncuestaModuloResultadoController Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency Source -> Destination

From: EncuestaModuloResultadoController: Class, Public

To: EncuestaModuloResultado: Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

encuestaModuloResultadoService : EncuestaModuloResultadoService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

- pregunta1Valor: String Private Const = "1. ¿La entidad le dioÌ respuesta efectiva y oportuna a su requerimiento?"

 [Is static True. Containment is Not Specified.]
- pregunta2Valor : String Private Const = "2. ¿La entidad cumplióÌ con los acuerdos, tiempos o compromisos establecidos?"
 [Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloResultadoController

Target: Private encuestaModuloResultadoService (Interface) EncuestaModuloResultadoService

OPERATIONS

🌳 getAll () : List<EncuestaModuloResultado> Public

Properties:

annotations = @GetMapping(value = "/all")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🗣 indexModuloExpectativa (cedula : String , model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

indexModuloResultado (model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🌳 save (encuestaModuloResultado : EncuestaModuloResultado , result : BindingResult , model : Model , flash : RedirectAttributes , cedula : String) : String Public

Properties:

annotations = @PostMapping(value = "/save/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

model

Package in package 'moduloresultado'

model Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

entities

Package in package 'model'

entities diagram

Class diagram in package 'entities'

EncuestaModuloResultado

- fechaDiligenciada: String
- idCiudadano: long
- pregunta1: Stringpregunta2: String
- respuesta1: int
- respuesta2: int

Figure 22: entities

EncuestaModuloResultado

Class in package 'entities'

EncuestaModuloResultado Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

7 1

Dependency Source -> Destination

From: EncuestaModuloResultadoServiceImpl: Class, Public

To: EncuestaModuloResultado: Class, Public

Dependency Source -> Destination

 $From: \qquad Encuesta Modulo Resultado Controller: Class, Public$

To: EncuestaModuloResultado: Class, Public

ATTRIBUTES

```
fechaDiligenciada : String Private
Properties:
         annotations = @Column(name = "fecha_diligenciada")
                                                                               [ Is static False. Containment is Not Specified. ]
idCiudadano : long Private
Properties:
         annotations = @Id@Column(name = "id_ciudadano")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta1 : String Private
Properties:
         annotations = @Column(name = "pregunta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta2 : String Private
Properties:
         annotations = @Column(name = "pregunta_2")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta1: int Private
Properties:
         annotations = @Column(name = "respuesta_1")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta2 : int Private
Properties:
         annotations = @Column(name = "respuesta_2")
                                                                               [ Is static False. Containment is Not Specified. ]
```

repository

Package in package 'model'

repository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

repository diagram

Class diagram in package 'repository'

 $\begin{tabular}{ll} repository & Version 1.0 \\ and resyfr created on 1/28/2023. Last modified 1/28/2023 \\ \end{tabular}$

MongoRepository
«interface»
EncuestaModuloResultadoRepository

Figure 23: repository

EncuestaModuloResultadoRepository

Interface in package 'repository'

EncuestaModuloResultadoRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloResultadoServiceImpl

Target: Private

encuestaModuloResultadoRepository (Interface)

EncuestaModuloResultadoRepository

service

Package in package 'moduloresultado'

service Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

service diagram

Class diagram in package 'service'

 $\begin{tabular}{ll} & service \\ & Version 1.0 \\ & and resyfr created on 1/28/2023. Last modified 1/28/2023 \\ \end{tabular}$




Figure 24: service

EncuestaModuloResultadoServiceImpl

Class in package 'service'

EncuestaModuloResultadoServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from EncuestaModuloResultadoServiceImpl to EncuestaModuloResultadoService

[Direction is 'Source -> Destination'.]

 $\label{eq:continuous} \leftarrow \text{Generalization from } \text{EncuestaModuloResultadoServiceImpl} \text{ to } \text{GenericServiceImpl}$

[Direction is 'Source -> Destination'.]

CONNECTORS

7

Dependency Source -> Destination

From: EncuestaModuloResultadoServiceImpl: Class, Public

To: EncuestaModuloResultado: Class, Public

ATTRIBUTES

encuestaModuloResultadoRepository : EncuestaModuloResultadoRepository Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloResultadoServiceImpl

Target: Private

encuestaModuloResultadoRepository (Interface)

EncuestaModuloResultadoRepository

OPERATIONS

🗣 getDao () : CrudRepository<EncuestaModuloResultado, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EncuestaModuloResultadoService

Interface in package 'service'

EncuestaModuloResultadoService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloResultadoService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization from EncuestaModuloResultadoServiceImpl to EncuestaModuloResultadoService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private encuestaModuloResultadoService (Interface) EncuestaModuloResultadoService

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloResultadoController

Target: Private encuestaModuloResultadoService

(Interface) EncuestaModuloResultadoService

modulotalentohumano

Package in package 'encuestas'

modulotalentohumano Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

LINKS TO OTHER PACKAGES Dependency from 'encuestas' Package to 'modulotalentohumano' Package Direction: Source -> Destination

controller

Package in package 'modulotalentohumano'

controller Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

controller diagram

Class diagram in package 'controller'

EncuestaModuloTalentoHumanoController

- dateFormat: DateFormat = new SimpleDateF... {readOnly}
- encuestaModuloTalentoHumanoService: EncuestaModuloTalentoHumanoService
- pregunta1AValor: String = "1. $\hat{A}_{\dot{c}}$ C \tilde{A}^3 mo cal... {readOnly}
- pregunta1BValor: String = "1. ¿Cómo cal... {readOnly}
- pregunta1CValor: String = "1. ¿Cómo cal... {readOnly}
- + getAll(): List<EncuestaModuloTalentoHumano>
- + indexModuloTalentoHumano(Map<String, Object>): String
- + indexModuloTalentoHumano(String, Map<String, Object>): String
- + save(EncuestaModuloTalentoHumano, BindingResult, Model, RedirectAttributes, String): String

Figure 25: controller

EncuestaModuloTalentoHumanoController

Class in package 'controller'

EncuestaModuloTalentoHumanoController Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency

ncy Source -> Destination

From: EncuestaModuloTalentoHumanoController: Class, Public

To: EncuestaModuloTalentoHumano : Class, Public

ATTRIBUTES

dateFormat : DateFormat Private Const = new SimpleDateFormat("yyyy/MM/dd")

[Is static True. Containment is Not Specified.]

encuestaModuloTalentoHumanoService : EncuestaModuloTalentoHumanoService Private

Properties:

annotations = @Autowired

[Is static False. Containment is Not Specified.]

pregunta1AValor: String Private Const = "1. ¿Cómo califica los siguientes aspectos del servidor que lo atendiól ?\n" + "A. Presentación personal."

[Is static True. Containment is Not Specified.]

pregunta1BValor: String Private Const = "1. ¿Cómo califica los siguientes aspectos del servidor que lo atendióÌ ?\n" + "B. Actitud y amabilidad."

[Is static True. Containment is Not Specified.]

pregunta1CValor : String Private Const = "1. ¿Cómo califica los siguientes aspectos del servidor que lo atendióÌ ?\n" + "C. Claridad, calidad y conocimiento de la asesorÃa recibida."

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloTalentoHumanoController

Target: Private

encuestaModuloTalentoHumanoService (Interface) EncuestaModuloTalentoHumanoService

OPERATIONS

getAll (): List<EncuestaModuloTalentoHumano> Public

Properties:

annotations = @GetMapping(value = "/all")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🗣 indexModuloTalentoHumano (model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

indexModuloTalentoHumano (cedula : String , model : Map<String, Object>) : String Public

Properties:

annotations = @GetMapping(value = "/index/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

save (encuestaModuloTalentoHumano : EncuestaModuloTalentoHumano , result : BindingResult , model : Model , flash : RedirectAttributes , cedula : String) : String Public

Properties:

annotations = @PostMapping(value = "/save/{cedula}")

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

model

Package in package 'modulotalentohumano'

model Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

entities

Package in package 'model'

entities Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

entities diagram

Class diagram in package 'entities'

entities Version 1.0 andresyfr created on 1/28/2023. Last modified 1/28/2023

EncuestaModuloTalentoHumano

fechaDiligenciada: String

idCiudadano: long

pregunta1a: String pregunta1b: String

pregunta1c: String

respuesta1a: int

respuesta1b: int

respuesta1c: int

Figure 26: entities

Encuesta Modulo Talento Humano

Class in package 'entities'

EncuestaModuloTalentoHumano Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

CONNECTORS

Dependency Source -> Destination

From: Encuesta Modulo Talento Humano Controller: Class, Public

To: EncuestaModuloTalentoHumano: Class, Public

Dependency Source -> Destination

Encuesta Modulo Talento Humano Service Impl: Class, Public

EncuestaModuloTalentoHumano: Class, Public To:

ATTRIBUTES

```
fechaDiligenciada : String Private
Properties:
         annotations = @Column(name = "fecha_diligenciada")
                                                                               [ Is static False. Containment is Not Specified. ]
idCiudadano : long Private
Properties:
         annotations = @Id@Column(name = "id_ciudadano")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta1a: String Private
Properties:
         annotations = @Column(name = "pregunta_1_a")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta1b : String Private
Properties:
         annotations = @Column(name = "pregunta_1_b")
                                                                               [ Is static False. Containment is Not Specified. ]
pregunta1c : String Private
Properties:
         annotations = @Column(name = "pregunta_1_c")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta1a: int Private
Properties:
         annotations = @Column(name = "respuesta_1_a")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta1b : int Private
Properties:
         annotations = @Column(name = "respuesta_1_b")
                                                                               [ Is static False. Containment is Not Specified. ]
respuesta1c: int Private
Properties:
         annotations = @Column(name = "respuesta_1_c")
                                                                               [ Is static False. Containment is Not Specified. ]
```

repository

Package in package 'model'

repository
Version 1.0 Phase 1.0 Proposed
andresyfr created on 1/28/2023. Last modified 1/28/2023

repository diagram

Class diagram in package 'repository'

 $\begin{tabular}{ll} repository \\ Version 1.0 \\ and resyfr created on 1/28/2023. Last modified 1/28/2023 \\ \end{tabular}$

MongoRepository «interface» EncuestaModuloTalentoHumanoRepository

Figure 27: repository

EncuestaModuloTalentoHumanoRepository

Interface in package 'repository'

EncuestaModuloTalentoHumanoRepository Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends MongoRepository

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

Encuesta Modulo Talento Humano Service Impl

Target: Private

encuesta Modulo Talento Humano Repository

(Interface)

EncuestaModuloTalentoHumanoRepository

service

Package in package 'modulotalentohumano'

service Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

service diagram

Class diagram in package 'service'

service Version 1.0 andresyfr created on 1/28/2023. Last modified 1/28/2023




Figure 28: service

EncuestaModuloTalentoHumanoServiceImpl

Class in package 'service'

EncuestaModuloTalentoHumanoServiceImpl Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericServiceImpl

OUTGOING STRUCTURAL RELATIONSHIPS

Realization from EncuestaModuloTalentoHumanoServiceImpl to EncuestaModuloTalentoHumanoService

[Direction is 'Source -> Destination'.]

← Generalization from EncuestaModuloTalentoHumanoServiceImpl to GenericServiceImpl

[Direction is 'Source -> Destination'.]

CONNECTORS

7 1

Dependency Source -> Destination

From: EncuestaModuloTalentoHumanoServiceImpl: Class, Public

To: EncuestaModuloTalentoHumano : Class, Public

ATTRIBUTES

encuestaModuloTalentoHumanoRepository : EncuestaModuloTalentoHumanoRepository Private

Properties: annotations = @Autowired

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class)

EncuestaModuloTalentoHumanoServiceImpl

Target: Private

encuestaModuloTalentoHumanoRepository

(Interface)

EncuestaModuloTalentoHumanoRepository

OPERATIONS

🗣 getDao () : CrudRepository<EncuestaModuloTalentoHumano, Long> Public

Properties:

annotations = @Override

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EncuestaModuloTalentoHumanoService

Interface in package 'service'

EncuestaModuloTalentoHumanoService Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023 Extends GenericService

OUTGOING STRUCTURAL RELATIONSHIPS

Generalization from EncuestaModuloTalentoHumanoService to GenericService

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

⇒ Realization from EncuestaModuloTalentoHumanoServiceImpl to EncuestaModuloTalentoHumanoService

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) AdministracionController

Target: Private

encuestaModuloTalentoHumanoService (Interface)

EncuestaModuloTalentoHumanoService

Association (direction: Source -> Destination)

Source: Public (Class) EncuestaModuloTalentoHumanoController

Target: Private encuestaModuloTalentoHumanoService (Interface) Encuesta Modulo Talento Humano Service

SatisfaccionServicioApplication

Class in package 'servicio'

SatisfaccionServicioApplication Version 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

OPERATIONS

main (args : String[]) : void Public

[Is static True. Is abstract False. Is return array False. Is query False. Is synchronized False.]

SatisfaccionServicioApplicationTests

Class in package 'servicio'

Satisfaccion Servicio Application TestsVersion 1.0 Phase 1.0 Proposed andresyfr created on 1/28/2023. Last modified 1/28/2023

OPERATIONS



contextLoads () : void Package

Properties:

annotations = @Test

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

System

Package in package 'Class Model'

System
Version 1.0 Phase 1.0 Proposed
created on 1/28/2023. Last modified 1/28/2023

System diagram

Class diagram in package 'System'




Figure 29: System

Class1

Class in package 'System'

Class1
Version 1.0 Phase 1.0 Proposed created on 1/28/2023. Last modified 1/28/2023
Extends Class2

OUTGOING STRUCTURAL RELATIONSHIPS Generalization from Class1 to Class2 [Direction is 'Source -> Destination'.]

Realization «realize» from Class1 to Interface1

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Class1 Target: Public (Class) Class3

Class2

Class in package 'System'

Class2
Version 1.0 Phase 1.0 Proposed created on 1/28/2023. Last modified 1/28/2023

INCOMING STRUCTURAL RELATIONSHIPS

→ Generalization from Class1 to Class2

[Direction is 'Source -> Destination'.]

Class3

Class in package 'System'

Class3
Version 1.0 Phase 1.0 Proposed created on 1/28/2023. Last modified 1/28/2023

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Class1 Target: Public (Class) Class3

Interface1

Interface in package 'System'

Interface1
Version 1.0 Phase 1.0 Proposed created on 1/28/2023. Last modified 1/28/2023

INCOMING STRUCTURAL RELATIONSHIPS

→ Realization «realize» from Class1 to Interface1

[Direction is 'Source -> Destination'.]

Frameworks

Package in package 'Class Model'

Frameworks
Version 1.0 Phase 1.0 Proposed
created on 1/28/2023. Last modified 1/28/2023

Frameworks diagram

Class diagram in package 'Frameworks'

 $\begin{tabular}{ll} Frameworks & Version 1.0 \\ and resyfr created on 1/28/2023. Last modified 1/28/2023 \\ \end{tabular}$



Figure 30: Frameworks

Note

Note in package 'Frameworks'

Note
Version 1.0 Phase 1.0 Proposed
created on 1/28/2023. Last modified 1/28/2023
Extends