My first replicable Paper

MyFirstName MyLastName
Evans School of Public Policy and Governance
University of Washington
Seattle, WA 98115, <u>United States</u>
greatguy@uw.edu

January 4, 2018

Abstract

This is an example on how to make a reproducible paper. We are using R from Rstudio, creating an RSweave document. This is a nice start to create a nice paper and get an A+. The next sections will show the steps taken.

1 Introduction

This is my intro to my great paper, I will explain the cool things I can do with my new 'computational thinking' powers combined with some Latex.

This is my nice intro to my great paper, I will explain the cool things I can do with my new 'computational thinking' powers combined with some Later

This is my nice intro to my great paper, I will explain the cool things I can do with my new 'computational thinking' powers combined with some Latex.

2 Explaining Labels

Sections may use a label¹. This label is needed for referencing. For example the next section has label datas, so you can reference it by writing: As we see in section 3.

¹In fact, you can have a label wherever you think a future reference to that content might be needed.

3 Data analysis

Here you can explain how to get the data:

> states=read.csv("https://goo.gl/So48s5")

3.1 Exploration

Here, I start exploring the data. The first step is to know what variables I have, and in what scale they are:

```
'data.frame':
                     51 obs. of 8 variables:
$ state
                        : Factor w/ 51 levels "Alabama", ""...
$ satMean
                               991 920 932 1005 897 959 89...
$ satDemand
                               0.08 0.41 0.26 0.06 0.47 0...
$ k12ExpenditurePupil
                       : int
                               3627 8330 4309 3700 4491 50...
$ incomeHouseholsMedian: num 27.5 48.3 32.1 24.6 41.7 ...
$ diplomaHsAdults
                        : num 0.669 0.866 0.787 0.663 0.7..
$ collegeDegreeAdults
                        : num 0.157 0.23 0.203 0.133 0.23..
                        : Factor w/ 4 levels "Midwest", "N"..
$ region
```

A next step demands:

- Knowing the *central* and *dispersion* values.
- Visualizing the variables of interest.

Except for the column *state*, we can compute the centrality and spread measures for the other variables in the data. I will do that in Table 1 in the next page.

Statistic	N	Mean	St. Dev.	Min	Max
satMean	51	944.098	66.935	832	1,093
satDemand	51	0.358	0.262	0.040	0.810
k12ExpenditurePupil	51	5,235.961	1,401.155	2,960	9,259
incomeHouseholsMedian	51	33.957	6.423	23.465	48.618
diplomaHsAdults	51	0.763	0.056	0.643	0.866
collegeDegreeAdults	51	0.200	0.042	0.123	0.333

Table 1: Mean and Spread values




Figure 1: Location of values

As you saw, my Table 1 is nice. As you, saw the mean of the variable satMean is 944.098039215686. Now let's use a boxplot to explore location: As we have a categorical variable, we could create a frequency table:

Table 2: Distribution of Region

Region	Frequency
Midwest	12
N. East	9
South	17
West	13

3.2 Modeling

Here, I propose that the amount of money spent for child per state in the US has an effect on the mean average pupils in a state get in SAT:

> reg1=lm(satMean~k12ExpenditurePupil, data = states)

Here, I modify the previous model; while I insist that the amount of money spent for child per state in the US has an effect on the mean average pupils in a state get in SAT; I will control the effect the demand per state (as demand were equal accross states). Then,

Model 2:

> reg2=lm(satMean~k12ExpenditurePupil+satDemand, data = states)

I have the results, but have not display them, let's do it in the coming subsection

3.3 Modeling nicely

What about this:

Table 3: Regression Models

	Dependent variable:			
	$\operatorname{satMean}$			
	(1)	(2)		
Dollars per Student	-0.022***	0.009**		
	(0.006)	(0.004)		
Share taking SAT		-253.770***		
G		(22.491)		
Constant	1,060.732***	989.807***		
	(32.701)	(18.396)		
Observations	51	51		
\mathbb{R}^2	0.217	0.786		
Adjusted R^2	0.201	0.777		
Residual Std. Error	59.814 (df = 49)	31.623 (df = 48)		
F Statistic	$13.615^{***} (df = 1; 49)$	$88.009^{***} (df = 2; 48)$		
Note:	*p<0.1: **p<0.05: ***p<0.01			

Note:

p<0.1; **p<0.05; ***p<0.01

4 Explaining Citations

Citing requires a bib file with all the books. You can create it from Zotero, and then add it here with the command cite. For example, open the file named 'GovernanceAnalytics' and write the name of the author here.

(Magallanes Reyes, 2017)

References

Magallanes Reyes, J. M. (2017). Introduction to Data Science for Social and Policy Research: Collecting and Organizing Data with R and Python (1edition ed.). Cambridge University Press.