Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and

Decision theoretic formulation

What to do when the world splits in two

Andrew Bacon

Oxford University

January 25, 2010

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation 1 Introduction

2 Self-locating uncertainty

3 Branching time and indeterminacy

4 Vagueness and uncertainty

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation indifference

Introduction

- 2 Self-locating uncertainty
- Branching time and indeterminacy
- 4 Vagueness and uncertainty
- 5 Decision theoretic formulation indifference

> Andrev Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation ■ Decision problem from the film "The Prestige"

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Decision problem from the film "The Prestige"
 - Choice 1: get into duplication machine. One of your duplicates becomes rich magician, other dies horrible death in a tank of water.

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

vagueness and uncertainty

Decision theoretic formulation

Decision problem from the film "The Prestige"

- Choice 1: get into duplication machine. One of your duplicates becomes rich magician, other dies horrible death in a tank of water.
- Choice 2: don't get into machine. remain not so good magician.

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation indifference

Decision problem from the film "The Prestige"

- Choice 1: get into duplication machine. One of your duplicates becomes rich magician, other dies horrible death in a tank of water.
- Choice 2: don't get into machine. remain not so good magician.
- Prudential rationality. Angier doesn't care if someone dies unless it's him.

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation ■ Was Angier's decision rational?

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Was Angier's decision rational?
- How should decisions of this shape be made?

Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- Was Angier's decision rational?
- How should decisions of this shape be made?
- Should Angier be uncertain, before he gets into the machine, whether he'll end up at the other end of the stage, or drowing in a tank?

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Was Angier's decision rational?
- How should decisions of this shape be made?
- Should Angier be uncertain, before he gets into the machine, whether he'll end up at the other end of the stage, or drowing in a tank?
- Applications to the literature on Everettian quantum mechanics.

What to do when the world splits in two

> Andrev Bacon

Introduction

Self-locating uncertainty

time and indeterminac

Vagueness and uncertaint

Decision theoretic formulation ■ Should Angier be uncertain?

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- Should Angier be uncertain?
 - Hard to make sense of this uncertainty: Angier knows all the objective facts.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and

- Should Angier be uncertain?
 - Hard to make sense of this uncertainty: Angier knows all the objective facts.
- Maximin

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Should Angier be uncertain?
 - Hard to make sense of this uncertainty: Angier knows all the objective facts.
- Maximin
 - Counterexample.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Should Angier be uncertain?
 - Hard to make sense of this uncertainty: Angier knows all the objective facts.
- Maximin
 - Counterexample.
- Minimax regret

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Should Angier be uncertain?
 - Hard to make sense of this uncertainty: Angier knows all the objective facts.
- Maximin
 - Counterexample.
- Minimax regret
 - Violates dominance

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic 1 Introduction

Self-locating uncertainty

- Branching time and indeterminacy
- 4 Vagueness and uncertainty
- **Decision** theoretic formulation indifference

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation ■ The challenge, then, is to make sense of uncertainty in scenarios like Ruperts, where one knows all the 'objective facts'.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- The challenge, then, is to make sense of uncertainty in scenarios like Ruperts, where one knows all the 'objective facts'.
- The approach of Saunders and Wallace combines the following two ideas

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- The challenge, then, is to make sense of uncertainty in scenarios like Ruperts, where one knows all the 'objective facts'.
- The approach of Saunders and Wallace combines the following two ideas
 - A Lewisian approach to the metaphysics of persistence, worms, and personal fission. (This characterisation is near enough for our purposes.)

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- The challenge, then, is to make sense of uncertainty in scenarios like Ruperts, where one knows all the 'objective facts'.
- The approach of Saunders and Wallace combines the following two ideas
 - A Lewisian approach to the metaphysics of persistence, worms, and personal fission. (This characterisation is near enough for our purposes.)
 - The idea that one can have irreducibly self-locating uncertainty, even if one knows all the facts (in the sense that one knows exactly which possible world one inhabits.)

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation ■ Suppose, instead of drowning, Rupert's second duplicate is instantaneously obliterated.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertaint

- Suppose, instead of drowning, Rupert's second duplicate is instantaneously obliterated.
 - There is only one worm: should he then be certain that he won't be obliterated, and end up at the other end of the stage?

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose, instead of drowning, Rupert's second duplicate is instantaneously obliterated.
 - There is only one worm: should he then be certain that he won't be obliterated, and end up at the other end of the stage?
- 2 Secondly, we could give up on Lewisian metaphysics and go for life long colocated people.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

and uncertainty

- Suppose, instead of drowning, Rupert's second duplicate is instantaneously obliterated.
 - There is only one worm: should he then be certain that he won't be obliterated, and end up at the other end of the stage?
- 2 Secondly, we could give up on Lewisian metaphysics and go for life long colocated people.
 - But a second worry comes up: this account potentially creates too much uncertainty, for example if there are many different objects colocated with me with different modal profiles (for statue lump type reasons.)

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertaint

- Suppose, instead of drowning, Rupert's second duplicate is instantaneously obliterated.
 - There is only one worm: should he then be certain that he won't be obliterated, and end up at the other end of the stage?
- 2 Secondly, we could give up on Lewisian metaphysics and go for life long colocated people.
 - But a second worry comes up: this account potentially creates too much uncertainty, for example if there are many different objects colocated with me with different modal profiles (for statue lump type reasons.)
- (Williams): To have a complete story of uncertainty we need to account for uncertainty about things that might happen long after I cease to exist it is hard to see how being uncertain which branch I am located in can generate this, since that uncertainty can only be responsible for uncertainty in events up until my death?

EQM

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation indifference S+W's ultimate project is to set the foundations for a decision theoretic derivation of the Born rule for EQM.

EQM

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

vagueness and uncertainty

- S+W's ultimate project is to set the foundations for a decision theoretic derivation of the Born rule for EQM.
- This requires Measurement Neutrality. This principle is equivalent to saying that you should set your credence's according to the Born rule (against the background of an appropriate Savage style decision theory.)

EQM

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- S+W's ultimate project is to set the foundations for a decision theoretic derivation of the Born rule for EQM.
- This requires Measurement Neutrality. This principle is equivalent to saying that you should set your credence's according to the Born rule (against the background of an appropriate Savage style decision theory.)
- Ignoring the details, MN implies we must have situations where we assign successors different probabilities or the project won't get off the ground. [Draw a picture.]

The principle of indifference

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

Decision theoretic formulation "Dear Sir,

(Forgive the impersonal nature of this communication – our purpose prevents us from addressing you by name.) We have just created a duplicate of Dr. Evil. The duplicate - call him 'Dup' - is inhabiting a replica of Dr. Evils battlestation that we have installed in our skepticism lab. At each moment Dup has experiences indistinguishable from those of Dr. Evil. For example, at this moment both Dr. Evil and Dup are reading this message. We are in control of Dup's environment. If in the next ten minutes Dup performs actions that correspond to deactivating the battlestation and surrendering, we will treat him well. Otherwise we will torture him. Best regards, The PDF"

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and

Decision theoretic formulation ■ Elga proposes the following principle

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertaint

- Elga proposes the following principle
- Call two centred worlds similar iff they have the same world coordinate, and the person coordinate's are in subjectively indistinguishable states. (I.e. have the same memories, are receiving the same sensory stimulus etc etc.)

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Elga proposes the following principle
- Call two centred worlds similar iff they have the same world coordinate, and the person coordinate's are in subjectively indistinguishable states. (I.e. have the same memories, are receiving the same sensory stimulus etc etc.)
- Self-locating Indifference You should distribute your credence's equally over similar centred worlds.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

vagueness and uncertainty

- Elga proposes the following principle
- Call two centred worlds similar iff they have the same world coordinate, and the person coordinate's are in subjectively indistinguishable states. (I.e. have the same memories, are receiving the same sensory stimulus etc etc.)
- Self-locating Indifference You should distribute your credence's equally over similar centred worlds.
- (In particular, if you are certain that you are in one of two centred worlds, like we may suppose Dr. Evil is, you should give credence $\frac{1}{2}$ to each.)

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation ■ The problem is: the pre-fission worms, at *t*, have identical *t*-slices - which means their internal mental states must be identical.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation

- The problem is: the pre-fission worms, at *t*, have identical *t*-slices which means their internal mental states must be identical.
- Also, they are part of the same possible world the two centred worlds are similar in Elga's terminology.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- The problem is: the pre-fission worms, at *t*, have identical *t*-slices which means their internal mental states must be identical.
- Also, they are part of the same possible world the two centred worlds are similar in Elga's terminology.
- Thus in the two branch scenario you must distribute your credence's equally over being the right and the left branch, violating measurement neutrality.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation

- The problem is: the pre-fission worms, at *t*, have identical *t*-slices which means their internal mental states must be identical.
- Also, they are part of the same possible world the two centred worlds are similar in Elga's terminology.
- Thus in the two branch scenario you must distribute your credence's equally over being the right and the left branch, violating measurement neutrality.
- Note: it might be vague how many duplicates there are (due to vagueness in the decoherence basis.)

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- The problem is: the pre-fission worms, at *t*, have identical *t*-slices which means their internal mental states must be identical.
- Also, they are part of the same possible world the two centred worlds are similar in Elga's terminology.
- Thus in the two branch scenario you must distribute your credence's equally over being the right and the left branch, violating measurement neutrality.
- Note: it might be vague how many duplicates there are (due to vagueness in the decoherence basis.)
- But in most cases, it'll be supertrue that you ought not set your credence's according to the Born rule. (E.g. if the mod amplitude squared is an irrational number. Elga's principle never recommends an irrational credence.)

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation

- 1 Introduction
- 2 Self-locating uncertainty
- **3** Branching time and indeterminacy
- 4 Vagueness and uncertainty
- **Decision** theoretic formulation indifference

Solution

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating

Branching time and indeterminacy

Vagueness and

Decision theoretic formulation ■ The proposal: the uncertainty in question exists because you are certain that it's indeterminate whether when you measure x-spin you'll get up or down.

Solution

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- The proposal: the uncertainty in question exists because you are certain that it's indeterminate whether when you measure *x*-spin you'll get up or down.
- The claim: you may know exactly which possible world you inhabit, and even know exactly where you are located in that world and yet still be uncertain about some things.

Solution

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation

- The proposal: the uncertainty in question exists because you are certain that it's indeterminate whether when you measure *x*-spin you'll get up or down.
- The claim: you may know exactly which possible world you inhabit, and even know exactly where you are located in that world and yet still be uncertain about some things.
- In particular, suppose you can see that Cedric is clearly bordering on the bald. Even if you know all the relevant facts (such as how many hairs he has on his head, how people use the term 'bald', etc...) you can still be uncertain whether Cedric is bald.

How does indeterminacy come about?

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating

Branching time and indeterminacy

Vagueness and

Decision theoretic formulation Indeterminacy come's about when there are multiple equally good candidate interpretations of our language.

How does indeterminacy come about?

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertaint

- Indeterminacy come's about when there are multiple equally good candidate interpretations of our language.
- A world where time is branching, but the language users speak as if there were exactly one branch seems like a world where there are many good candidate interpretations for the language: each a linear branch.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating

Branching time and indeterminacy

Vagueness and uncertaint

Decision theoretic formulation Supervaluationism about vagueness keeps the logic fixed.
 For example the law of exluded middle is valid.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness

uncertainty
Decision

Supervaluationism about vagueness keeps the logic fixed.
 For example the law of exluded middle is valid.

Famously, it allows you to keep classical logic, and still have truth value gaps.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation

- Supervaluationism about vagueness keeps the logic fixed.
 For example the law of exluded middle is valid.
 - Famously, it allows you to keep classical logic, and still have truth value gaps.
 - But there's nothing special about classical logic you could have intuitionistic precisifications, or 3-valued precisifications, etc...

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Supervaluationism about vagueness keeps the logic fixed.
 For example the law of exluded middle is valid.
 - Famously, it allows you to keep classical logic, and still have truth value gaps.
 - But there's nothing special about classical logic you could have intuitionistic precisifications, or 3-valued precisifications, etc...
 - The logic imposes constraints on what the interpretations must look like.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

vagueness and uncertainty

- Supervaluationism about vagueness keeps the logic fixed.
 For example the law of exluded middle is valid.
 - Famously, it allows you to keep classical logic, and still have truth value gaps.
 - But there's nothing special about classical logic you could have intuitionistic precisifications, or 3-valued precisifications, etc...
 - The logic imposes constraints on what the interpretations must look like.
- Notice that English seems to have a tense logic of linear time:

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

vagueness and uncertainty

- Supervaluationism about vagueness keeps the logic fixed.
 For example the law of exluded middle is valid.
 - Famously, it allows you to keep classical logic, and still have truth value gaps.
 - But there's nothing special about classical logic you could have intuitionistic precisifications, or 3-valued precisifications, etc...
 - The logic imposes constraints on what the interpretations must look like.
- Notice that English seems to have a tense logic of linear time:
 - $\blacksquare \, \lhd \rhd p \to \big(\lhd p \lor p \lor \rhd p \big)$



Frames, branches, models

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating

Branching time and indeterminacy

Vagueness and

Decision theoretic formulation

Definition

A **frame** is a partial order $\langle P, \leq \rangle$

Frames, branches, models

What to do when the world splits in two

Andrew

Branching time and indeterminacy

Definition

A **frame** is a partial order $\langle P, \leq \rangle$

Definition

Given a frame, $\langle P, \leq \rangle$, the set of **branches** over that frame is $\mathcal{B} := \{b \mid b \text{ is a maximal chain in } \langle P, \leq \rangle \}$. (Requires Choice.)

Frames, branches, models

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating

Branching time and indeterminacy

Vagueness and

Decision theoretic formulation indifference

Definition

A **frame** is a partial order $\langle P, \leq \rangle$

Definition

Given a frame, $\langle P, \leq \rangle$, the set of **branches** over that frame is $\mathcal{B} := \{b \mid b \text{ is a maximal chain in } \langle P, \leq \rangle \}$. (Requires Choice.)

Definition

A **model** is a triple $\langle P, \leq, V \rangle$, where $\langle P, \leq \rangle$ is a frame, and $V : \mathcal{SL} \times P \times \mathcal{B} \to 2$.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating

Branching time and indeterminacy

Vagueness

Decision theoretic formulation • We define truth at a model \mathcal{M} with respect to a branch and a time in that branch as follows:

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertaint

- We define truth at a model \mathcal{M} with respect to a branch and a time in that branch as follows:
- \mathcal{M} , b, $t \models \triangleright \phi$ iff there is a $t' \in b$ such that t < t' and \mathcal{M} , b, $t' \models \phi$

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertaint

- We define truth at a model \mathcal{M} with respect to a branch and a time in that branch as follows:
- \mathcal{M} , b, $t \models \triangleright \phi$ iff there is a $t' \in b$ such that t < t' and \mathcal{M} , b, $t' \models \phi$
- \mathcal{M} , b, $t \models \lhd \phi$ iff there is a $t' \in b$ such that t' < t and \mathcal{M} , b, $t' \models \phi$

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- We define truth at a model M with respect to a branch and a time in that branch as follows:
- \mathcal{M} , b, $t \models \triangleright \phi$ iff there is a $t' \in b$ such that t < t' and \mathcal{M} , b, $t' \models \phi$
- \mathcal{M} , b, $t \models \lhd \phi$ iff there is a $t' \in b$ such that t' < t and \mathcal{M} , b, $t' \models \phi$
- \mathcal{M} , b, $t \models \Delta \phi$ iff for every branch b' such that $t \in b'$, \mathcal{M} , b', $t \models \phi$

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- We define truth at a model M with respect to a branch and a time in that branch as follows:
- \mathcal{M} , b, $t \models \triangleright \phi$ iff there is a $t' \in b$ such that t < t' and \mathcal{M} , b, $t' \models \phi$
- \mathcal{M} , b, $t \models \lhd \phi$ iff there is a $t' \in b$ such that t' < t and \mathcal{M} , b, $t' \models \phi$
- \mathcal{M} , b, $t \models \Delta \phi$ iff for every branch b' such that $t \in b'$, \mathcal{M} , b', $t \models \phi$
- The clauses for \neg , \wedge , \vee , \rightarrow and sentence letters are standard.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- We define truth at a model M with respect to a branch and a time in that branch as follows:
- \mathcal{M} , b, $t \models \triangleright \phi$ iff there is a $t' \in b$ such that t < t' and \mathcal{M} , b, $t' \models \phi$
- \mathcal{M} , b, $t \models \lhd \phi$ iff there is a $t' \in b$ such that t' < t and \mathcal{M} , b, $t' \models \phi$
- \mathcal{M} , b, $t \models \Delta \phi$ iff for every branch b' such that $t \in b'$, \mathcal{M} , b', $t \models \phi$
- The clauses for \neg , \land , \lor , \rightarrow and sentence letters are standard.
- A sentence is **supertrue** in \mathcal{M} at a time t iff $\mathcal{M}, b, t \models \phi$ for every branch b such that $t \in b$.



What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating

Branching time and indeterminacy

Vagueness and uncertaint

Decision theoretic formulation ■ Logic: $\lhd \rhd p \to (\lhd p \lor p \lor \rhd p)$ is supertrue in every model at every time. (It's valid.)

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and

Decision theoretic formulation

- Logic: $\lhd \rhd p \to (\lhd p \lor p \lor \rhd p)$ is supertrue in every model at every time. (It's valid.)
- Indifference: there is no self locating uncertainty when (it's supertrue that) there's only one person worm.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Logic: $\lhd \triangleright p \rightarrow (\lhd p \lor p \lor \triangleright p)$ is supertrue in every model at every time. (It's valid.)
- Indifference: there is no self locating uncertainty when (it's supertrue that) there's only one person worm.
- Obliteration: on one branch I get obliterated, on another I live on so it's indeterminate whether I get obliterated. So I should be uncertain whether I'll get obliterated.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Logic: $\lhd \triangleright p \rightarrow (\lhd p \lor p \lor \triangleright p)$ is supertrue in every model at every time. (It's valid.)
- Indifference: there is no self locating uncertainty when (it's supertrue that) there's only one person worm.
- Obliteration: on one branch I get obliterated, on another I live on so it's indeterminate whether I get obliterated. So I should be uncertain whether I'll get obliterated.
- Uncertainty about the distant future: the uncertainty due to indeterminacy has nothing to do with the length of your worms. Will still be indeterminate whether robots take over the earth, whether we live long enough to see it or not

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation indifference

1 Introduction

- 2 Self-locating uncertainty
- Branching time and indeterminacy
- 4 Vagueness and uncertainty
- **5** Decision theoretic formulation indifference

Vagueness and uncertainty

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation indifference Suppose you know everything there is to know that's relevant to whether Cedric is bald: how many hairs he has, their distribution, colour, etc... and suppose you're certain he's a borderline case of baldness. Suppose, in fact, that you're omniscient, in the sense that you know exactly which possible world you inhabit.

Vagueness and uncertainty

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you know everything there is to know that's relevant to whether Cedric is bald: how many hairs he has, their distribution, colour, etc... and suppose you're certain he's a borderline case of baldness. Suppose, in fact, that you're omniscient, in the sense that you know exactly which possible world you inhabit.
- Should you be uncertain about whether Cedric is bald?

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation Epistemicism: you should be certain once you have learnt all the facts about how language is used.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation

- Epistemicism: you should be certain once you have learnt all the facts about how language is used.
- Field: your credence in p and in $\neg p$ should drop to 0.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Epistemicism: you should be certain once you have learnt all the facts about how language is used.
- Field: your credence in p and in $\neg p$ should drop to 0.
- Dorr: if you know all the relevant facts, and p is vague, then it will be indeterminate whether you know p (but supertrue that you're not ignorant/uncertain.)

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Epistemicism: you should be certain once you have learnt all the facts about how language is used.
- Field: your credence in p and in $\neg p$ should drop to 0.
- Dorr: if you know all the relevant facts, and *p* is vague, then it will be indeterminate whether you know *p* (but supertrue that you're not ignorant/uncertain.)
- Schiffer: you end up in some sui generis state, which is somehow not the same as uncertainty.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

Decision theoretic formulation ■ Someone who is certain that it is vague whether Cedric is bald will typically act *as if* they were uncertain about *p*:

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Someone who is certain that it is vague whether Cedric is bald will typically act *as if* they were uncertain about *p*:
 - Won't accept or reject p, if queried.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Someone who is certain that it is vague whether Cedric is bald will typically act *as if* they were uncertain about *p*:
 - Won't accept or reject *p*, if queried.
 - Won't be willing to assert or deny p.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Someone who is certain that it is vague whether Cedric is bald will typically act *as if* they were uncertain about *p*:
 - Won't accept or reject *p*, if queried.
 - Won't be willing to assert or deny p.
 - Won't be willing to accept bets with high odds for *p*, or against *p*.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Someone who is certain that it is vague whether Cedric is bald will typically act *as if* they were uncertain about *p*:
 - Won't accept or reject *p*, if queried.
 - Won't be willing to assert or deny *p*.
 - Won't be willing to accept bets with high odds for p, or against p.
- Premise: intuitively this behaviour is appropriate in the situation.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Someone who is certain that it is vague whether Cedric is bald will typically act *as if* they were uncertain about *p*:
 - Won't accept or reject *p*, if queried.
 - Won't be willing to assert or deny p.
 - Won't be willing to accept bets with high odds for p, or against p.
- Premise: intuitively this behaviour is appropriate in the situation.
- Premise: intuitively, this kind of behaviour is only ever appropriate when you are uncertain about *p*.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

Decision theoretic formulation ■ Suppose you see two greeny/bluey patches.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you see two greeny/bluey patches.
 - They're both clearly borderline green.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you see two greeny/bluey patches.
 - They're both clearly borderline green.
 - The second one is greener than the other.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you see two greeny/bluey patches.
 - They're both clearly borderline green.
 - The second one is greener than the other.
 - You should be more sure the second one is green, than the first one.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you see two greeny/bluey patches.
 - They're both clearly borderline green.
 - The second one is greener than the other.
 - You should be more sure the second one is green, than the first one.
- You should be at least as certain that the patch is green or Cedric is bald, than you are that the patch is green.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminac

Vagueness and uncertainty

Decision theoretic formulation Suppose you pick a ball out of a bag containing 10 marbles: 9 are clearly red, one of them is borderline red.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you pick a ball out of a bag containing 10 marbles: 9 are clearly red, one of them is borderline red.
- You're holding a marble but you have not yet looked: what's your credence that you're holding a red marble?

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- Suppose you pick a ball out of a bag containing 10 marbles: 9 are clearly red, one of them is borderline red.
- You're holding a marble but you have not yet looked: what's your credence that you're holding a red marble?
- Should be between 90% and 100%.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

Decision theoretic formulation Stipulate that n denotes the largest small number modulo 100 (i.e. the last two digits of the largest small number.)

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Stipulate that n denotes the largest small number modulo
 100 (i.e. the last two digits of the largest small number.)
 - n is a vague name.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Stipulate that n denotes the largest small number modulo
 100 (i.e. the last two digits of the largest small number.)
 - \blacksquare *n* is a vague name.
 - It's supertrue that: $0 \le n \le 99$

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Stipulate that n denotes the largest small number modulo
 100 (i.e. the last two digits of the largest small number.)
 - n is a vague name.
 - It's supertrue that: $0 \le n \le 99$
 - For each $0 \le k \le 99$ it is vague whether n = k (assuming there are at least 100 borderline cases of smallness.)

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation indifference Suppose you have 100 balls in a bag numbered from 0 to 99 and you have just picked one but have not yet looked at it's number.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you have 100 balls in a bag numbered from 0 to 99 and you have just picked one but have not yet looked at it's number
- By the reasoning on the last slide you are certain that it is vague whether I am holding the *n*th ball.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you have 100 balls in a bag numbered from 0 to 99 and you have just picked one but have not yet looked at it's number.
- By the reasoning on the last slide you are certain that it is vague whether I am holding the nth ball.
- What should your credence be that you are not holding the *n*th ball?

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you have 100 balls in a bag numbered from 0 to 99 and you have just picked one but have not yet looked at it's number
- By the reasoning on the last slide you are certain that it is vague whether I am holding the *n*th ball.
- What should your credence be that you are not holding the *n*th ball?
- Surely you should be 99% sure! It's (determinately) true that there are 99 marbles which aren't the *n*th ball, and only one which is.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose you have 100 balls in a bag numbered from 0 to 99 and you have just picked one but have not yet looked at it's number
- By the reasoning on the last slide you are certain that it is vague whether I am holding the *n*th ball.
- What should your credence be that you are not holding the *n*th ball?
- Surely you should be 99% sure! It's (determinately) true that there are 99 marbles which aren't the *n*th ball, and only one which is.
- (Contrast: Field predicts it should be 0%).



What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

Decision theoretic formulation ■ Consider a Sorites sequence:

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

- Consider a Sorites sequence:
 - My credence that *n* is small is an 'ordinary' credence.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

- Consider a Sorites sequence:
 - My credence that *n* is small is an 'ordinary' credence.
 - If my credence that n is small is an ordinary credence my credence that n+1 is small is an ordinary credence.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- Consider a Sorites sequence:
 - My credence that *n* is small is an 'ordinary' credence.
 - If my credence that n is small is an ordinary credence my credence that n + 1 is small is an ordinary credence.
- Upshot: if we are to deny that in vague cases you ought to have ordinary credence's, you must allow there to be cases where it is vague whether your credence is an ordinary one, or a weird vagueness related one.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Consider a Sorites sequence:
 - My credence that *n* is small is an 'ordinary' credence.
 - If my credence that n is small is an ordinary credence my credence that n+1 is small is an ordinary credence.
- Upshot: if we are to deny that in vague cases you ought to have ordinary credence's, you must allow there to be cases where it is vague whether your credence is an ordinary one, or a weird vagueness related one.
- But it seems like vagueness over whether something is F or G only arises when F and G are very 'close'. (Like being red, and being orange not like being red and being flourescent green.) So vagueness related uncertainty must be 'close' to ordinary uncertainty.

What to do when the world splits in two

> Andrev Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

Decision theoretic formulation Uncertainty is just whatever fills the uncertainty role.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

- Uncertainty is just whatever fills the uncertainty role.
- Belief and desire's hold a special relationship.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Uncertainty is just whatever fills the uncertainty role.
- Belief and desire's hold a special relationship.
- One way to cash this out:

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Uncertainty is just whatever fills the uncertainty role.
- Belief and desire's hold a special relationship.
- One way to cash this out:
 - # You're desire that A, Des(A), is greater than your desire that B, (Des(B)) iff $\Sigma_S Cr(S \mid A) \cdot Des(A \wedge S)$

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- Uncertainty is just whatever fills the uncertainty role.
- Belief and desire's hold a special relationship.
- One way to cash this out:
 - # You're desire that A, Des(A), is greater than your desire that B, (Des(B)) iff $\Sigma_S Cr(S \mid A) \cdot Des(A \wedge S)$
- Naïve functionalism: *Cr* is just whatever satisfies the equation above.

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Uncertainty is just whatever fills the uncertainty role.
- Belief and desire's hold a special relationship.
- One way to cash this out:
 - # You're desire that A, Des(A), is greater than your desire that B, (Des(B)) iff $\Sigma_S Cr(S \mid A) \cdot Des(A \wedge S)$
- Naïve functionalism: *Cr* is just whatever satisfies the equation above.
- Representation theorems: if your desires are well behaved, *Cr* should be a probability function (and it's unique.)

Bets and borderline cases

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminac

Vagueness and uncertainty

Decision theoretic formulation It seems that the conditions required for the representation theorems retain intuitive appeal in settings involving vagueness. For example

Bets and borderline cases

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- It seems that the conditions required for the representation theorems retain intuitive appeal in settings involving vagueness. For example
 - **Dominance**: if you prefer A over B according to each admissible precisification, then you should prefer A to B simpliciter.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- It seems that the conditions required for the representation theorems retain intuitive appeal in settings involving vagueness. For example
 - **Dominance**: if you prefer *A* over *B* according to each admissible precisification, then you should prefer *A* to *B* simpliciter.
- Dominance appears to explain our intuitions about about finding it more likely that the greener patch is green.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- It seems that the conditions required for the representation theorems retain intuitive appeal in settings involving vagueness. For example
 - **Dominance**: if you prefer A over B according to each admissible precisification, then you should prefer A to B simpliciter.
- Dominance appears to explain our intuitions about about finding it more likely that the greener patch is green.
- But would you prefer a bet on the second patch being green over the first?

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation indifference ■ The problem is, it's hard to find cases where you're certain the person offering the bet is such that it is determinately the case that [they'll pay up iff you bet on the second patch being green.]

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation

- The problem is, it's hard to find cases where you're certain the person offering the bet is such that it is determinately the case that [they'll pay up iff you bet on the second patch being green.]
- Suggestion. Suppose the person offering me the bet will write in their will: 'Andrew will get £100 iff the patch is green.' if I take the bet.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- The problem is, it's hard to find cases where you're certain the person offering the bet is such that it is determinately the case that [they'll pay up iff you bet on the second patch being green.]
- Suggestion. Suppose the person offering me the bet will write in their will: 'Andrew will get £100 iff the patch is green.' if I take the bet.
- Suppose that legally, when they die, it will be indeterminate whether I own the £100 or the state does.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- The problem is, it's hard to find cases where you're certain the person offering the bet is such that it is determinately the case that [they'll pay up iff you bet on the second patch being green.]
- Suggestion. Suppose the person offering me the bet will write in their will: 'Andrew will get £100 iff the patch is green.' if I take the bet.
- Suppose that legally, when they die, it will be indeterminate whether I own the £100 or the state does.
- Suppose all I care about is owning money.

Caring about being green

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminac

Vagueness and uncertainty

Decision theoretic formulation Suppose I care intrinsically about owning green things. I'm offered a choice between being given the first borderline green patch and the second (greener) borderline green patch.

Caring about being green

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose I care intrinsically about owning green things. I'm offered a choice between being given the first borderline green patch and the second (greener) borderline green patch.
- Every precisification that makes the first patch green makes the second patch green, but some precisifications make the second patch green but not the first.

Caring about being green

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and uncertainty

- Suppose I care intrinsically about owning green things. I'm offered a choice between being given the first borderline green patch and the second (greener) borderline green patch.
- Every precisification that makes the first patch green makes the second patch green, but some precisifications make the second patch green but not the first.
- Here it seems like dominance kicks in: I should go for the greener borderline green patch.

What to do when the world splits in two

Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- 1 Introduction
- 2 Self-locating uncertainty
- Branching time and indeterminacy
- 4 Vagueness and uncertainty
- **5** Decision theoretic formulation indifference

Preference indifference

What to do when the world splits in two

> Andrev Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminact

Vagueness and uncertainty



Preference indifference

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

Vagueness and

Decision theoretic formulation indifference If this principle is remotely plausible then we have a problem for the decision theoretic defence of the Born rule.

Branching Newcomb scenarios

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and

Vagueness

and uncertaint

Decision theoretic formulation indifference picture Suppose that choosing A involves pressing a button that connects a circuit that drops £100 into the left box.

Branching Newcomb scenarios

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

- Suppose that choosing A involves pressing a button that connects a circuit that drops £100 into the left box.
- suppose that choosing B involves pressing a dummy button it does nothing. However, an infallible predictor has put £100 in the right box just in case she's predicted you'll choos B.

Branching Newcomb scenarios

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

time and indeterminacy

vagueness and uncertainty

- Suppose that choosing A involves pressing a button that connects a circuit that drops £100 into the left box.
- suppose that choosing B involves pressing a dummy button it does nothing. However, an infallible predictor has put £100 in the right box just in case she's predicted you'll choos B.
- My two boxer intuitions say I should definitely prefer A to B, thus violating preference indifference.

Tentative thought

What to do when the world splits in two

> Andrew Bacon

Introduction

Self-locating uncertainty

Branching time and indeterminacy

Vagueness and uncertainty

Decision theoretic formulation indifference Perhaps branch weight is just a measure of how much causal influence your current actions have on what happens in the succeeding branches.