Homework 1.4

Kels Cavin, Peter Capuzzi, Andrew Chang-DeWitt CS 425, Fall 2024 Oct. 18, 2024

Individual contribution


CWID	Name	Contribution (description)	Percent contribution
A20593667	Kels Cavin	Changes to ERD, Relation Schema	33.3%
A20537359	Peter Capuzzi	Generated PDF	33.3%
A20564351	Andrew Chang-DeWitt	Drew ERD, Compiled document	33.3%

Launch Pad

Business rules (from assignment prompt):

- 1. A launchpad hosts multiple launches over time, and each launch is hosted by exactly one launchpad. Therefore, Launchpads will be created in the database even before the first launch is hosted there.
- 2. A launchpad is located in a country, and a country, in turn, is located on a continent.
- 3. Each launchpad has a name and a location.
- 4. A launch requires a launchpad that hosts it, a launch vehicle (the rocket), and the payload.
- 5. For a launch, the date, time and name should be recorded as well as whether it is a crewed launch or not.
- 6. Each launch is performed by a launch vehicle. The serial number for the launch vehicle should be recorded. A launch vehicle can perform multiple launches over time.
- 7. Each launch vehicle is of a specific launch vehicle type. The name, maximum thrust and whether it is reusable need to be recorded for the launch vehicle type.
- 8. A specific manufacturer makes each launch vehicle type, and a manufacturer can make many different launch vehicle types
- 9. Each launch carries one payload, and a payload is only carried by one launch.
- 10. A manufacturer also makes each payload, and a manufacturer can make many different payloads over time.
- 11. Multiple crew members can be carried on a crewed launch, and each crew member can be carried on multiple launches over time.
- 12. Each crew member has a nationality (the country they come from), and their name and surname also need to be recorded.
- 13. Crew members can appear in the database before they launch for the first time

ERD



Relation Schema

- LaunchPad(<u>LaunchPadID</u>, Name, CountryID)
- Launch(LaunchID, Date, Time, Name, Crewed, LaunchPadID, PayloadID, VehicleSerialNum)
- CrewmemberLaunch(CrewMemberID, LaunchID)
- Payload(ManufacturerID, PayloadID)
- LaunchVehicle(VehicleSerialNum, VehicleTypeName, ManufacturerID)
- LaunchVehicleType(<u>VehicleTypeName, ManufacturerID</u>, MaximumThrust, Reusable)
- Manufacturer(ManufacturerID)
- CrewMember(CrewMemberID, Name, Surname, CountryID)
- Country(CountryID, Name, ContinentID)
- Continent(ContinentID, Name)