MERCHANT SALES-BASED FINANCING STRATEGY SIMULATOR

MSBF Module 1/2 v2.1 Technical Successor

Detailed Change Log and Data Reconciliation Report

Report date	2026-09-04
Report version	R1
Public comparator	Module 2 / G3 v2.0.0
Accepted technical successor	R26 M2.5-M2.12/G3-v2
Independent decision	`IA-D-R15-M12-001` - `PASS_WITH_OBSERVATIONS`

CONTROLLED STATUS: Technical successor accepted; version-separated integration authorized; public supersession and publication not authorized.

Deterministic synthetic data | Non-production | No real funds movement

Contents

- 1. Purpose and scope
- 2. Authority hierarchy and release state
- 3. Executive change map
- 4. Module 1 / G2 nonregression
- 5. M2.1-M2.3: strategy correction
- 6. M2.4: activation and funding reconciliation
- 7. M2.5-M2.10: population-portable reconstruction
- 8. R26 monitoring calibration
- 9. Portfolio-level data reconciliation
- 10. M2.11 strategy simulation
- 11. M2.12 / G3-v2 successor certification
- 12. Power BI changes and publication scope
- 13. Repository and documentation delta
- 14. Why the reconciliation is accurate
- 15. Limitations and open gates
- 16. Governing conclusion

1. Purpose and scope

This report governs the substantive comparison between the previously published Module 1/G2 and Module 2/G3 v2.0.0 release and the accepted R26 technical successor intended for a future v2.1 release family. It answers four questions:

1. What business and code logic changed?
2. What data populations and outcomes changed?
3. Which changes are corrections, policy calibrations, source adaptations, or presentation decisions?
4. Why can each reported difference be trusted?

The report covers Module 1 nonregression; M2.1-M2.4 strategy and activation changes; M2.5-M2.10 Wave A reconstruction and R26 calibration; M2.11/M2.12 strategy simulation and G3-v2 certification; the pre-R26 R23 repository candidate; and the current P01-P04 Power BI publication scope.

It does not claim that the exact final v2.1 Git tree, release tag, or hosted assets exist. Those remain downstream integration and release gates.

2. Authority hierarchy and release state

Layer	Identity / status	Interpretation
Public predecessor	v2.0.0; Git HEAD `46fb1f9198475678edc9cabdeefd2f91a59e49c2`	Still controlling public authority.
Wave A successor	R17 M2.5-M2.10	Accepted predecessor rebuild for the 130-path population.
Wave B successor	R19 M2.11/M2.12/G3-v2	Accepted predecessor simulation/certification.
Pre-R26 repository candidate	R23 / `v2.1.0-rc2`; HEAD `58b4dbda229d7176431cb09eecd1e3e3ec1feeee`	Accepted pre-R26 repository/Power BI baseline; not the final R26 integration.
Current technical successor	R26; result `113450c7...4096c3`	Accepted under IA-D-R15-M12-001.
Permitted next step	IA-INT-R15-R26-001	Build and audit one version-separated R26 integration candidate.
Publication / supersession	Not authorized	Requires a later explicit action after audit.

3. Executive change map

Stage / layer	Prior public state	Successor state	Classification
M1.1-M1.17	Accepted public predecessor	No business-logic or accepted-stage change.	NONREGRESSION
M2.1	Shallow routing could classify structure-remediable FAIL/REVIEW paths before comprehensive search.	Routing explicitly distinguishes evidence declines, policy hard stops, structure-remediable cases, counteroffer review, manual underwriting review and approval.	BUSINESS_LOGIC_CORRECTION
M2.2	557 candidate structures; 249 selected structures across 183 applications.	6,519 reportable candidates, 6,397 exact-search candidates and 122 requested-structure references; search runs before no-feasible disposition.	BUSINESS_LOGIC_EXPANSION
M2.3	Four final outcome classes: authorized offer, counteroffer review, insufficient evidence, policy decline.	Seven final classes with explicit authorized counteroffer, manual review, no-feasible proof and policy hard stop.	TAXONOMY_AND_AUTHORITY_REFINEMENT
M2.4	59 activated paths; $667,600 synthetic funded amount.	130 activated paths; $1,729,500 synthetic funded amount; 103 Baseline and 27 Recession Energy.	DOWNSTREAM_RECOMPUTATION
M2.5-M2.10 / R17	Population-specific assumptions and accepted-output hashes embedded around the 59-path predecessor.	Versioned source transforms rebind exact R6 identities, remove population-bound assumptions, preserve stable keys and reconstruct 130-path outputs.	PORTABILITY_AND_IDENTITY_CORRECTION
M2.8	Retry amount rounded after multiplying the unrounded factor result.	Scheduled cent amount is rounded before the retry multiplier; merchant 749 becomes exactly reconciled.	DETERMINISTIC_ROUNDING_CORRECTION
M2.9-M2.10	Exact-zero certification and terminal-state comparisons operated on predecessor population.	Exact-zero controls retained; terminal states exempted from false matched-scenario improvement flags; state/reconciliation-based downstream mapping replaces brittle dollar-signature logic.	CONTROL_CORRECTION
M2.5 / R26	Pace WATCH began day 7 and pace-adverse states day 14; expected pace used the former implied daily collection basis.	Monitoring begins at first expected remittance; expected pace = selected total repayment / selected horizon; pace WATCH day 21, adverse day 30, three-day persistence. Early hard triggers remain.	OWNER_APPROVED_POLICY_CALIBRATION
M2.5 / R26	Raw alert conditions were presented without a separate operational family layer.	Raw alerts remain intact and are consolidated separately into PACE, NO_REMITTANCE, SALES_DORMANCY, LIQUIDITY and HORIZON families.	SEMANTIC_LAYER_ADDITION
M2.6-M2.10 / R26	R17 successor outputs after the 130-path rebuild.	No business-output change from R17; only source identity rebinding where applicable.	EXACT_NONREGRESSION
M2.11	557 candidate source rows, 4,456 candidate evaluations, 59 account paths and 472 account simulations.	6,519 candidates, 52,152 evaluations, 12,000 application simulations and 1,040 account simulations. Eight-profile method preserved; source and semantic identity updated.	SOURCE_ADAPTATION_AND_SCALE
M2.12 / G3-v2	Original G3 certification bound to v2.0 source and report identities.	70/70 successor controls certify R4 decision, R6 activation, R26 operations, M2.11 simulations, source root, Power BI bundle and report root.	SUCCESSOR_RECERTIFICATION
P01-P04	Predecessor pages reflected 59	P01-P04 use the seven-class	CONSUMPTION_AND_PRESENT

Stage / layer	Prior public state	Successor state	Classification
	funded paths and the original four-class decision taxonomy.	decision fact, 130 funded lifecycle paths, 15,600-row calibrated monitoring, plain-language narratives and current source identity.	ATION_UPDATE
P05-P06	R23 candidate exposed eight strategy-profile comparison pages.	Current public showcase is held because profiles alter governed candidate/terms but do not produce decision migration in R26.	PUBLICATION_SCOPE_HOLD
R23 -> R26 integration	Public HEAD 46fb1f...; 1,934 files; v2.0.0 remains controlling.	R23 pre-R26 candidate added version-separated source, evidence, docs and Power BI. Final R26 repository integration is still pending.	VERSION_SEPARATED_INTEGRATION_PENDING

The complete machine-readable version is `registers/01_STAGE_CODE_LOGIC_CHANGE_REGISTER.csv`.

4. Module 1 / G2 nonregression

Module 1 remains the fixed evidence foundation. The successor does not rewrite the 750 applications, the two scenario environments, feature availability, cash-flow history, capacity, resilience, risk, loss, or unit economics. This separation is essential: the purpose of the successor is to correct and extend downstream strategy and lifecycle behavior, not to manufacture a more favorable upstream population.

Controls supporting that conclusion include:

- zero accepted-stage-directory changes in the R23 repository candidate;
- byte-exact accepted-chain, stage-index, source-classification, and release-metadata files;
- use of `module1_run_id`, scenario-qualified application identity, and accepted source hashes throughout the successor;
- source nonmutation checks before and after every compiler/final or resume cycle.

5. M2.1-M2.3: strategy correction

5.1 Business defect addressed

The predecessor strategy could stop too early on structure-remediable cases. A broad `DECLINE_POLICY_AUTHORIZED` category therefore included materially different situations: genuine hard stops, evidence limitations, cases where search had not found a feasible structure, and cases for which a governed alternative could be reviewed or authorized.

The successor requires candidate search before a no-feasible conclusion for decisionable, structure-remediable FAIL or REVIEW paths. It preserves evidence declines and hard stops; it does not use favorable pricing or economics to cure missing evidence or immutable policy constraints.

5.2 Owner-approved strategy controls

Control	Successor rule
Minimum counteroffer amount	40% of requested amount
Maximum exposure reduction	60%
Supported payoff horizons	30 / 60 / 90 days
Economic hurdle	Required
Selection method	Dual frontier; authority first
Automatic repayment-cost increase	0%
Review repayment-cost increase	Maximum 2%
Rounding tolerance	$0.01
Strict risk / resilience tier	2 / 2
Review risk / resilience tier	3 / 3
Custom profile	Only through explicit hashed selection

5.3 Candidate search and proof populations

Population	Prior v2.0.0	Successor	Interpretation
Application-scenario rows	1,500	1,500	Same comparison population
Candidate structures	557	6,519	Expanded governed search
Exact-search candidates	Not separately reported	6,397	Candidate alternatives generated by search
Requested references	Not separately reported	122	Requested-structure reference rows
Decision-gate rows	Not separately materialized	84,228	Constraint-by-candidate evidence
No-feasible proof rows	No separate proof population	652	Explicit failed-search evidence

5.4 Seven-class decision taxonomy

Scenario	Approve as requested	Counteroffer authorized	Counteroffer review	Underwriting review	Evidence decline	No feasible	Hard stop
Baseline	92	11	174	23	43	290	117
Recession Energy	23	4	38	15	191	362	117
Total	115	15	212	38	234	652	234

The seven classes reconcile to 1,500 paths. They are not a simple renaming of the four predecessor classes; the authoritative bridge is the full migration matrix.

5.5 Predecessor-successor migration matrix

Predecessor outcome	Successor outcome	Rows	Share of predecessor
COUNTEROFFER_REVIEW_REQUIRED	COUNTEROFFER_REVIEW_REQUIRED	71	37.4%
COUNTEROFFER_REVIEW_REQUIRED	APPROVE_AS_REQUESTED_AUTHORIZED	56	29.5%
COUNTEROFFER_REVIEW_REQUIRED	MANUAL_UNDERWRITING_REVIEW_REQUIRED	38	20.0%
COUNTEROFFER_REVIEW_REQUIRED	COUNTEROFFER_AUTHORIZED	13	6.8%
COUNTEROFFER_REVIEW_REQUIRED	DECLINE_NO_FEASIBLE_STRUCTURE	12	6.3%
DECLINE_INSUFFICIENT_EVIDENCE_AUTHORIZED	DECLINE_INSUFFICIENT_EVIDENCE	177	99.4%
DECLINE_INSUFFICIENT_EVIDENCE_AUTHORIZED	DECLINE_NO_FEASIBLE_STRUCTURE	1	0.6%
DECLINE_POLICY_AUTHORIZED	DECLINE_NO_FEASIBLE_STRUCTURE	639	59.6%
DECLINE_POLICY_AUTHORIZED	DECLINE_POLICY_HARD_STOP	234	21.8%
DECLINE_POLICY_AUTHORIZED	COUNTEROFFER_REVIEW_REQUIRED	141	13.1%
DECLINE_POLICY_AUTHORIZED	DECLINE_INSUFFICIENT_EVIDENCE	57	5.3%
DECLINE_POLICY_AUTHORIZED	COUNTEROFFER_AUTHORIZED	2	0.2%
FINAL_OFFER_AUTHORIZED	APPROVE_AS_REQUESTED_AUTHORIZED	59	100.0%

Key interpretation:

- All 59 predecessor authorized offers remain supportable and become `APPROVE_AS_REQUESTED_AUTHORIZED`.
- The 190 predecessor counteroffer-review rows split into 56 approvals, 13 authorized counteroffers, 71 counteroffer reviews, 38 manual reviews, and 12 no-feasible outcomes.
- The 1,073 predecessor policy declines split into 234 genuine hard stops, 639 no-feasible outcomes, 141 counteroffer reviews, 57 evidence declines, and 2 authorized counteroffers.
- The migration does not imply all changed outcomes are improvements. It separates authority, evidence, and feasibility correctly.

5.6 Change-classification control

Classification	Rows	Share
EXPECTED_CHANGE_STRATEGY_OR_DEFECT_CORRECTION	981	65.4%
UNCHANGED_EVIDENCE_OUTCOME_RECODED	177	11.8%
EXPECTED_CHANGE_COUNTEROFFER_STRATEGY	143	9.5%
UNCHANGED_EXACT	71	4.7%
EXPECTED_CHANGE_AUTHORITY_REFINEMENT	69	4.6%
EXPECTED_CHANGE_OFFER_SEMANTIC_REFINEMENT	59	3.9%

These classifications preserve traceability between intended taxonomy refinement, counteroffer strategy change, offer semantics, authority refinement, and unchanged evidence outcomes.

6. M2.4: activation and funding reconciliation

The corrected decision population drives a new M2.4 R6 activation result. The stage is not allowed to invent funding: it consumes only authorized final decisions and carries the exact selected amount, remittance rate, payback multiple and horizon.

Measure	Prior v2.0.0	Successor	Delta
Funded paths	59	130	+71 (120.3%)
Baseline funded paths	44	103	+59 (134.1%)
Recession Energy funded paths	15	27	+12 (80.0%)
Total funded amount	$667,600.00	$1,729,500.00	+$1,061,900.00 (159.1%)
Baseline funded amount	$472,000.00	$1,385,300.00	+$913,300.00 (193.5%)
Stress funded amount	$195,600.00	$344,200.00	+$148,600.00 (76.0%)

The physical activation layer contains:

Activation outcome	Rows
ACTIVATION_REVIEW_REQUIRED	250
BOOKED_FUNDED_PORTFOLIO_ACTIVATED	130
NOT_ACTIVATED_INSUFFICIENT_EVIDENCE	234
NOT_ACTIVATED_POLICY_DECLINE	886

R6 passes 120/120 positive controls, 20/20 negative controls, the acceptance gate, zero term mismatches, zero matched-scenario activation improvements, and zero matched-scenario amount improvements.

7. M2.5-M2.10: population-portable reconstruction

7.1 Why the chain was rebuilt

The predecessor M2.5-M2.10 code and identities were bound to the 59-path population and its accepted hashes. The successor needed to consume 130 activated paths without modifying the public predecessor. The correct implementation was a versioned compiler/final reconstruction from immutable R6.

7.2 Source-file change inventory

Stage	Component	Accepted predecessor file	Successor file	Line diff	Policy change
M2.5	SCHEMA	M2_5_SCHEMA__01_164_schema_policy.sql	M2_5_SCHEMA.sql	+2/-2	False
M2.5	GEN	M2_5_GEN__03_166_generation.sql	M2_5_GEN.sql	+7/-177	False
M2.6	SCHEMA	M2_6_SCHEMA__01_172_schema_policy.sql	M2_6_SCHEMA.sql	+35/-5	False
M2.6	GEN	M2_6_GEN__03_174_generation.sql	M2_6_GEN.sql	+4/-4	False
M2.7	SCHEMA	M2_7_SCHEMA__01_180_schema_policy.sql	M2_7_SCHEMA.sql	+29/-42	False
M2.7	GEN	M2_7_GEN__03_182_generation_v0_2R1.sql	M2_7_GEN.sql	+5/-137	False
M2.8	SCHEMA	M2_8_SCHEMA__01_188_schema_policy.sql	M2_8_SCHEMA.sql	+37/-24	False
M2.8	GEN	M2_8_GEN__03_190_generation.sql	M2_8_GEN.sql	+8/-8	False
M2.9	SCHEMA	M2_9_SCHEMA__01_196_schema_policy.sql	M2_9_SCHEMA.sql	+38/-29	False
M2.9	GEN	M2_9_GEN__03_198_generation.sql	M2_9_GEN.sql	+10/-10	False
M2.10	SCHEMA	M2_10_SCHEMA__01_204_schema_policy_executed_v0_2.sql	M2_10_SCHEMA.sql	+30/-29	False
M2.10	GEN	M2_10_GEN__03_206_generation_v0_2R1.sql	M2_10_GEN.sql	+59/-391	False

Every `policy_change` value in the R17 source-diff register is false. Most differences are source-identity, cardinality, execution-state, payload-canonicalization, validation, or portability changes. The later R26 monitoring calibration is separately classified as an owner-approved policy change.

7.3 Deterministic one-cent correction in M2.8

The R12 failure isolated one account where retry rounding produced a +$0.01 reconciliation variance and -$0.01 exposure variance. The prior expression rounded only after multiplying by the retry multiplier. The successor first rounds the scheduled cent amount, then multiplies and rounds the retry.

```
-- predecessor ordering
ROUND(ROUND(exposure / duration, 2) * payment_factor * retry_multiplier, 2)

-- successor ordering
ROUND(ROUND(ROUND(exposure / duration, 2) * payment_factor, 2) * retry_multiplier, 2)
```

For merchant application 749, the corrected retry is $503.50, the processed total is $1,762.25, and both reconciliation variance and exposure variance are exactly zero. M2.9 and M2.10 exact-zero controls were not weakened.

7.4 Other engineering corrections

- Power BI export order is bound to projected columns rather than an unavailable `scenario_id` field.

- Run-generated `created_at` values are excluded from nested deterministic payload hashes, while business and lineage fields remain inside the payload.
- Diagnostic comparators distinguish fields that must match from fields that must differ.
- Terminal-state matched comparisons do not report false stress improvements when both paths are already terminal.
- M2.10 uses state/reconciliation semantics rather than brittle exact-dollar signature mapping.
- Compiler and final clones are separately created and required to reproduce normalized receipts and identities.

7.5 R17 validation

R17 produces:

Stage	Physical rows
M2.5 daily monitoring	15,600
M2.6 intervention	130
M2.7 operational setup	130
M2.8 servicing execution	130
M2.9 certification	130
M2.10 portfolio performance	130
Validation controls	115 / 115 PASS

8. R26 monitoring calibration

8.1 Policy change

Policy element	Pre-calibration	R26 calibrated
Daily monitoring anchor	Synthetic monitoring day	First expected remittance
Expected pace basis	Former implied-daily collection field	Selected total repayment / selected horizon
PACE WATCH eligibility	Day 7	Day 21
PACE adverse eligibility	Day 14	Day 30
Persistence	No explicit consecutive-day requirement	3 consecutive days
Pace thresholds	90% / 75% / 50%	90% / 75% / 50% - unchanged
Early no-remittance trigger	Present	Preserved
Early zero-sales trigger	Present	Preserved
Liquidity and horizon triggers	Present	Preserved
Raw flags	Present	Preserved
Operational alert families	Not separate	PACE / NO_REMITTANCE / SALES_DORMANCY / LIQUIDITY / HORIZON

8.2 Field-level physical reconciliation

Field	Different rows	Unchanged rows	Classification
cumulative_pace_ratio	9,249	6,351	BUSINESS_CALIBRATION_CHANGE
cumulative_shortfall_amount	4,840	10,760	BUSINESS_CALIBRATION_CHANGE
monitoring_status_code	3,300	12,300	BUSINESS_CALIBRATION_CHANGE
cumulative_pace_watch_alert_flag	1,656	13,944	BUSINESS_CALIBRATION_CHANGE
daily_shortfall_alert_flag	1,084	14,516	BUSINESS_CALIBRATION_CHANGE
cumulative_pace_high_alert_flag	591	15,009	BUSINESS_CALIBRATION_CHANGE
stress_status_floor_applied_flag	216	15,384	BUSINESS_CALIBRATION_CHANGE
actual_remittance_amount	0	15,600	EXACT_NONREGRESSION
cumulative_remittance_amount	0	15,600	EXACT_NONREGRESSION
horizon_overrun_alert_flag	0	15,600	EXACT_NONREGRESSION
liquidity_stress_alert_flag	0	15,600	EXACT_NONREGRESSION
merchant_application_id	0	15,600	EXACT_NONREGRESSION
module1_run_id	0	15,600	EXACT_NONREGRESSION
monitoring_date	0	15,600	EXACT_NONREGRESSION
monitoring_day_index	0	15,600	EXACT_NONREGRESSION
paid_off_flag	0	15,600	EXACT_NONREGRESSION
principal_exposure_proxy	0	15,600	EXACT_NONREGRESSION
receivable_balance_after	0	15,600	EXACT_NONREGRESSION
scenario_code	0	15,600	EXACT_NONREGRESSION
source_eligible_pos_sales	0	15,600	EXACT_NONREGRESSION

Field	Different rows	Unchanged rows	Classification
synthetic_advance_id	0	15,600	EXACT_NONREGRESSION
zero_sales_streak_alert_flag	0	15,600	EXACT_NONREGRESSION

The changed fields are exactly those expected from the pace calculation and status calibration. The following remain unchanged across all 15,600 rows: application/scenario/day identity, monitoring date, source sales, actual remittance, cumulative remittance, receivable balance, principal exposure, zero-sales flag, liquidity flag, horizon flag, and paid-off flag.

8.3 Operational peak comparison

Version	Scenario	Semantic scope	Peak accounts	Peak day	Share of paths
R17_PRE_CALIBRATION	BASELINE	WATCH_ONLY	89	11	86.4%
R26_CALIBRATED	BASELINE	WATCH_ONLY	30	30	29.1%
R17_PRE_CALIBRATION	BASELINE	ACTIONABLE_EXCLUDING_WATCH	41	14	39.8%
R26_CALIBRATED	BASELINE	ACTIONABLE_EXCLUDING_WATCH	20	33	19.4%
R17_PRE_CALIBRATION	RECESSION_ENERGY	WATCH_ONLY	22	11	81.5%
R26_CALIBRATED	RECESSION_ENERGY	WATCH_ONLY	4	29	14.8%
R17_PRE_CALIBRATION	RECESSION_ENERGY	ACTIONABLE_EXCLUDING_WATCH	11	14	40.7%
R26_CALIBRATED	RECESSION_ENERGY	ACTIONABLE_EXCLUDING_WATCH	4	32	14.8%

The policy lowers early monitoring noise without deleting severe evidence. R26 independently passes 16/16 static policy checks and all 18 submitted physical checkpoints.

8.4 Endpoint nonregression

Version	Scenario	Paths	Paid off	Severe shortfall	Other open statuses	Ending exposure
R17_PRE_CALIBRATION	BASELINE	103	99	4	0	$7,823.28
R17_PRE_CALIBRATION	RECESSION_ENERGY	27	27	0	0	$0.00
R26_CALIBRATED	BASELINE	103	99	4	0	$7,823.28
R26_CALIBRATED	RECESSION_ENERGY	27	27	0	0	$0.00

M2.6-M2.10 remain exact between R17 and R26:

Stage	R17 rows	R26 rows	Shared columns	Different cells	Status
M2.6	130	130	13	0	EXACT
M2.7	130	130	18	0	EXACT
M2.8	130	130	23	0	EXACT
M2.9	130	130	22	0	EXACT
M2.10	130	130	19	0	EXACT

9. Portfolio-level data reconciliation

Section	Measure	Prior v2.0.0	Successor	Delta	Comparability
Population	Applications	750	750	0.00	DIRECT
Population	Scenarios	2	2	0.00	DIRECT
Population	Application-scenario paths	1,500	1,500	0.00	DIRECT
Decision strategy	Final outcome classes	4	7	3.00	TAXONOMY_EXPANSION
Decision strategy	Candidate structures evaluated	557	6,519	5,962.00	DIRECT
Decision strategy	Selected structures / search-bearing paths	249	780	531.00	RELATED_NOT_IDENTICAL
Decision strategy	Explicit no-feasible proof rows	N/A	652	N/A	NEW_CAPABILITY
Decision strategy	Decision-gate result rows	N/A	84,228	N/A	NEW_CAPABILITY
Activation	Funded application-scenario paths	59	130	71.00	DIRECT
Activation	Baseline funded paths	44	103	59.00	DIRECT
Activation	Recession Energy funded paths	15	27	12.00	DIRECT
Activation	Total synthetic funded amount	$667,600.00	$1,729,500.00	$1,061,900.00	DIRECT
Activation	Baseline synthetic funded amount	$472,000.00	$1,385,300.00	$913,300.00	DIRECT
Activation	Recession Energy synthetic funded amount	$195,600.00	$344,200.00	$148,600.00	DIRECT
Lifecycle	Daily monitoring rows	7,080	15,600	8,520.00	DIRECT
Lifecycle	Opening receivable	$801,838.72	$2,076,147.40	$1,274,308.68	DIRECT
Lifecycle	Cumulative 120-day remittance	$800,858.99	$2,068,324.12	$1,267,465.13	DIRECT
Lifecycle	Ending exposure	$979.73	$7,823.28	$6,843.55	DIRECT
Lifecycle	Ending exposure / opening receivable	0.12%	0.38%	0.00	DIRECT
Lifecycle	Paid-off paths	57	126	69.00	DIRECT
Lifecycle	Payoff rate	96.61%	96.92%	0.00	DIRECT
Strategy simulation	Candidate-profile evaluations	4,456	52,152	47,696.00	DIRECT
Strategy simulation	Application-profile simulations	12,000	12,000	0.00	DIRECT
Strategy simulation	Account-profile simulations	472	1,040	568.00	DIRECT
Certification	G3-v2 controls	N/A	70	N/A	NEW_CERTIFICATION

Interpret ending exposure with scale context: the absolute residual rises from $979.73 to $7,823.28 because the portfolio more than doubles. The normalized residual is 0.12% versus 0.38% of opening receivable. The payoff rate remains approximately 97% (96.61% versus 96.92%).

10. M2.11 strategy simulation

10.1 Scale and identity

Population	Prior v2.0.0	R26
Strategy profiles	8	8
Candidate structures	557	6,519
Candidate-profile evaluations	4,456	52,152
Application-profile simulations	12,000	12,000
Operational account paths	59	130
Account-profile simulations	472	1,040
Portfolio summary	24	24
Portfolio frontier	24	24
Portfolio comparison	21	21

The eight-profile method is preserved. R26 changes the physical source population and semantic source identity; it does not silently change the profile-selection method.

10.2 Public interpretation control

Question	Physical answer	Publication consequence
Do profiles change high-level decisions?	0 of 1,500 application-scenario paths show profile outcome migration.	Do not call the current pages a full strategy challenger.
Do profiles change selected candidates?	249 paths; 65.5% of candidate-bearing paths.	Valid offer/terms optimization evidence.
Do profiles change selected amounts?	247 paths.	Valid terms tradeoff evidence.
Does Early Intervention change account treatment?	4 of 1,040 account-profile rows; no exposure or payment-factor change.	Bounded account-treatment evidence only.

P05/P06 are therefore held from the present public Power BI showcase, while the technical evidence remains preserved.

11. M2.12 / G3-v2 successor certification

R26 certifies a new source/report identity rather than reusing v2.0.0 hashes. The final physical populations are:

Certified population	Rows / result
Strategy profiles	8
Candidate evaluations	52,152
Application simulations	12,000
Account simulations	1,040
Portfolio summaries	24
Portfolio frontiers	24
Portfolio comparisons	21
G3-v2 certification controls	70 / 70 PASS

The accepted R26 identities are listed in `registers/10_IDENTITY_AND_HASH_REGISTER.csv`.

11.1 R2 failure and retained-final resume

The first R26 R2 runtime correctly remains a failed record because compiler and final M2.11 simulation identities differed. Independent comparison showed the M2.5-M2.10 business exports were byte-identical; only execution metadata contaminated the semantic identity boundary.

The accepted resume:

- verifies the exact retained R2 final database;
- proves nine Wave A exports exact before cloning;
- clones the retained final without modifying it;
- executes only M2.11/M2.12/G3-v2;
- reproduces the nine Wave A exports afterward;
- confirms immutable R6 and retained R2 nonmutation.

This is why R2 remains FAIL provenance while the resume result is the accepted technical successor execution evidence.

12. Power BI changes and publication scope

The successor Power BI source now uses:

- the seven-class final-decision fact;
- the 130-row funded-lifecycle object (103 Baseline, 27 Recession Energy);
- the 15,600-row R26 monitoring fact;
- plain-language P03 narratives based on source-owned facts;
- P03 semantic QA of 2 scenario-isolation rows PASS, 0 genuine failures, and 1,500 unique application-scenario paths PASS;
- P01-P04 completed and tested.

DAX and Power Query do not reconstruct eligibility, candidate feasibility, final authority, funding, monitoring, or lifecycle truth.

Current publication scope:

Page	Disposition	Reason
P01 - Executive Portfolio Command Center	Retain	Executive portfolio posture
P02 - Cohort Lifecycle	Retain	Funded-cohort lifecycle
P03 - Application Journey	Retain	Decision proof and narrative
P04 - Servicing & Exceptions	Retain	Operational monitoring and intervention
P05 - Economics & Value Creation	Hold	Strategy profiles not yet a full decision challenger
P06 - Strategy & Decision Effectiveness	Hold	Avoid overstating profile functionality

13. Repository and documentation delta

The R23 pre-R26 candidate demonstrates the intended version-separated integration pattern:

Measure	R23 result
Base HEAD	46fb1f9198475678edc9cabdeefd2f91a59e49c2
Candidate HEAD	58b4dbda229d7176431cb09eecd1e3e3ec1feeee
Candidate commits from base	2
Changed paths	508
Added paths	501
Modified paths	7
Accepted M2.1-M2.12 stage changes	0
Public-release validator	PASS
Candidate-overlay validator	PASS
Patch apply/reproduction	PASS

Category summary:

Category	Git status	Paths	Final R26 status
R23_RC1_PRESERVED_HISTORY	A	238	PENDING
R23_RC2_CONTROL_METADATA	A	9	PENDING
R23_RC2_DOCUMENTATION	A	14	PENDING
R23_RC2_EVIDENCE	A	17	PENDING
R23_RC2_POWER_BI	A	174	PENDING
R23_RC2_SOURCE	A	48	PENDING
ROOT_NAVIGATION_OR_MANIFEST	A	1	PENDING
ROOT_NAVIGATION_OR_MANIFEST	M	7	PENDING

The final R26-integrated repository must be rebuilt from exact R26 identities. The R23 candidate is not simply relabeled as final v2.1 because the monitoring policy, source root, Power BI source bundle, report root and certification all changed after R23.

14. Why the reconciliation is accurate

14.1 Stable grains

Every major comparison is performed at a governed key:

- strategy: `module1_run_id + scenario_id + merchant_application_id`;
- candidate: add candidate ID/template;
- activation and account: application-scenario plus account/advance;
- monitoring: application-scenario plus monitoring day;
- strategy profile: application-scenario or account plus profile code.

14.2 Full-population comparison

No outcome conclusion is based on a sample. The decision migration covers all 1,500 paths, monitoring comparison covers all 15,600 daily rows, and M2.6-M2.10 comparisons cover every 130-row stage output.

14.3 Independent identities

Rows, ordered sets, source bundles, controls, reports and certifications are bound to SHA-256 or governed set hashes. The focused audit independently recomputed the critical R26 roots.

14.4 Exact arithmetic

Counts are direct row counts; funded amounts and receivables are direct sums; rates are explicit ratios; migration percentages are row counts divided by predecessor-row totals. The validation script re-performs these formulas.

14.5 Failed history is preserved

R12-R16 and R26 R2 are not hidden. Their failure class, last stage and retained/dropped databases remain part of provenance. A PASS is assigned only to the accepted final result.

15. Limitations and open gates

Finding	Boundary	Required treatment	Status
VERSION_LABEL	The term v2.1 is a working stable-release family label; the final tag/title are not frozen.	Decide only after the integrated R26 repository/Power BI/history/visual candidate is frozen.	OPEN_RELEASE_GATE
PUBLIC_AUTHORITY	Public v2.0.0 remains controlling. R26 is accepted technically but is not yet public.	Preserve v2.0.0 until bounded integration audit and explicit supersession.	GATED
FINAL_GIT_DIFF	The exact final R26-integrated Git tree and commit do not yet exist.	Use this report as the governing technical change specification; generate final file-level diff after integration.	PENDING
R4_GENERATOR_SOURCE	Original R4 generator source was not packaged; outputs, contracts, policy, receipts and independent replay are available.	Retain observation R23-O-001 and recover generator bytes if later found; do not reconstruct silently.	NONBLOCKING_OBSERVATION
R26_R2_PROVENANCE	R26 R2 remains FAIL at final M2.11/M2.12 identity comparison.	Consume only exact Wave A facts through the accepted retained-final resume; keep FAIL provenance.	NONBLOCKING_OBSERVATION
STRATEGY_PROFILE_SCOPE	Current profiles do not demonstrate decision migration.	Hold P05/P06 and describe profiles as offer/terms optimization plus bounded account treatment.	PUBLICATION_HOLD
PRODUCTION_CLAIMS	All data and values are deterministic synthetic.	No production, causal, regulatory, CECL, realized profitability or autonomous-strategy claim.	PERMANENT_BOUNDARY
WINDOWS_EXTRACTION	Linux clean extraction and path simulation do not replace actual Windows-native release testing.	Test exact hosted release assets on Windows after authorized publication.	PENDING_RELEASE_GATE

16. Governing conclusion

The successor materially improves strategy correctness, explanation, lifecycle scalability, monitoring calibration, deterministic reconciliation, source identity, and certification. It does not change the accepted Module 1 foundation, does not perform real funding or servicing, and does not yet authorize public supersession.

The exact next step is to integrate these R26 facts, reports, P01-P04 Power BI assets, project history, and public documentation into one version-separated repository candidate; generate its exact Git/file/hash delta; submit the combined delta for bounded Independent Audit; and only then decide and activate the final public v2.1 release identity.