


P14 SKYMASTER




The printable template linked below is 4.25in x 5.5in. That is equivalent to half of an 8.5in x 11in sheet of printer paper. While the designs in this book will fly great with regular printer paper, I recommend 32lb/ream paper. The stronger paper will hold its shape better during flight allowing for higher and more exciting flights. Once you become comfortable making the planes from this template you can simply cut regular printer paper in half in order to start. Print the PDF template located at the bottom of the web page: <https://sites.google.com/site/afspaperairplanes/p14>

In case your reading device is not connected to the internet, doing a Google search for “AFS Paper Airplanes” should get you to the webpage.

1

Cut out the template and place the paper on the table so that the printed information is on the underside with the printed triangle facing away from you. You will be looking at the blank side. Bring the right side up and fold the paper in half the long way. Unfold leaving a visible crease as shown in Figure 1 below.


Figure 1



2

Fold the leading corners back. Line them up along the crease you created in step 1 as shown in Figure 2 below.


Figure 2



3

Fold the nose of the plane created in step 2 back along the solid line printed on the front of the paper so that it lines up on the center crease created in step 1 as shown in Figure 3 below.


Figure 3



4

Turn the paper to the left (counterclockwise) and fold the paper upward in half hiding the triangle created in the previous steps refolding along the fold from step 1 as shown in Figure 4 below.


Figure 4



5

Fold the leading edge of the near side of the plane down along the dotted line as shown in Figure 5 below.


Figure 5



6

Do the same to the other side of the plane. It is important to match these 2 folds exactly so that your plane is symmetrical and will fly straight. The area that is created below the body and designated in pink will be called the keel.

Figure 6



7

Place tape along the keel as shown in Figure 7 below and cut a slit in the tape along the red line. Now fold the tape around and under both sides of the plane and keel securing them together. See Figure 7b for what the far side of the plane looks like.

Figure 7






Figure 7b



8

Open the plane flat on your work surface with the nose toward you and looking at the underside of the body. When you do this the keel will want to stand up off the table. Bend it to the left along the center line and give it a strong crease as shown in Figure 8 below.


Figure 8



9

Now fold the keel to the right side creating a strong crease as shown in Figure 9 below. After making this crease, allow the keel to remain upright. This is where you will hold the plane when launching it.


Figure 9



10

Rotate the nose of the plane to the left clockwise and fold the plane in half down the middle covering up the keel. Fold along the fold created in step 1 along the center line of the plane as shown in Figure 10 below.


Figure 10



11

Now fold the near side wing back up along the solid line shown in Figure 11 below.


Figure 11



12

Do the same to the other side as shown in Figure 12 below. Remember that matching symmetry of the plane is more important that lining up the printed lines on the page.


Figure 12



13

Now fold the near side wing down along the dotted line as shown in Figure 13 below.


Figure 13



14

Do the same to the other side matching the plane symmetrically as shown in Figure 14 below.


Figure 14



15

Open the wings all the way back up and lay the plane flat on the work surface. Now cut through both layers of paper along the **red** dashed lines as indicated by Figure 15 below. Don't forget the slits in order to create your flaps.


Figure 15



16

Turn the nose of the plane toward you counterclockwise and lay the plane flat with the keel on the underside. Lay the keel to one side or the other. Place tape along the fuselage as shown in Figure 16 below.


Figure 16



17

Turn the plane over to show the underside. The vertical standing keel is represented by the thick **blue** line. Fold the nose back as shown in Figure 17 below.


Figure 17



18

Place 2 pieces of tape with slices cut in them on the underside of the plane in front of and behind the keel as shown in Figure 18 below. Wrap the tape around the nose to the top side of the plane.


Figure 18



19

Place a piece of tape across the nose of the plane as shown in Figure 19 below. Cut slits along the red lines as shown. These slits will help you fold the tape over the plane in the next step.


Figure 19



20

Flip the plane over so you can see the top side. Fold the flaps of tape, in number order, up and in as shown in Figure 20 below. They will overlap each other once folded.


Figure 20



21

Turn the nose to the left and push the tail section up in between the two wings as shown in Figure 21 below. Reverse the creases across the tail. If you are having difficulty you can refer to “23” to get a head-on view.


Figure 21



22

Insert a #1 size paper clip ***just*** inside the keel through the central opening behind it as shown in Figure 21 below. Then seal the opening with a piece of tape.

Figure 22



Now that you have constructed the plane ensure that it has the proper shape. Take a look at your plane head-on from the nose. The plane should be symmetrical. Take a look at Figure 23 below. Note the **points of interest**. Note the curved shape of the paper on the underside of the wings. To achieve this, carefully stick one side of a pair of scissors up into the pocket on the underside of the wing from behind and gently mold the paper into the proper shape. Don't crease it.

We are almost ready to launch! I recommend taking a quick look at the **“PREFLIGHT”** section to get some good tips. All paper planes fly erratically on their first flights. They require refining to make them great. To do this, take a look at the **“FINE-TUNING”** section.

Figure 23

