
NC consistency summary: beta = 0, both spillover (24 blocks)
High Incidence Focus
1.88
2x2 Blocking
5.92
Isolation Buffer
9.00
3.17
4.00
5.17
8.00
Checkerboard
Random Sampling
CD = 2.452
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


NC consistency summary: beta = 0, control_only spillover (24 blocks)
Plain Saturation
1.67
Isolation Buffer
3.79
Balanced Quartiles
4.38
Simple Random Sampling
6.42
Checkerboard
9.00
1.79
Incidence−Guided Saturation
4.75
5.04
2x2 Blocking
7.67
CD = 2.452
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)

NC consistency summary: beta = 1, both spillover (24 blocks)
Balanced Quartiles
2.17
Balanced Halves
2.46
Simple Random Sampling
3.58
Incidence−Guided Sampling
3.92
4.00
2x2 Blocking
4.88
Checkerboard
7.04
Isolation Buffer
8.38
High Incidence Focus
8.38
CD = 2.452
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


NC consistency summary: beta = 1, control_only spillover (24 blocks)
Plain Saturation
1.29
Isolation Buffer
3.50
Balanced Halves
4.54
2x2 Blocking
6.57
Checkerboard
9.00
1.71
Incidence−Guided Saturation
4.23
Balanced Quartiles
5.96
Simple Random Sampling
8.00
High Incidence Focus
CD = 2.452
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)