

Critical Difference Diagram (6 designs, rook, tau=1.0)

Incidence-Guided Saturation Quadrants

2x2 Blocking

High Incidence Focus

Balanced Quartiles

Isolation Buffer

Checkerboard

1.37

3.01

4.61

1.68

4.34

6.00

CD = 0.596

Average Rank (lower = better MSE)

1

2


3

4


5

6


MSE by Design with Pairwise Significance



Pairwise Wilcoxon (Holm) p-values (Holm-adjusted)



Pairwise Nemenyi p-values



True_Tau = 0.8

Incidence-Guided Saturation Quadrants

1.39

Balanced Quartiles

1.65

2x2 Blocking

3.01

High Incidence Focus

4.60

Isolation Buffer

4.35

Checkerboard

6.00

CD = 0.596

Average Rank (lower = better MSE)

True_Tau = 1

Incidence-Guided Saturation Quadrants

1.37

Balanced Quartiles

1.68

2x2 Blocking

3.01

High Incidence Focus

4.61

Isolation Buffer

4.34

Checkerboard

6.00

CD = 0.596

Average Rank (lower = better MSE)

True_Tau = 1.5

Incidence-Guided Saturation Quadrants

2x2 Blocking

High Incidence Focus

Balanced Quartiles

Isolation Buffer

Checkerboard

1.38

3.09

4.64


1.66

4.22

6.00

CD = 0.596

Average Rank (lower = better MSE)



True_Tau = 2

Incidence-Guided Saturation Quadrants

1.42

Balanced Quartiles

1.63

2x2 Blocking

3.21

High Incidence Focus

4.67

Isolation Buffer

4.08

Checkerboard

6.00

CD = 0.596

Average Rank (lower = better MSE)

True_Tau = 3

