

Critical Difference Diagram (6 designs, queen, tau=1.0)

Incidence-Guided Saturation Quadrants

1.43

Balanced Quartiles

2.14

Isolation Buffer

3.69

Checkerboard

4.74

2x2 Blocking

4.24

Incidence Focus

4.76



CD = 0.596

1

2

3


4

5


6

Average Rank (lower = better MSE)


MSE by Design with Pairwise Significance



Pairwise Wilcoxon (Holm) p-values (Holm-adjusted)



Pairwise Nemenyi p-values



True_Tau = 0.8

Incidence-Guided Saturation Quadrants

1.41

Balanced Quartiles

2.14

Isolation Buffer

3.71

Checkerboard

4.74

2x2 Blocking Incidence Focus

4.24

4.76



CD = 0.596

1

2

3

4

5

6

Average Rank (lower = better MSE)

True_Tau = 1

Incidence-Guided Saturation Quadrants

1.43

Balanced Quartiles

2.14

Isolation Buffer

3.69

Checkerboard

4.74

2x2 Blocking

4.24

Incidence Focus

4.76



CD = 0.596

1

2

3

4

5

6

Average Rank (lower = better MSE)

True_Tau = 1.5

Incidence-Guided Saturation Quadrants

1.54

Isolation Buffer

3.59

Checkerboard

4.74

Balanced Quartiles

2.14

2x2 Blocking

4.24

High Incidence Focus

4.76



CD = 0.596

1

2

3

4

5

6

Average Rank (lower = better MSE)

True_Tau = 2

Incidence-Guided Saturation Quadrants

1.64

Balanced Quartiles

2.14

Isolation Buffer

3.49

Checkerboard

4.74

2x2 Blocking

4.24

High Incidence Focus

4.76



CD = 0.596

1

2

3

4

5

6

Average Rank (lower = better MSE)

True_Tau = 3

