
Consistency summary: incidence3x_N20_both (16 blocks: year x rho x kappa)
High Incidence Focus
1.19
Simple Random Sampling
3.52
Balanced Quartiles
4.38
2x2 Blocking
6.94
Isolation Buffer
9.00
3.21
3.94
4.62
8.00
Checkerboard
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: incidence3x_N20_control_only (16 blocks: year x rho x kappa)
High Incidence Focus
Incidence-Focused
Balanced
Saturation
Quartiles
2.50
3.25
4.00
2x2 Blocking
7.00
Isolation Buffer
9.00
2.62
3.25
5.38
8.00
Simple Random
Phase
Splitting
Balanced Halves
Checkerboard
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: incidence3x_N29_both (16 blocks: year x rho x kappa)
High Incidence Focus
1.56
Balanced Quarters
3.62
Simple Random Sampling
4.44
2x2 Blocking
7.00
Isolation Buffer
9.00
3.00
3.69
4.69
8.00
Incidence−Guided Balanced Halves
Checkerboard
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: incidence3x_N29_control_only (16 blocks: year x rho x kappa)
Plain Saturation
Balanced Quota
Square
Random Sampling
2x2 Blocking
Isolation Buffer
2.38
3.25
4.12
7.00
9.00
3.00
3.62
4.62
8.00
Incidence−Guided
Incidence Focus
Checkerboard
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: random_N20_both (16 blocks: year x rho x kappa)
High Incidence Focus
Plain Saturation
Random Sampling
2x2 Blocking
Isolation Buffer
2.31
3.56
4.38
6.75
9.00
2.62
3.81
4.56
8.00
Incidence−Guided Saturation
Balanced Halves
Quartiles
Checkerboard
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: random_N20_control_only (16 blocks: year x rho x kappa)
2.88
3.25
3.50
3.25
3.38
4.75
7.00
8.00
9.00
2x2 Blocking
Isolation Buffer
Simple Random Sampling
Checkerboard
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: random_N29_both (16 blocks: year x rho x kappa)
High Incidence Focus
1.94
Plus
3.06
Saturation
3.06
Balanced Quarters
5.12
2x2 Blocking
6.00
Isolation Buffer
9.00
2.56
Incidence−Guided
3.28
Saturated Halves
5.94
Simple Random Sampling
8.00
Checkerboard
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: random_N29_control_only (16 blocks: year x rho x kappa)
Incidence−Guided Saturation
1.62
Balanced Halves
2.88
Balanced Quartiles
4.38
2x2 Blocking
7.00
Isolation Buffer
9.00
2.62
4.25
5.25
8.00
Plain Saturation
High Incidence Strata
Simple Random Sampling
Checkerboard
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: random_N40_both (16 blocks: year x rho x kappa)
High Incidence Focus
1.00
Balanced Halves
2.88
Plain Saturation
4.21
Stratified Random Sampling
5.19
Incidence Guided Saturation
4.50
2x2 Blocking
6.25
Checkerboard
8.00
Isolation Buffer
9.00
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: random_N40_control_only (16 blocks: year x rho x kappa)
Plain Saturation
1.38
Incidence−Guided Saturation
1.62
Balanced Quotas
4.12
High Quotas
4.30
Simple Random Sampling
4.38
Focus
5.00
2x2 Blocking
7.00
Isolation Buffer
8.00
Checkerboard
9.00
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: random_N58_both (16 blocks: year x rho x kappa)
High Incidence Focus
1.00
Balanced Alpha Sats
4.00
Isolation Buffer
9.00
3.62
4.25
4.56
8.00
Checkerboard
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)


Consistency summary: random_N58_control_only (16 blocks: year x rho x kappa)
Plain Saturation
1.50
Incidence−Guided Saturation
1.88
Simple Random Sampling
4.56
Isolation Sampling
4.94
Balanced Halves
5.50
Checkerboard
9.00
2x2 Blocking
6.94
CD = 3.003
1
2
3
4
5
6
7
8
9
Average Rank (lower = better MSE)