



Design Recommendation: Average MSE by Incidence Mode

Rank labels shown above bars (1 = best). MLE estimator.




Design Recommendation: Average Coverage by Incidence Mode

Red dashed = nominal 95%. MLE estimator.



Design Rank Trajectories across Rho


Incidence: iid Uniform | Rank 1 = lowest avg MSE



- Design
- Design 1
 - Design 2
 - Design 3
 - Design 4
 - Design 5
 - Design 6
 - Design 7
 - Design 8

Design Rank Trajectories across Gamma


Incidence: iid Uniform | Rank 1 = lowest avg MSE



- Design
- Design 1
 - Design 2
 - Design 3
 - Design 4
 - Design 5
 - Design 6
 - Design 7
 - Design 8


MSE Distribution by Design, Conditioned on Rho

Incidence: iid Uniform | Designs sorted by median MSE




MSE Distribution by Design, Conditioned on Gamma

Incidence: iid Uniform | Designs sorted by median MSE




Best Design by Rho x Gamma

Incidence: iid Uniform | Cell = best design (lowest avg MSE across other params)



Design Rank Trajectories across Rho


Incidence: Poisson (rho_X = 0.20) | Rank 1 = lowest avg MSE



- Design
- Design 1
 - Design 2
 - Design 3
 - Design 4
 - Design 5
 - Design 6
 - Design 7
 - Design 8


Design Rank Trajectories across Gamma

Incidence: Poisson (rho_X = 0.20) | Rank 1 = lowest avg MSE




MSE Distribution by Design, Conditioned on Rho

Incidence: Poisson (rho_X = 0.20) | Designs sorted by median MSE




MSE Distribution by Design, Conditioned on Gamma

Incidence: Poisson ($\rho_X = 0.20$) | Designs sorted by median MSE




Best Design by Rho x Gamma

Incidence: Poisson (rho_X = 0.20) | Cell = best design (lowest avg MSE across other params)



Design Rank Trajectories across Rho


Incidence: Poisson (rho_X = 0.50) | Rank 1 = lowest avg MSE



- Design
- Design 1
 - Design 2
 - Design 3
 - Design 4
 - Design 5
 - Design 6
 - Design 7
 - Design 8


Design Rank Trajectories across Gamma

Incidence: Poisson ($\rho_X = 0.50$) | Rank 1 = lowest avg MSE




MSE Distribution by Design, Conditioned on Rho

Incidence: Poisson (rho_X = 0.50) | Designs sorted by median MSE



MSE Distribution by Design, Conditioned on Gamma

Incidence: Poisson ($\rho_X = 0.50$) | Designs sorted by median MSE



Best Design by Rho x Gamma

Incidence: Poisson (rho_X = 0.50) | Cell = best design (lowest avg MSE across other params)

Rho

0.5

0.2

0.01

0

0.5

0.6

0.7

0.8


Gamma

Design

Design 3


Design 7

Design 8



Design Rank Trajectories across Rho


Incidence: Spatial (rho_X = 0.20) | Rank 1 = lowest avg MSE




- Design
- Design 1
 - Design 2
 - Design 3
 - Design 4
 - Design 5
 - Design 6
 - Design 7
 - Design 8

Design Rank Trajectories across Gamma

Incidence: Spatial ($\rho_X = 0.20$) | Rank 1 = lowest avg MSE




MSE Distribution by Design, Conditioned on Rho
Incidence: Spatial (rho_X = 0.20) | Designs sorted by median MSE




MSE Distribution by Design, Conditioned on Gamma

Incidence: Spatial ($\rho_X = 0.20$) | Designs sorted by median MSE




Best Design by Rho x Gamma

Incidence: Spatial (rho_X = 0.20) | Cell = best design (lowest avg MSE across other params)




Design Rank Trajectories across Rho

Incidence: Spatial (rho_X = 0.50) | Rank 1 = lowest avg MSE




Design Rank Trajectories across Gamma

Incidence: Spatial ($\rho_X = 0.50$) | Rank 1 = lowest avg MSE




MSE Distribution by Design, Conditioned on Rho
Incidence: Spatial (rho_X = 0.50) | Designs sorted by median MSE



MSE Distribution by Design, Conditioned on Gamma

Incidence: Spatial ($\rho_X = 0.50$) | Designs sorted by median MSE



Best Design by Rho x Gamma

Incidence: Spatial (rho_X = 0.50) | Cell = best design (lowest avg MSE across other params)

