




Critical Difference Diagram (6-design set, tau=1.0)




MSE by Design with Pairwise Significance



Pairwise Wilcoxon (Holm) p-values (Holm-adjusted)



Pairwise Nemenyi p-values



True_Tau = 0.8

Incidence-Guided Saturation Quadrants

1.83

High Incidence Focus

3.39

2x2 Blocking

4.28

Balanced Quartiles

2.30

Isolation Buffer

4.00

Checkerboard

5.20



CD = 0.421

1

2

3

4

5

6

Average Rank (lower = better MSE)

True_Tau = 1

Incidence-Guided Saturation Queue

Incidence Focus

2x2 Blocking

1.88

2.76

4.28

2.53

4.14

5.41

Balanced Quartiles

Isolation Buffer

Checkerboard



CD = 0.421

1

2

3


4

5

6

Average Rank (lower = better MSE)

True_Tau = 1.5



CD = 0.421

Average Rank (lower = better MSE)

True_Tau = 2

Incidence-Guided Saturation Quadrant High Incidence Focus 2x2 Blocking

2.03

3.27

4.07

2.48

3.77

5.38

Balanced Quartiles

Isolation Buffer

Checkerboard



CD = 0.421

1

2

3


4

5

6

Average Rank (lower = better MSE)

True_Tau = 3



CD = 0.421

Average Rank (lower = better MSE)