



THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS THE PROPERTY OF ALTUM LIMITED AND MAY BE FREELY DISTRIBUTED IN WHOLE. NO RIGHTS ARE RESERVED OR EXPRESS OR IMPLIED WARANTEE GIVEN.

REVISION	DESCRIPTION	DATE	APPROVED
1			


SENSORS




MICROCONTROLLER




CANBUS




5V Voltage Regulator




3V3 Voltage Regulator



BATTERY HEADER



APPROVALS	DATE	PROJECT	Altium	
ENG: -		PROJECT REVISION: -	Not in version control	Not in version control
DSN: -		DOCUMENT REVISION: -	Not in version control	Not in version control
CHK: -		TITLE		
REFERENCE DOCUMENTS		★		
BOM:		SIZE	CAGE CODE	DWG NO.
ASSY DWG:		B		
FAB DWG:		SCALE:	FILENAME	SHEET 1 OF 1
PCB DWG:			Sheet3.SchDoc	



Comment	Description	Designator	Footprint	LibRef	Quantity
LD1117V33	Fixed Low Drop Positive Voltage Regulator, 3.3V, 3-Pin TO-220	3V3_VR	TO220	CMP-0244-00470-1	1
L7805CV	Positive Voltage Regulator, 5V, 3-Pin TO-220	5V_VR	TO220	CMP-0244-00483-1	1
ATmega328P-PU	8-bit AVR Microcontroller, 32KB Flash, 1KB EEPROM, 2KB SRAM, 28-pin PDIP, Industrial Grade (-40°C to 85°C)	ATMEGA	28P3	CMP-0095-00013-2	1
BME280	SENSOR PRESSURE HUMIDITY TEMP	BME	FP-BME280-MFG	CMP-2000-05073-3	1
10uF		C1, C2, C8, C9	CAPC2013X135X45NL10T25	CMP-2007-03463-1	4
1uF	Chip Capacitor, 1 uF, +/- 10%, 50 V, -55 to 85 degC, 0603 (1608 Metric), RoHS, Tape and Reel	C3	CAPC1608X90X35ML10T25	CMP-2000-05447-1	1
22pF		C4, C5	CAPC1508X91X25NL25T13	CMP-2006-04643-1	2
0.1uF	CAP CER 0.1UF 100V X7R 0805	C6, C7	FP-C0805C-DN-MFG	CMP-1036-04428-2	2
22pF	CAP CER 22PF 50V 10% NPO 0805	C10, C11	FP-C0805C-DN-MFG	CMP-2007-00466-2	2
TLMS1000-GS08	Low Current LED, 40 mW, 1.8 V, -40 to 100 degC, 2-Pin SMD (0603), RoHS, Tape and Reel	D1, D2	VISH-TLMS1000_V	CMP-2000-07254-1	2
68000-102HLF	Male Header, Pitch 2.54 mm, 1 x 2 Position, Height 8.38 mm, Tail Length 2.41 mm, RoHS, Bulk	J1	AMPH-68000-102HLF_V	CMP-2000-05666-1	1
TSW-102-07-G-S	CONN HEADER VERT 2POS 2.54MM	J2, J3	FP-TSW-102-07-G-S-MFG	CMP-02766-000084-1	2
MCP2515-I/SO	IC CAN CONTROLLER W/SPI 18SOIC	MCP2515	FP-C04-051-MFG	CMP-0186-00133-3	1
8Mhz	Resistance Weld Thru-Hole Crystal, 8 MHz, -20 to 70 degC, 2-Pin THD, RoHS, Bulk	Osc.	FOX-FOXSLF080-20	CMP-1749-00002-1	1
10K	RES SMD 10KΩ 1% 1/16W 0603	R1	FP-CPF0603-MFG	CMP-03211-008304-1	1
4.7K	RES SMD 4.7K OHM 0.1% 1/10W 0603	R2, R3	FP-RT0603-MFG	CMP-2000-04545-2	2
120 Ohm	Chip Resistor, 120 Ohm, +/- 1%, 100 mW, -55 to 155 degC, 0603 (1608 Metric), RoHS, Tape and Reel	R4	RESC1608X55X25NL10T15	CMP-1659-00034-1	1
100K	RES SMD 100KΩ 0.1% 1/16W 0603	R5, R6	FP-CPF0603-MFG	CMP-03211-008043-1	2
220 Ohm	General Purpose Chip Resistors, 220 Ohm, +/- 1%, -55 to 155 degC, 0603 (1608 Metric), RoHS, Tape and Reel	R7, R8	RESC1608X55X25ML10T15	CMP-1659-00018-2	2
KMR211GLFS	SWITCH TACTILE SPST-NO 0.05A 32V	RS	FP-KMR211GLFS-MFG	CMP-10040-000023-1	1
TJA1050T/CM,118	IC TRANSCEIVER HALF 1/1 8SO	TJA	FP-SOT96-1-IPC_A	CMP-2000-04923-2	1
16Mhz	Resistance Weld Thru-Hole Crystal, 16 MHz, 20 to 70 degC, 2-Pin THD, RoHS, Bulk	XTAL	FOX-FOXSLF160-20	CMP-1749-00003-1	1