



X12 820 Payroll Deducted and Other Group Premium Payment For Insurance Products Examples (X218)

X12 Release 5010 Revised May 3, 2024, 9:48 AM

This X12 Transaction Set contains the format and establishes the data contents of the Payment Order/Remittance Advice Transaction Set (820) for use within the context of an Electronic Data Interchange (EDI) environment.

The transaction set can be used to make a payment, send a remittance advice, or make a payment and send a remittance advice.

This transaction set can be an order to a financial institution to make a payment to a payee. It can also be a remittance advice identifying the detail needed to perform cash application to the payee's accounts receivable system. The remittance advice can go directly from payer to payee, through a financial institution, or through a third party agent.

Delimiters ~ Segment * Element > Component ^ Repetition

View the latest version of this implementation guide as an interactive webpage

 <https://portal.stedi.com/app/guides/view/hipaa/payroll-deducted-and-other-group-premium-payment-for-insurance-products-examples-x218/01GRYB6CPB1S1257NJJ6K497B>

POWERED BY **sted**i

Build EDI implementation guides at [sted](https://portal.stedi.com)i.com

Overview

ISA	-	Interchange Control Header	Max use 1	Required
GS	-	Functional Group Header	Max use 1	Required

Heading

ST	0100	820 Header	Max use 1	Required
BPR	0200	Financial Information	Max use 1	Required
TRN	0350	Reassociation Trace Number	Max use 1	Required
CUR	0400	Foreign Currency Information	Max use 1	Optional
REF	0500	Premium Receivers Identification Key	Max use 1	Optional
DTM	0600	Process Date	Max use 1	Optional
DTM	0600	Delivery Date	Max use 1	Optional
DTM	0600	Coverage Period	Max use 1	Optional
DTM	0600	Creation Date	Max use 1	Optional

Premium Receiver's Name Loop				
N1	0700	Premium Receiver's Name	Max use 1	Required
N2	0800	Premium Receiver Additional Name	Max use 1	Optional
N3	0900	Premium Receiver's Address	Max use 1	Optional
N4	1000	Premium Receiver's City, State, and ZIP Code	Max use 1	Optional
RDM	1300	Premium Receiver's Remittance Delivery Method	Max use 1	Optional

Premium Payer's Name Loop				
N1	0700	Premium Payer's Name	Max use 1	Required
N2	0800	Premium Payer Additional Name	Max use 1	Optional
N3	0900	Premium Payer's Address	Max use 1	Optional
N4	1000	Premium Payer's City, State, ZIP Code	Max use 1	Optional
PER	1200	Premium Payer's Administrative Contact	Max use 1	Optional

Intermediary Bank Information Loop				
N1	0700	Intermediary Bank Information	Max use 1	Required
N2	0800	Intermediary Bank Additional Name	Max use 1	Optional
N3	0900	Intermediary Bank's Address	Max use 1	Optional
N4	1000	Intermediary Bank's City, State, ZIP Code	Max use 1	Optional
PER	1200	Intermediary Bank's Administrative Contact	Max use 1	Optional

Detail

Organization Summary Remittance Loop				
ENT	0100	Organization Summary Remittance	Max use 1	Required
Organization Summary Remittance Level Adjustment for Previous Payment Loop				
ADX	0800	Organization Summary Remittance Level Adjustment for Previous Payment	Max use 1	Required

Organization Summary Remittance Detail Loop				
RMR	1500	Organization Summary Remittance Detail	Max use 1	Required
REF	1700	Reference Information	Max use 1	Optional
DTM	1800	Organizational Coverage Period	Max use 1	Optional
Summary Line Item Loop				
IT1	1900	Summary Line Item	Max use 1	Required
Service, Promotion, Allowance, or Charge Information Loop				
SAC	2020	Service, Promotion, Allowance, or Charge Information	Max use 1	Required
Member Count Loop				
SLN	2040	Member Count	Max use 1	Required
Organization Summary Remittance Level Adjustment for Current Payment Loop				
ADX	2100	Organization Summary Remittance Level Adjustment for Current Payment	Max use 1	Required
Individual Remittance Loop				
ENT	0100	Individual Remittance	Max use 1	Required
Individual Name Loop				
NM1	0200	Individual Name	Max use 1	Required
Individual Premium Adjustment for Previous Payment Loop				
ADX	0800	Individual Premium Adjustment for Previous Payment	Max use 1	Required
Individual Premium Remittance Detail Loop				
RMR	1500	Individual Premium Remittance Detail	Max use 1	Required
REF	1700	Reference Information	Max use 1	Optional
DTM	1800	Individual Coverage Period	Max use 1	Optional
Individual Premium Adjustment for Current Payment Loop				
ADX	2100	Individual Premium Adjustment for Current Payment	Max use 1	Required
Summary				
SE	0100	Transaction Set Trailer	Max use 1	Required
GE	-	Functional Group Trailer	Max use 1	Required
IEA	-	Interchange Control Trailer	Max use 1	Required

Interchange Control Header

To start and identify an interchange of zero or more functional groups and interchange-related control segments

Example

```
ISA*00*[REDACTED]*00*          *XX*XXXXXXXXXXXXX  
X*XX*XXXXXXXXXXXXXXX*260928*2100*^*00501*00000000  
0*X*X*>~
```

<u>ISA-01</u>	I01 Authorization Information Qualifier	■ Identifier (ID)	Required
Code identifying the type of information in the Authorization Information			
00 No Authorization Information Present (No Meaningful Information in I02)			
<u>ISA-02</u>	I02 Authorization Information	Min 10 Max 10 ■ String (AN)	Required
Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)			
<u>ISA-03</u>	I03 Security Information Qualifier	■ Identifier (ID)	Required
Code identifying the type of information in the Security Information			
00 No Security Information Present (No Meaningful Information in I04)			
<u>ISA-04</u>	I04 Security Information	Min 10 Max 10 ■ String (AN)	Required
This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)			
<u>ISA-05</u>	I05 Interchange ID Qualifier	Min 2 Max 2 ■ Identifier (ID)	Required
Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified			
> Codes			
<u>ISA-06</u>	I06 Interchange Sender ID	Min 15 Max 15 ■ String (AN)	Required
Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element			
<u>ISA-07</u>	I05 Interchange ID Qualifier	Min 2 Max 2 ■ Identifier (ID)	Required
Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified			
> Codes			
<u>ISA-08</u>	I07 Interchange Receiver ID	Min 15 Max 15 ■ String (AN)	Required
Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them			
<u>ISA-09</u>	I08 Interchange Date	YYMMDD format ■ Date (DT)	Required

Date of the interchange

<u>ISA-10</u>	I09 Interchange Time	HHMM format	🕒 Time (TM)	Required	
Time of the interchange					
<u>ISA-11</u>	I65 Repetition Separator	Min 1	Max 1	🔤 String (AN)	Required
Type is not applicable; the repetition separator is a delimiter and not a data element; this field provides the delimiter used to separate repeated occurrences of a simple data element or a composite data structure; this value must be different than the data element separator, component element separator, and the segment terminator					
^ Repetition Separator					
<u>ISA-12</u>	I11 Interchange Control Version Number			🔤 Identifier (ID)	Required
Code specifying the version number of the interchange control segments					
00501 Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003					
<u>ISA-13</u>	I12 Interchange Control Number	Min 9	Max 9	# Numeric (N0)	Required
A control number assigned by the interchange sender					
<u>ISA-14</u>	I13 Acknowledgment Requested	Min 1	Max 1	🔤 Identifier (ID)	Required
Code indicating sender's request for an interchange acknowledgment					
0 No Interchange Acknowledgment Requested					
1 Interchange Acknowledgment Requested (TA1)					
<u>ISA-15</u>	I14 Interchange Usage Indicator	Min 1	Max 1	🔤 Identifier (ID)	Required
Code indicating whether data enclosed by this interchange envelope is test, production or information					
I Information					
P Production Data					
T Test Data					
<u>ISA-16</u>	I15 Component Element Separator	Min 1	Max 1	🔤 String (AN)	Required
Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator					
> Component Element Separator					

Functional Group Header

To indicate the beginning of a functional group and to provide control information

Example

GS*RA*XXXXXX*XXXXXXX*20260927*0326*0000000*X*0050
10X218~

<u>GS-01</u>	479 Functional Identifier Code			Identifier (ID)	Required
Code identifying a group of application related transaction sets					
RA Payment Order/Remittance Advice (820)					
<u>GS-02</u>	142 Application Sender's Code	Min 2	Max 15	String (AN)	Required
Code identifying party sending transmission; codes agreed to by trading partners					
<u>GS-03</u>	124 Application Receiver's Code	Min 2	Max 15	String (AN)	Required
Code identifying party receiving transmission; codes agreed to by trading partners					
<u>GS-04</u>	373 Date	CCYYMMDD format		Date (DT)	Required
Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year					
<u>GS-05</u>	337 Time	HHMM, HHMMSS, HHMMSSD, or HHMMSSDD format		Time (TM)	Required
Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)					
<u>GS-06</u>	28 Group Control Number	Min 1	Max 9	Numeric (NO)	Required
Assigned number originated and maintained by the sender					
<u>GS-07</u>	455 Responsible Agency Code	Min 1	Max 2	Identifier (ID)	Required
Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480					
T Transportation Data Coordinating Committee (TDCC)					
X Accredited Standards Committee X12					
<u>GS-08</u>	480 Version / Release / Industry Identifier Code			String (AN)	Required
Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed					
005010X218					

Heading

820 Header

To indicate the start of a transaction set and to assign a control number

Example

ST*820*0001*005010X218~

ST-01	143 Transaction Set Identifier Code	Identifier (ID)	Required
-------	-------------------------------------	-----------------	----------

Code uniquely identifying a Transaction Set

- The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

820 Payment Order/Remittance Advice

ST-02	329 Transaction Set Control Number	Min 4	Max 9	# Numeric (N)	Required
-------	------------------------------------	-------	-------	---------------	----------

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

ST-03	1705 Implementation Convention Reference	String (AN)	Required
-------	--	-------------	----------

Reference assigned to identify Implementation Convention

- The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

Usage notes

- The value in ST03 must be the same as the value in GS08.

005010X218

Financial Information

To indicate the beginning of a Payment Order/Remittance Advice Transaction Set and total payment amount, or to enable related transfer of funds and/or information from payer to payee to occur

Usage notes

- The BPR addresses the payment total that a premium payer is remitting to the premium receiver. The BPR contains mandatory information, even when not being used to move funds electronically.

Example

```
BPR*I*000000*C*ACH*CCP*04*XXX*DA*XXXX*XXXXXXXXXX  
X*XXXXXXXXXX*01*XXXXXX*SG*X*20260927~
```

- If either Depository Financial Institution (DFI) Identification Number Qualifier (BPR-06) or Originating Depository Financial Institution (DFI) Identifier (BPR-07) is present, then the other is required
- If Account Number Qualifier (BPR-08) is present, then Sender Bank Account Number (BPR-09) is required
- If either Depository Financial Institution (DFI) Identification Number Qualifier (BPR-12) or Receiving Depository Financial Institution (DFI) Identifier (BPR-13) is present, then the other is required
- If Account Number Qualifier (BPR-14) is present, then Receiver Bank Account Number (BPR-15) is required

BPR-01 305 Transaction Handling Code

■ Identifier (ID) Required

Code designating the action to be taken by all parties

Usage notes

- Code designating whether and how money and information are to be processed.

C Payment Accompanies Remittance Advice

- ☐ Instructs the Originating Depository Financial Institution to move both funds and remittance detail together through the banking system.

D Make Payment Only

- ☐ Instructs the Originating Depository Financial Institution to move only funds through the banking system, and to ignore any remittance detail.

I Remittance Information Only

- ☐ Indicates to the payee that the remittance detail is moving separately from the payment. This also includes when the resulting payment would be zero.

P Prenotification of Future Transfers

- ☐ Tests the setup of the premium receiver and verifies the accuracy of the account numbers. Do not use for actual payments or remittance information.

U Split Payment and Remittance

- ☐ Instructs the third party processor to split the payment and remittance detail and send each one separately.

X Handling Party's Option to Split Payment and Remittance

- ☐ Instruct the Originating Depository Financial Institution to move the payment and remittance detail, either together or separately, based upon the payee's request or capabilities.

BPR-02 782 Total Premium Payment Amount

Min 1 Max 15 # Decimal number (R) Required

Monetary amount

- BPR02 specifies the payment amount.

Usage notes

- The ACH system can not support dollar amounts greater than 11 characters (including the decimal point). This provides an ACH limit of \$99,999,999.99. for the 820. Dollar limits vary by the clearing system used, e.g ACH vs. wire. Contact your ODFI for information.

BPR-03 478 Credit or Debit Flag Code

■ Identifier (ID) Required

Code indicating whether amount is a credit or debit

Usage notes

- This indicates a credit to the payee's account, and a debit to the Payer's account.

C Credit

BPR-04

591 Payment Method Code

Identifier (ID) Required

Code identifying the method for the movement of payment instructions

ACH Automated Clearing House (ACH)

- ☐ Move money electronically through the ACH. Information in BPR05 through BPR09 and BPR12 through BPR15 must also be included.

BOP Financial Institution Option

- ☐ The Originating Depository Financial Institution will choose the method of payment based upon payee's request or capabilities. Assuming a customized arrangement is in place between the originator and the ODFI, the ODFI at its option may direct the payer to use code BOP when the ODFI will determine the payment method.

CHK Check

- ☐ A check has been issued for payment.

FWT Federal Reserve Funds/Wire Transfer - Nonrepetitive

- ☐ The funds were sent through the wire system.

NON Non-Payment Data

- ☐ For use when BPR01 is "I" Remittance Information Only. This code is needed when the ODFI is sending remittance information only to the Premium Payment Receiver without originating a payment transaction.

SWT Society for Worldwide Interbank Financial Telecommunications (S.W.I.F.T.)

- ☐ The funds were sent as a S.W.I.F.T. payment.

BPR-05

812 Payment Format Code

Identifier (ID) Optional

Code identifying the payment format to be used

CCP Cash Concentration/Disbursement plus Addenda (CCD+) (ACH)

- ☐ CCD+ format moves money and up to 80 characters of data, enough to reassociate dollars and data when the dollars are sent through the ACH and the remittance data is sent on a separate path. It is suggested that the addenda contains a copy of the TRN segment.

CTX Corporate Trade Exchange (CTX) (ACH)

- ☐ CTX format is used to move dollars and data through the ACH. It can contain up to 9,999 addenda records of 80 characters each. The CTX will encapsulate the complete 820 and all the envelope segments.

BPR-06

506 Depository Financial Institution (DFI) Identification Number Qualifier

Identifier (ID) Optional

Code identifying the type of identification number of Depository Financial Institution (DFI)

- When using this transaction set to initiate a payment, all or some of BPR06 through BPR16 may be required, depending on the conventions of the specific financial channel being used.
- BPR06 and BPR07 relate to the originating depository financial institution (ODFI).

Usage notes

- BPR06 THROUGH BPR09 relate to the Originating Depository Financial Institution and the premium payer's bank account.

01 ABA Transit Routing Number Including Check Digits (9 digits)

- ☐ ABA is a unique number identifying every bank in the United States.

02 Swift Identification (8 or 11 characters)

04 Canadian Bank Branch and Institution Number

BPR-07

507 Originating Depository Financial Institution (DFI) Identifier

Min 3 Max 12 String (AN) Optional

Depository Financial Institution (DFI) identification number

Usage notes

- This is the identifying number of the Originating Depository Financial Institution sending the transaction into the ACH network.

<u>BPR-08</u>	569 Account Number Qualifier	Identifier (ID)	Optional
Code indicating the type of account			
• BPR08 is a code identifying the type of bank account or other financial asset.			
ALC Agency Location Code (ALC)			
☐ For Federal Government use only.			
DA Demand Deposit			

<u>BPR-09</u>	508 Sender Bank Account Number	Min 1	Max 35	String (AN)	Optional
Account number assigned					
• BPR09 is the account of the company originating the payment. This account may be debited or credited depending on the type of payment order.					
Usage notes					
• This is the premium payer's bank account at the Originating Depository Financial Institution.					

<u>BPR-10</u>	509 Payer Identifier	Min 10	Max 10	String (AN)	Required
A unique identifier designating the company initiating the funds transfer instructions, business transaction or assigning tracking reference identification.					
• BPR10 shall be mutually established between the originating depository financial institution (ODFI) and the company originating the payment.					

<u>BPR-11</u>	510 Originating Company Supplemental Code	Min 9	Max 9	String (AN)	Optional
A code defined between the originating company and the originating depository financial institution (ODFI) that uniquely identifies the company initiating the transfer instructions					
Usage notes					
• This data must be identical to the value sent in the TRN04 data element.					

<u>BPR-12</u>	506 Depository Financial Institution (DFI) Identification Number Qualifier	Identifier (ID)	Optional
Code identifying the type of identification number of Depository Financial Institution (DFI)			
• BPR12 and BPR13 relate to the receiving depository financial institution (RDFI).			
Usage notes			
• BPR12 THROUGH BPR15 relate to the Receiving Depository Financial Institution and the premium receiver's bank account. BPR12 - BPR15 are required if the 820 transaction set initiates a funds transfer.			
01 ABA Transit Routing Number Including Check Digits (9 digits)			
☐ ABA is a unique number identifying every bank in the United States.			
02 Swift Identification (8 or 11 characters)			
☐ See Code Source 327: Society for Worldwide Interbank Financial Telecommunication (SWIFT).			
04 Canadian Bank Branch and Institution Number			

<u>BPR-13</u>	507 Receiving Depository Financial Institution (DFI) Identifier	Min 3	Max 12	String (AN)	Optional
Depository Financial Institution (DFI) identification number					
Usage notes					
• This is the identifying number of the Receiving Depository Financial Institution receiving the transaction into the ACH network.					

<u>BPR-14</u>	569 Account Number Qualifier	Identifier (ID)	Optional
Code indicating the type of account			
BPR14 is a code identifying the type of bank account or other financial asset.			
Usage notes			
BPR14 identifies the type of account in BPR15.			
DA Demand Deposit			
SG Savings			

<u>BPR-15</u>	508 Receiver Bank Account Number	Min 1	Max 35	String (AN)	Optional
Account number assigned					
BPR15 is the account number of the receiving company to be debited or credited with the payment order.					
Usage notes					
This is the premium receiver's bank account at the Receiving Depository Financial Institution.					

<u>BPR-16</u>	373 Check Issue or EFT Effective Date	CCYYMMDD format	Date (DT)	Required
Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				
BPR16 is the date the originating company intends for the transaction to be settled (i.e., Payment Effective Date).				
Usage notes				
- For check payment, this data element specifies the check issuance date. - For payments other than check this data element specifies the date the originator (premium payer) intends to provide funds to the receiver (premium receiver).				

Reassociation Trace Number

To uniquely identify a transaction to an application

Usage notes

- The purpose of this segment is to uniquely identify this transaction set and aid in the reassociating payment and remittance data that have been separated. See section 1.10.2.5 and 1.10.2.6 for more information.

Example

TRN*3*XXXXX*XXXXXXXXXX*XXX~

TRN-01

481 Trace Type Code

Identifier (ID)

Required

Code identifying which transaction is being referenced

- 1 Current Transaction Trace Numbers
- The payment and remittance have not been separated.
- 3 Financial Reassociation Trace Number
- The payment and remittance information have been separated and need to be reassociated by the receiver.

TRN-02

127 Check or EFT Trace Number

Min 1 Max 50 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- TRN02 provides unique identification for the transaction.

Usage notes

- This field is used to re-associate the payment with the remittance information.

TRN-03

509 Originating Company Identifier

Min 10 Max 10 String (AN)

Optional

A unique identifier designating the company initiating the funds transfer instructions, business transaction or assigning tracking reference identification.

- TRN03 identifies an organization.

TRN-04

127 Originating Company Supplemental Code

Min 1 Max 50 String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- TRN04 identifies a further subdivision within the organization.

Usage notes

- If provided, TRN04 and BPR11 must be identical.

Foreign Currency Information

To specify the currency (dollars, pounds, francs, etc.) used in a transaction

Usage notes

- Required when the payment is not being made in US Dollars. If not required by this Implementation guide, do not send.

Example

CUR*PR*XXX~

<u>CUR-01</u>	98 Entity Identifier Code	Identifier (ID)	Required
Code identifying an organizational entity, a physical location, property or an individual			
Usage notes			
• This data element identifies the party using the currency defined in Currency Code CUR02.			
2B Third-Party Administrator			
PR Payer			

<u>CUR-02</u>	100 Currency Code	Min 3 Max 3	Identifier (ID)	Required
Code (Standard ISO) for country in whose currency the charges are specified				
Usage notes				
• MXP Mexican Pesos - CAD Canadian Dollars				

Premium Receivers Identification Key

To specify identifying information

Usage notes

- This segment provides the premium receiver a key associated with this premium payment. The type of key and value is provided to the premium payer by the premium receiver. Examples of keys are Plan Number, Master Account Number, Consolidated Invoice Number, and Master Policy Number.
- Required when specified by the terms of the trading partner agreement. If not required by this implementation guide, do not send.

Example

REF*17*XX~

REF-01128Reference Identification Qualifier

Identifier (ID)Required

Code qualifying the Reference Identification

- 2FConsolidated Invoice Number
- 14Master Account Number
- 17Client Reporting Category
- 18Plan Number
- 38Master Policy Number
- 72Schedule Reference Number
- ☐ For U.S. Treasury Department Financial Management Service Disbursed payments, this code indicates a payment schedule number will follow.
- LB Lockbox

REF-02127Premium Receiver Reference Identifier

Min 1Max 50String (AN)Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- For Treasury Department Financial Management Service Disbursed payments, this data field is schedule number (11 Characters) submitted by the agency authorizing the payment.

Process Date

To specify pertinent dates and times

Usage notes

- This segment is used to relay the date the payment was processed by the premium payer.
- Required when specified by the terms of the trading partner agreement. If not required by this implementation guide, do not send.

Example

DTM*009*20260927~

Variants (all may be used)

DTM Delivery Date

DTM Coverage Period

DTM Creation Date

DTM-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

009 Process

DTM-02

373 Payer Process Date

CCYYMMDD format

Date (DT)

Required

Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

Delivery Date

To specify pertinent dates and times

Usage notes

- Required when specified by the terms of the trading partner agreement. If not required by this implementation guide, do not send.
- Relays the date the payment was delivered to the Originating Depository Financial Institution by the premium payer or a third party processor.

Example

DTM*035*20260927~

Variants (all may be used)

DTM Process Date

DTM Coverage Period

DTM Creation Date

DTM-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

035 Delivered

DTM-02

373 Premium Delivery Date

CCYYMMDD format

Date (DT)

Required

Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

Coverage Period

To specify pertinent dates and times

Usage notes

- Required when the premium payer is not paying from an invoice, but paying on account for a coverage period. If not required by this implementation guide, do not send.
- This segment communicates the start and end date of the coverage period associated with this premium payment.

Example

DTM*582***RD8*XXX~

Variants (all may be used)

DTM Process Date

DTM Delivery Date

DTM Creation Date

DTM-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
582 Report Period			
DTM-05	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD			
DTM-06	1251 Coverage Period	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

Creation Date

To specify pertinent dates and times

Usage notes

- Required when specified by the terms of the trading partner agreement. If not required by this implementation guide, do not send.
- This segment is used to relay the date that the premium payment was created.

Example

DTM*097*20260928~

Variants (all may be used)

- DTM Process Date
- DTM Delivery Date
- DTM Coverage Period

DTM-01

374

Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

097 Transaction Creation

DTM-02

373

Date

CCYYMMDD format

Date (DT)

Required

Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

1000A Premium Receiver's Name Loop

Max 1 Required

Variants (all may be used)
Premium Payer's Name Loop
Intermediary Bank Information Loop

N1 0700 Heading > Premium Receiver's Name Loop > N1

Max use 1 Required

Premium Receiver's Name

To identify a party by type of organization, name, and code

Example
N1*PE*XXX*FI*XXXX~

- At least one of Premium Receiver's Last or Organization Name (N1-02) or Identification Code Qualifier (N1-03) is required
- If either Identification Code Qualifier (N1-03) or Premium Receiver's Identification Code (N1-04) is present, then the other is required

N1-01**98 Entity Identifier Code**Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

PE Payee

N1-02**93 Premium Receiver's Last or Organization Name**Min 1Max 60String (AN)Optional

Free-form name

N1-03**66 Identification Code Qualifier**Identifier (ID)Optional

Code designating the system/method of code structure used for Identification Code (67)

1D-U-N-S Number, Dun & Bradstreet

9D-U-N-S+4, D-U-N-S Number with Four Character Suffix

EQInsurance Company Assigned Identification Number

FIFederal Taxpayer's Identification Number

XVCenters for Medicare and Medicaid Services PlanID

☐ Use when reporting Health Plan ID (HPID) or Other Entity Identifier (OEID).

N1-04**67 Premium Receiver's Identification Code**Min 2Max 80String (AN)Optional

Code identifying a party or other code

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Premium Receiver Additional Name

To specify additional names

Usage notes

- Required when the sender needs more characters than are available in the N102 or secondary line information is needed. If not required by this implementation guide, do not send.

Example

N2 *XXXXX~

N2-01	93 Premium Receiver's Additional Name	Min 1	Max 60	☒ String (AN)	Required
	Free-form name				

Premium Receiver's Address

To specify the location of the named party

Usage notes

- Required when specified by the terms of the Originating Financial Institution, or 3rd Party Processor, with the payment Originator. If not required by this implementation guide, do not send.

Example

N3*XX*XXXXX~

<u>N3-01</u>	166 Premium Receiver's Address Line	Min 1	Max 55	 String (AN)	Required
Address information					

<u>N3-02</u>	166 Premium Receiver's Address Line	Min 1	Max 55	 String (AN)	Optional
Address information					

Premium Receiver's City, State, and ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when specified by the terms of the Originating Financial Institution, or 3rd Party Processor, with the payment Originator. If not required by this implementation guide, do not send.

Example

N4*XXXX*XX*XXXXXX*XX~

- Only one of Premium Receiver's State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

<u>N4-01</u>	19 Premium Receiver's City Name	Min 2	Max 30	String (AN)	Required
Free-form text for city name					
A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.					
<u>N4-02</u>	156 Premium Receiver's State Code	Min 2	Max 2	Identifier (ID)	Optional
Code (Standard State/Province) as defined by appropriate government agency					
N402 is required only if city name (N401) is in the U.S. or Canada.					
<u>N4-03</u>	116 Premium Receiver's Postal Zone or Zip Code	Min 3	Max 15	Identifier (ID)	Optional
Code defining international postal zone code excluding punctuation and blanks (zip code for United States)					
<u>N4-04</u>	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying the country					
Usage notes					
Use the alpha-2 country codes from Part 1 of ISO 3166.					
<u>N4-07</u>	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
Code identifying the country subdivision					
Usage notes					
Use the country subdivision codes from Part 2 of ISO 3166.					

Premium Receiver's Remittance Delivery Method

To identify remittance delivery when remittance is separate from payment

Usage notes

- Required when specified by the terms of the agreement between originator and financial institution or 3rd party processor. If not required by this implementation guide, do not send.

Example

RDM*FX*X*XXXX~

RDM-01 756 Remittance Delivery Method Code Identifier (ID) Required

Code defining timing, transmission method or format by which reports are to be sent

BM By Mail

- ☐ If this code is used, the mailing address must be placed in the 1000A - Premium Receiver's Name Loop.

EM E-Mail

FT File Transfer

FX By Fax

IA Electronic Image

OL On-Line

RDM-02 93 Premium Receiver's Last or Organization Name Min 1 Max 60 String (AN) Optional

Free-form name

- RDM02 is used to contain the name of a third party processor if needed, who would be the first recipient of the remittance.

RDM-03 364 Premium Receiver's Communication Number Min 1 Max 256 String (AN) Optional

Complete communications number including country or area code when applicable

- RDM03 contains the operative communication number for the delivery method specified in RDM01 (i.e. fax phone number and mail address).

1000A Premium Receiver's Name Loop end

1000B Premium Payer's Name Loop

Max 1 Required

Variants (all may be used)
Premium Receiver's Name Loop
Intermediary Bank Information Loop

N1

0700 Heading > Premium Payer's Name Loop > N1

Max use 1 Required

Premium Payer's Name

To identify a party by type of organization, name, and code

Example
N1*PR*XXXX*EQ*XXXXXXX~

- At least one of Premium Payer Name (N1-02) or Identification Code Qualifier (N1-03) is required
- If either Identification Code Qualifier (N1-03) or Premium Payer Identifier (N1-04) is present, then the other is required

N1-01

98 Entity Identifier Code

Identifier (ID) Required

Code identifying an organizational entity, a physical location, property or an individual

PR Payer

N1-02

93 Premium Payer Name

Min 1 Max 60 String (AN) Optional

Free-form name

N1-03

66 Identification Code Qualifier

Identifier (ID) Optional

Code designating the system/method of code structure used for Identification Code (67)

1 D-U-N-S Number, Dun & Bradstreet
9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix
24 Employer's Identification Number
75 State or Province Assigned Number
 Used by States when remitting Medicare premium payments (in participation with a "State Buy- In" program).
EQ Insurance Company Assigned Identification Number
FI Federal Taxpayer's Identification Number
PI Payor Identification
 Used by the federal government to identify a federal agency's payroll office.

N1-04

67 Premium Payer Identifier

Min 2 Max 80 String (AN) Optional

Code identifying a party or other code

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Premium Payer Additional Name

To specify additional names

Usage notes

- Required when the sender needs more characters than are available in the N102 or secondary line information is needed. If not required by this implementation guide, do not send.

Example

N2*XXX~

N2-01	93 Premium Payer Additional Name	Min 1	Max 60	☒ String (AN)	Required
Free-form name					

Premium Payer's Address

To specify the location of the named party

Usage notes

- Required when specified by the terms of the Originating Financial Institution, or 3rd Party Processor, with the payment Originator. If not required by this implementation guide, do not send.

Example

N3*XXXXX*XXX~

<u>N3-01</u>	166Premium Payer Address Line	Min 1	Max 55	String (AN)	Required
Address information					
<u>N3-02</u>	166Premium Payer Address Line	Min 1	Max 55	String (AN)	Optional
Address information					

Premium Payer's City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when specified by the terms of the Originating Financial Institution, or 3rd Party Processor, with the payment Originator. If not required by this implementation guide, do not send.

Example

N4*XX*XX*XXXXXXXX*XXX~

- Only one of Premium Payer State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

<u>N4-01</u>	19 Premium Payer City Name	Min 2	Max 30	String (AN)	Required
Free-form text for city name					
• A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.					
<u>N4-02</u>	156 Premium Payer State Code	Min 2	Max 2	Identifier (ID)	Optional
Code (Standard State/Province) as defined by appropriate government agency					
• N402 is required only if city name (N401) is in the U.S. or Canada.					
<u>N4-03</u>	116 Premium Payer Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
Code defining international postal zone code excluding punctuation and blanks (zip code for United States)					
<u>N4-04</u>	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying the country					
Usage notes					
• Use the alpha-2 country codes from Part 1 of ISO 3166.					
<u>N4-07</u>	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
Code identifying the country subdivision					
Usage notes					
• Use the country subdivision codes from Part 2 of ISO 3166.					

Premium Payer's Administrative Contact

To identify a person or office to whom administrative communications should be directed

Usage notes

- Required when specified by the terms of the trading partner agreement. If not required by this implementation guide, do not send.
- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number must always include the area code and phone number using the format AAABBBCCCC, where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number. For example, (534)224-2525 would be represented as 5342242525.

Example

PER*IC*XXX*FX*XXXXXX*TE*XXXXXX*EM*XXX~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01	366 Contact Function Code	Identifier (ID)	Required
Code identifying the major duty or responsibility of the person or group named			
IC Information Contact			
PER-02	93 Premium Payer Contact Name	Min 1 Max 60 String (AN)	Required
Free-form name			
PER-03	365 Communication Number Qualifier	Identifier (ID)	Required
Code identifying the type of communication number			
Usage notes			
• This is required when the sender needs to relay communication information.			
EM Electronic Mail			
FX Facsimile			
TE Telephone			
PER-04	364 Communication Number	Min 1 Max 256 String (AN)	Required
Complete communications number including country or area code when applicable			
PER-05	365 Communication Number Qualifier	Identifier (ID)	Optional
Code identifying the type of communication number			
EM Electronic Mail			
EX Telephone Extension			
□ When used, the value following this code is the extension for the preceding communications contact number.			
FX Facsimile			
TE Telephone			
PER-06	364 Communication Number	Min 1 Max 256 String (AN)	Optional
Complete communications number including country or area code when applicable			
PER-07	365 Communication Number Qualifier	Identifier (ID)	Optional

Code identifying the type of communication number

- EM** Electronic Mail
- EX** Telephone Extension
 - ☐ When used, the value following this code is the extension for the preceding communications contact number.
- FX** Facsimile
- TE** Telephone

PER-08

364 Communication Number

Min 1Max 256

String (AN)

Optional

Complete communications number including country or area code when applicable

1000B Premium Payer's Name Loop end

Variants (all may be used)
Premium Receiver's Name Loop
Premium Payer's Name Loop

N1 0700 Heading > Intermediary Bank Information Loop > N1

Max use 1 Required

Intermediary Bank Information

To identify a party by type of organization, name, and code

Usage notes

- Required when specified by the terms of the Originating Financial Institution, or 3rd Party Processor, with the payment Originator. If not required by this implementation guide, do not send.

Example

N1 *C2 *XXXXX *94 *XXX ~

- At least one of Intermediary Bank Name (N1-02) or Identification Code Qualifier (N1-03) is required
- If either Identification Code Qualifier (N1-03) or Intermediary Bank Identifier (N1-04) is present, then the other is required

N1-01 **98 Entity Identifier Code** Identifier (ID) Required

Code identifying an organizational entity, a physical location, property or an individual

- 0B Interim Funding Organization
- 04 Asset Account Holder
- 8W Payment Address
- AK Party to Whom Acknowledgment Should Be Sent
- BE Beneficiary
- BK Bank
- C1 In Care Of Party no. 1
- C2 In Care Of Party no. 2
- IAT Party Executing and Verifying
- MJ Financial Institution
- RB Receiving Bank
- Z6 Transferring Party
- ZB Party to Receive Credit
- ZL Party Passing the Transaction

N1-02 **93 Intermediary Bank Name** Min 1 Max 60 String (AN) Optional

Free-form name

N1-03 **66 Identification Code Qualifier** Identifier (ID) Optional

Code designating the system/method of code structure used for Identification Code (67)

- 31 Bank Identification Code
- 57 Department
- 94 Code assigned by the organization that is the ultimate destination of the transaction set
- A3 Assigned by Third Party
- A4 Assigned by Clearinghouse
- A6 Financial Identification Numbering System (FINS) Number
- CF Canadian Financial Institution Routing Number
- G Payee Identification Number
- PA Secondary Agent Identification

N1-04 **67 Intermediary Bank Identifier** Min 2 Max 80 String (AN) Optional

Code identifying a party or other code

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must

provide a key to the table maintained by the transaction processing party.

Intermediary Bank Additional Name

To specify additional names

Usage notes

- Required when the sender needs more characters than are available in the N102 or secondary line information is needed. If not required by this implementation guide, do not send.

Example

N2 *X~

<u>N2-01</u>	93 Intermediary Bank Additional Name	Min 1	Max 60	 String (AN)	Required
Free-form name					

Intermediary Bank's Address

To specify the location of the named party

Usage notes

- Required when specified by the terms of the Originating Financial Institution, or 3rd Party Processor, with the payment Originator. If not required by this implementation guide, do not send.

Example

N3*XXX*X~

<u>N3-01</u>	166 Intermediary Bank Address Line Address information	Min 1	Max 55	String (AN)	Required
<u>N3-02</u>	166 Intermediary Bank Address Line Address information	Min 1	Max 55	String (AN)	Optional

Intermediary Bank's City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when specified by the terms of the Originating Financial Institution, or 3rd Party Processor, with the payment Originator. If not required by this implementation guide, do not send.

Example

N4*XXXXXX*XX*XXX*XXX~

- Only one of Intermediary Bank State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

<u>N4-01</u>	19 Intermediary Bank City Name	Min 2	Max 30	String (AN)	Required
Free-form text for city name					
• A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.					
<u>N4-02</u>	156 Intermediary Bank State Code	Min 2	Max 2	Identifier (ID)	Optional
Code (Standard State/Province) as defined by appropriate government agency					
• N402 is required only if city name (N401) is in the U.S. or Canada.					
<u>N4-03</u>	116 Intermediary Bank Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
Code defining international postal zone code excluding punctuation and blanks (zip code for United States)					
<u>N4-04</u>	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying the country					
Usage notes					
• Use the alpha-2 country codes from Part 1 of ISO 3166.					
<u>N4-07</u>	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
Code identifying the country subdivision					
Usage notes					
• Use the country subdivision codes from Part 2 of ISO 3166.					

Intermediary Bank's Administrative Contact

To identify a person or office to whom administrative communications should be directed

Usage notes

- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number must always include the area code and phone number using the format AAABBBCCCC, where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number. For example, (534)224-2525 would be represented as 5342242525.
- Required when specified by the terms of the Originating Financial Institution, or 3rd Party Processor, with the payment Originator. If not required by this implementation guide, do not send.

Example

PER*IC*XXX*FX*XXXX*EM*X*FX*XXXX~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01 366 Contact Function Code

Identifier (ID) Required

Code identifying the major duty or responsibility of the person or group named

IC Information Contact

PER-02 93 Intermediary Bank Contact Name

Min 1 Max 60 String (AN) Required

Free-form name

PER-03 365 Communication Number Qualifier

Identifier (ID) Required

Code identifying the type of communication number

EM Electronic Mail

FX Facsimile

TE Telephone

PER-04 364 Communication Number

Min 1 Max 256 String (AN) Required

Complete communications number including country or area code when applicable

PER-05 365 Communication Number Qualifier

Identifier (ID) Optional

Code identifying the type of communication number

EM Electronic Mail

EX Telephone Extension

- When used, the value following this code is the extension for the preceding communications contact number.

FX Facsimile

TE Telephone

PER-06 364 Communication Number

Min 1 Max 256 String (AN) Optional

Complete communications number including country or area code when applicable

PER-07 365 Communication Number Qualifier

Identifier (ID) Optional

Code identifying the type of communication number

- EM** Electronic Mail
- EX** Telephone Extension
 - ☐ When used, the value following this code is the extension for the preceding communications contact number.
- FX** Facsimile
- TE** Telephone

PER-08

364 Communication Number

Min 1Max 256*String (AN)*Optional

Complete communications number including country or area code when applicable

1000C Intermediary Bank Information Loop end

Heading end

Detail

2000A Organization Summary Remittance Loop

Max 1 Optional

Variants (all may be used)
Individual Remittance Loop

ENT

0100 Detail > Organization Summary Remittance Loop > ENT

Max use 1

Required

Organization Summary Remittance

To designate the entities which are parties to a transaction and specify a reference meaningful to those entities

Usage notes

- Required when providing company remittance line items that pertain to group level premium or contribution payments. If not required by this implementation guide, do not send.

Example

ENT*000000*UN*24*XXXX~

ENT-01

554 Assigned Number

Min 1 Max 6 # Numeric (N0)

Required

Number assigned for differentiation within a transaction set

Usage notes

- ENT01 must be a sequential number within the transaction set, starting with one and incrementing by one.

ENT-02

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

- 2L Corporation
- ☐ This code is used to identify an organization level (summary level bill payment only).
- AG Agent/Agency
- NH Association
- RGA Responsible Government Agency
- UN Union

ENT-03

66 Identification Code Qualifier

Identifier (ID)

Required

Code designating the system/method of code structure used for Identification Code (67)

- 1 D-U-N-S Number, Dun & Bradstreet
- 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix
- 24 Employer's Identification Number
- ☐ This is Required for a HIPAA compliant implementation. Code 24 is the HIPAA compliant identifier.
- FI Federal Taxpayer's Identification Number

ENT-04

67 Organization Identification Code

Min 2 Max 80 String (AN)

Required

Code identifying a party or other code

Organization Summary Remittance Level Adjustment for Previous Payment

To convey accounts-payable adjustment information for the purpose of cash application, including payer-generated debit/credit memos

Usage notes

- The ADX segment is essential to fulfilling the balancing requirements. See section 1.10.2.4 for additional information.
- Required when the paid amount reflects adjustments related to previous payments. If not required by this implementation guide, do not send.

Example

ADX*00*80~

ADX-01

782 Premium Payment Adjustment Amount

Min 1

Max 15

#

Decimal number (R)

Required

Monetary amount

- ADX01 specifies the amount of the adjustment and must be signed if negative. If negative, it reduces the payment amount; if positive, it increases the payment amount.

ADX-02

426 Premium Payment Adjustment Reason

Identifier (ID)

Required

Code indicating reason for debit or credit memo or adjustment to invoice, debit or credit memo, or payment

- ADX02 specifies the reason for claiming the adjustment.

- 52 Credit for Overpayment
- 53 Remittance for Previous Underpayment
- 80 Overpayment
- 81 Credit as Agreed
- 86 Duplicate Payment
- BJ Insurance Charge
- H1 Information Forthcoming
- H6 Partial Payment Remitted
- RU Interest
- WO Overpayment Recovery
- WW Overpayment Credit

Organization Summary Remittance Detail

To specify the accounts receivable open item(s) to be included in the cash application and to convey the appropriate detail

Usage notes

- The RMR segment is essential to fulfilling the balancing requirements. See section 1.10.2.4 for additional information.

Example

RMR*CT*XXXX*PO*0000000*000000~

RMR-01

128 Reference Identification Qualifier

Identifier (ID) Required

Code qualifying the Reference Identification

- Parties using this segment should agree on the content of RMR01 and RMR02 prior to initiating communication.

1L Group or Policy Number

☒ In addition to private sector health care contract numbers, Group or Policy Number can be used to identify the Federal Employees Health Benefits Program (FEHB) "Enrollment Code" being paid. The FEHB Enrollment Code identifies an insurer's specific health benefits plan. For HIPAA Health Premium Payments this code is REQUIRED when an invoice has not been received from the Health Plan.

11 Account Number
CT Contract Number
IK Invoice Number

RMR-02

127 Contract, Invoice, Account, Group, or Policy Number

Min 1 Max 50 String (AN) Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

RMR-03

482 Payment Action Code

Identifier (ID) Optional

Code specifying the accounts receivable open item(s), if any, to be included in the cash application.

- If RMR03 is present, it specifies how the cash is to be applied.
- If RMR03 is not present, this is a payment for an open item. If paying an open item, RMR02 must be present. If not paying a specific open item, RMR04 must be present.

PA Payment in Advance
PI Pay Item
PO Payment on Account
PP Partial Payment

RMR-04

782 Detail Premium Payment Amount

Min 1 Max 15 # Decimal number (R) Required

Monetary amount

- RMR04 is the amount paid.

Usage notes

- The amount being paid on this remittance item.

RMR-05

782 Billed Premium Amount

Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- RMR05 is the amount of invoice (including charges, less allowance) before terms discount (if discount is applicable) or debit amount or credit amount of referenced

items.

- RMR05 may be needed by some payees to distinguish between duplicate reference numbers.

Usage notes

- Any difference between the RMR05 and the RMR04 would be explained by the ADX at loop 2320A and/or the SAC at 2312A.

Reference Information

To specify identifying information

Usage notes

- Required when the premium receiver needs additional identifying information pertaining to the organizational remittance details. If not required by this implementation guide, do not send.

Example

REF*2F*XXXXXX~

REF-01	128	Organizational Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification				
2F Consolidated Invoice Number				
14 Master Account Number				
17 Client Reporting Category				
18 Plan Number				
38 Master Policy Number				
E9 Attachment Code				
LB Lockbox				
LU Location Number				
ZZ Mutually Defined				
REF-02	127	Organizational Reference Identifier	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				

Organizational Coverage Period

To specify pertinent dates and times

Usage notes

- Required when the premium payer is not paying from an invoice, but paying on account for a coverage period. If not required by this implementation guide, do not send.
- The 2300A DTM overrides the DTM in the header when DTM01 = 582.
- This segment relays the start and end date of the organizational coverage period associated with the premium payment in the current RMR segment when the date range indicator 582 is used.
- This segment relays the due date of the organizational coverage period associated with the premium payment in the current RMR segment when the due date indicator AAG is used.

Example

DTM*AAG*20260927***RD8*XXXXXX~

- At least one of Date (DTM-02) or Date Time Period Format Qualifier (DTM-05) is required
- If either Date Time Period Format Qualifier (DTM-05) or Coverage Period (DTM-06) is present, then the other is required

DTM-01 374 Date Time Qualifier

Identifier (ID) Required

Code specifying type of date or time, or both date and time

582 Report Period

AAG Due Date

DTM-02 373 Date

CCYYMMDD format Date (DT) Optional

Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

DTM-05 1250 Date Time Period Format Qualifier

Identifier (ID) Optional

Code indicating the date format, time format, or date and time format

RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD

DTM-06 1251 Coverage Period

Min 1 Max 35 String (AN) Optional

Expression of a date, a time, or range of dates, times or dates and times

Summary Line Item

To specify the basic and most frequently used line item data for the invoice and related transactions

Usage notes

- Required when additional charges exist, or when member counts are specified by the terms of the trading partner agreement. If not required by this implementation guide, do not send.
- Additional charges are transmitted in 2312A/SAC.
- The member count is transmitted in 2315A/SLN.

Example

IT1*XXX~

IT1-01	350 Line Item Control Number	Min 1	Max 20	String (AN)	Required
--------	------------------------------	-------	--------	-------------	----------

Alphanumeric characters assigned for differentiation within a transaction set

- IT101 is the line item identification.

Usage notes

- Assigned for uniqueness. Start with "1" and increment by "1" for every occurrence of the segment within a specific transaction.

Service, Promotion, Allowance, or Charge Information

To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

Usage notes

- Required when additional charges must be reported. If not required by this implementation guide, do not send.

Example

SAC*C*B680***000000000~

SAC-01

248 Allowance or Charge Indicator

■ Identifier (ID) Required

Code which indicates an allowance or charge for the service specified

- If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.

C Charge

SAC-02

1300 Service, Promotion, Allowance, or Charge Code

■ Identifier (ID) Required

Code identifying the service, promotion, allowance, or charge

A172 Administrative

B680 Contract Service Charge

D940 Insurance Premium

G740 Service Charge

SAC-05

610 Amount

Min 1Max 15# Numeric (N2) Required

Monetary amount

- SAC05 is the total amount for the service, promotion, allowance, or charge.
- If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.

Member Count

To specify product subline detail item data

Usage notes

- Required when member counts are specified by the terms of the trading partner agreement. If not required by this implementation guide, do not send.
- The member count is the total number of members included in the summary line item payment (2300A/RMR).

Example

SLN*X**O*000000000*IE~

SLN-01

350 Line Item Control Number

Min 1

Max 20

String (AN)

Required

Alphanumeric characters assigned for differentiation within a transaction set

- SLN01 is the identifying number for the subline item.
- SLN01 is related to (but not necessarily equivalent to) the baseline item number.
Example: 1.1 or 1A might be used as a subline number to relate to baseline number 1.

Usage notes

- Assigned for uniqueness. Start with "1" and increment by "1" for every occurrence of the segment within a specific transaction.

SLN-03

662 Information Only Indicator

Identifier (ID)

Required

Code indicating the relationship between entities

- SLN03 is the configuration code indicating the relationship of the subline item to the baseline item.

Information Only

SLN-04

380 Head Count

Min 1

Max 15

Decimal number (R)

Required

Numeric value of quantity

Usage notes

- This is the number of contract holders with the type of coverage identified in SLN05-1.

SLN-05

C001 Composite Unit of Measure

To identify a composite unit of measure

Max use 1

Required

(See Figures Appendix for examples of use)

C001-01

355 Unit or Basis for Measurement Code

Identifier (ID)

Required

Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

10 Group

- ☐ Used to identify that the value in SLN04 represents the number of contract holders with Family coverage.

IE Person

- ☐ Used to identify that the value of SLN04 represents the number of contract holders with Individual coverage.

PR Pair

- ☐ Used to identify that the value in SLN04 represents the number of contract holders with Self and Spouse Only coverage.

2315A Member Count Loop end

2310A Summary Line Item Loop end

Organization Summary Remittance Level Adjustment for Current Payment

To convey accounts-payable adjustment information for the purpose of cash application, including payer-generated debit/credit memos

Usage notes

- The ADX segment is essential to fulfilling the balancing requirements. See section 1.10.2.4 for additional information.
- Required when the paid amount differs from the billed amount (RMR05 is present) in the related RMR segment and the difference is not completely accounted for by amounts in related SAC segments, position 5. If not required by this implementation guide, do not send.

Example

ADX*00*52~

ADX-01

782 Adjustment Amount

Min 1

Max 15

#

Decimal number (R)

Required

Monetary amount

- ADX01 specifies the amount of the adjustment and must be signed if negative. If negative, it reduces the payment amount; if positive, it increases the payment amount.

ADX-02

426 Adjustment Reason Code

Identifier (ID)

Required

Code indicating reason for debit or credit memo or adjustment to invoice, debit or credit memo, or payment

- ADX02 specifies the reason for claiming the adjustment.

20 Balance Due Declined

- ☐ Indicates the entire balance due is being disputed.

52 Credit for Overpayment

53 Remittance for Previous Underpayment

AA Prepaid Benefit or Advances

AX Person No Longer Employed

H1 Information Forthcoming

- ☐ Detailed information related to the adjustment will be provided through a separate mechanism.

H6 Partial Payment Remitted

IA Invoice Amount Does Not Match Account Analysis Statement

- ☐ Indicates the invoice does not match the expectation for number or number/type of members and charges.

J3 Promised Adjustment Not Received

- ☐ Indicates an adjustment promised by the payee for a previous invoice has not been reflected on the current invoice.

2320A Organization Summary Remittance Level Adjustment for Current Payment Loop end

2300A Organization Summary Remittance Detail Loop end

2000A Organization Summary Remittance Loop end

Variants (all may be used)
Organization Summary Remittance Loop

Individual Remittance

To designate the entities which are parties to a transaction and specify a reference meaningful to those entities

- Usage notes
- Required when providing remittance line items that pertain to an individual enrolled in a group plan. If not required by this implementation guide, do not send.

Example

ENT*00*2J*II*XXX~

ENT-01

554 Assigned Number

Min 1 Max 6 # Numeric (N0)

Required

Number assigned for differentiation within a transaction set

ENT-02

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

2J Individual

ENT-03

66 Identification Code Qualifier

Identifier (ID)

Required

Code designating the system/method of code structure used for Identification Code (67)

34 Social Security Number

EI Employee Identification Number

II Standard Unique Health Identifier for each Individual in the United States

☐ Required for use under HIPAA when the national individual identifier has been mandated for use.

ENT-04

67 Receiver's Individual Identifier

Min 2 Max 80 String (AN)

Required

Code identifying a party or other code

Usage notes

- This is the identification number of the individual used by the receiver.

Individual Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when individual names or ID numbers are called for by the terms of the trading partner agreement. If not required by this implementation guide, do not send.

Example

NM1*EY*1*XX*XXX*XXXXXX*X*XXX*34*XX~

■ If either Identification Code Qualifier (NM1-08) or Individual Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID) Required

Code identifying an organizational entity, a physical location, property or an individual

DO

Dependent Name

EY

Employee Name

IL

Insured or Subscriber

QE

Policyholder

NM1-02

1065 Entity Type Qualifier

Identifier (ID) Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-03

1035 Individual Last Name

Min 1 Max 60 String (AN) Optional

Individual last name or organizational name

NM1-04

1036 Individual First Name

Min 1 Max 35 String (AN) Optional

Individual first name

NM1-05

1037 Individual Middle Name

Min 1 Max 25 String (AN) Optional

Individual middle name or initial

NM1-06

1038 Individual Name Prefix

Min 1 Max 10 String (AN) Optional

Prefix to individual name

NM1-07

1039 Individual Name Suffix

Min 1 Max 10 String (AN) Optional

Suffix to individual name

NM1-08

66 Identification Code Qualifier

Identifier (ID) Optional

Code designating the system/method of code structure used for Identification Code (67)

- 34 Social Security Number
- EI Employee Identification Number
- N Insured's Unique Identification Number

NM1-09

67 Individual Identifier

Min 2Max 80String (AN)Optional

Code identifying a party or other code

2100B Individual Name Loop end

Individual Premium Adjustment for Previous Payment

To convey accounts-payable adjustment information for the purpose of cash application, including payer-generated debit/credit memos

Usage notes

- The ADX segment is essential to fulfilling the balancing requirements. See section 1.10.2.4 for additional information.
- Required when the paid amount reflects adjustments related to previous payments. If not required by this implementation guide, do not send.

Example

ADX*000000*H1~

ADX-01

782 Premium Payment Adjustment Amount

Min 1 Max 15 # Decimal number (R)

Required

Monetary amount

- ADX01 specifies the amount of the adjustment and must be signed if negative. If negative, it reduces the payment amount; if positive, it increases the payment amount.

ADX-02

426 Premium Payment Adjustment Reason

Identifier (ID)

Required

Code indicating reason for debit or credit memo or adjustment to invoice, debit or credit memo, or payment

- ADX02 specifies the reason for claiming the adjustment.

- 52 Credit for Overpayment
- 53 Remittance for Previous Underpayment
- 80 Overpayment
- 81 Credit as Agreed
- 86 Duplicate Payment
- BJ Insurance Charge
- H1 Information Forthcoming
- H6 Partial Payment Remitted
- RU Interest
- WO Overpayment Recovery

Individual Premium Remittance Detail

To specify the accounts receivable open item(s) to be included in the cash application and to convey the appropriate detail

Usage notes

- Relays detailed remittance information related to an employee or member of a group plan.

Example

RMR*AZ*X**000000000*0000000000~

RMR-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- Parties using this segment should agree on the content of RMR01 and RMR02 prior to initiating communication.

9J Pension Contract

11 Account Number

AZ Health Insurance Policy Number

- ☐
- For HIPAA Health Premium Payments this code is REQUIRED when an invoice has not been received from the Health Plan.

B7 Life Insurance Policy Number

CT Contract Number

ID Insurance Certificate Number

IG Insurance Policy Number

IK Invoice Number

- ☐
- For HIPAA Health Premium Payments this code is REQUIRED when an invoice has been received from the Health Plan.

KW Certification

RMR-02

127 Insurance Remittance Reference Number

Min 1 Max 50 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

RMR-04

782 Detail Premium Payment Amount

Min 1 Max 15 # Decimal number (R)

Required

Monetary amount

- RMR04 is the amount paid.

Usage notes

- This is the amount being paid on this remittance item.

RMR-05

782 Billed Premium Amount

Min 1 Max 15 # Decimal number (R)

Optional

Monetary amount

- RMR05 is the amount of invoice (including charges, less allowance) before terms discount (if discount is applicable) or debit amount or credit amount of referenced items.
- RMR05 may be needed by some payees to distinguish between duplicate reference numbers.

Usage notes

- Any difference between the RMR05 and the RMR04 would be explained by the ADX at loop 2320B.

Reference Information

To specify identifying information

Usage notes

- Required when the premium receiver needs additional identifying information pertaining to the individual remittance details. If not required by this implementation guide, do not send.

Example

REF*38*XX~

REF-01

128 Organizational Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- 2F Consolidated Invoice Number
- 14 Master Account Number
- 18 Plan Number
- 38 Master Policy Number
- E9 Attachment Code
- LU Location Number
- ZZ Mutually Defined

REF-02

127 Organizational Reference Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Individual Coverage Period

To specify pertinent dates and times

Usage notes

- Required when the premium payer is not paying from an invoice, but paying on account for a coverage period. If not required by this implementation guide, do not send.
- The 2300B DTM overrides the DTM in the header when DTM01 = 582.
- This segment relays the start and end date of the individual coverage period associated with the premium payment segment in the current RMR segment when the date range indicator 582 is used.
- This segment relays the due date of the individual coverage period associated with the premium payment in the current RMR segment when the due date indicator AAG is used.

Example

DTM*AAG*20260928***RD8*XX~

- At least one of Date (DTM-02) or Date Time Period Format Qualifier (DTM-05) is required
- If either Date Time Period Format Qualifier (DTM-05) or Coverage Period (DTM-06) is present, then the other is required

DTM-01 374 Date Time Qualifier

Identifier (ID) Required

Code specifying type of date or time, or both date and time

582 Report Period

AAG Due Date

DTM-02 373 Date

CCYYMMDD format Date (DT) Optional

Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

DTM-05 1250 Date Time Period Format Qualifier

Identifier (ID) Optional

Code indicating the date format, time format, or date and time format

RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD

DTM-06 1251 Coverage Period

Min 1 Max 35 String (AN) Optional

Expression of a date, a time, or range of dates, times or dates and times

Individual Premium Adjustment for Current Payment

To convey accounts-payable adjustment information for the purpose of cash application, including payer-generated debit/credit memos

Usage notes

- The ADX segment is essential to fulfilling the balancing requirements. See section 1.10.2.4 for additional information.
- Required when the paid amount differs from the billed amount (RMR05 is present) in the related RMR segment. If not required by this implementation guide, do not send.

Example

ADX*0000000000000000*AX~

ADX-01

782 Adjustment Amount

Min 1Max 15# Decimal number (R)

Required

Monetary amount

- ADX01 specifies the amount of the adjustment and must be signed if negative. If negative, it reduces the payment amount; if positive, it increases the payment amount.

ADX-02

426 Adjustment Reason Code

Identifier (ID)

Required

Code indicating reason for debit or credit memo or adjustment to invoice, debit or credit memo, or payment

- ADX02 specifies the reason for claiming the adjustment.
- 20

Balance Due Declined

☐ The entire balance due is being disputed.
- 52

Credit for Overpayment
- 53

Remittance for Previous Underpayment
- AA

Prepaid Benefit or Advances
- AX

Person No Longer Employed

☐ This adjustment must never be used as a substitute for a termination notice using the 834 transaction.
- H1

Information Forthcoming

☐ Detailed information related to the adjustment will be provided through a separate mechanism.
- H6

Partial Payment Remitted
- IA

Invoice Amount Does Not Match Account Analysis Statement

☐ The invoice does not match the expectation for number or number/type of members and charges.
- J3

Promised Adjustment Not Received

☐ An adjustment promised by the payee for a previous invoice has not been reflected on the current invoice.

2320B Individual Premium Adjustment for Current Payment Loop end

2300B Individual Premium Remittance Detail Loop end

2000B Individual Remittance Loop end

Detail end

Summary

Transaction Set Trailer

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Example

SE*000*0001~

SE-01	96 Transaction Segment Count	Min 1	Max 10	# Numeric (N0)	Required
-------	------------------------------	-------	--------	----------------	----------

Total number of segments included in a transaction set including ST and SE segments

SE-02	329 Transaction Set Control Number	Min 4	Max 9	# Numeric (N)	Required
-------	------------------------------------	-------	-------	---------------	----------

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Summary end

Functional Group Trailer

To indicate the end of a functional group and to provide control information

Example

GE*0*0~

<u>GE-01</u>	97 Number of Transaction Sets Included	Min 1	Max 6	# Numeric (N0)	Required
Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element					
<u>GE-02</u>	28 Group Control Number	Min 1	Max 9	# Numeric (N0)	Required
Assigned number originated and maintained by the sender					

Interchange Control Trailer

To define the end of an interchange of zero or more functional groups and interchange-related control segments

Example

IEA*0000*000000000~

<u>IEA-01</u>	I16 Number of Included Functional Groups	Min 1	Max 5	# Numeric (N0)	Required
A count of the number of functional groups included in an interchange					
<u>IEA-02</u>	I12 Interchange Control Number	Min 9	Max 9	# Numeric (N0)	Required
A control number assigned by the interchange sender					

EDI Samples

Example 1: Summary Bill Payment

ST*820*0001*005010X218~
BPR*C*19000*C*ACH*CTX*01*999999992*DA*12345678*1030449999**01*199999999*DA*98765*20070516~
TRN*1*12345*1030449999~
REF*14*12345~
N1*PE*DEF HEALTH CARE INC.*FI*012222222~
N1*PR*ABC PLASTICS*FI*123456789~
ENT*1*2L*FI*123456789~
RMR*IK*970501001*PI*16500~
IT1*1~
SLN*1**0*5*IE~
SLN*2**0*75*10~
RMR*IK*970501002*PI*250~
IT1*1~
SLN*1**0*25*IE~
SE*15*0001~

Example 2: List Bill Payment

ST*820*0001*005010X218~
BPR*C*255*C*ACH*CTX*01*999999992*DA*12345678*1345678901**01*199999999*DA*98765*20071103~
TRN*1*78905*1345678901~
REF*14*0011001~
N1*PE*BATA INSURANCE CO.*FI*012222222~
N1*PR*ALFA MEDAL CO*FI*123456789~
ENT*1*2J*34*030440099~
NM1*EY*1*DOE*JOHN****EI*777222~
RMR*IG*555666**30~
RMR*IG*555667**35~
ENT*2*2J*34*029500563~
NM1*EY*1*FIRSTONE*EMILY****EI*777333~
RMR*IG*555777**45~
ENT*3*2J*34*029480664~
NM1*EY*1*MIDDLEONE*JULIE****EI*777444~
RMR*IG*544477**50~
ENT*4*2J*34*030498099~
NM1*EY*1*NEWONE*KELLY****EI*777111~
RMR*IG*551166**45~
RMR*IG*558766**50~
SE*21*0001~

Example 3: Summary Bill

ST*820*0002*005010X218~
BPR*U*20000*C*ACH*CCP*01*934257813*DA*1234587*1231555555**01*025677833*DA*99887766*20070620~
TRN*3*12345*1231555555~
REF*14*673001~
REF*2F*0004369123~
N1*PE*DEF HEALTHCARE CO*FI*998216353~
N1*PR*ABC PLASTICS*FI*1231555555~
ENT*1*2L*FI*000057811~
RMR*IK*0004369123*PI*20000~
IT1*1~
SLN*1**0*100*IE~
SLN*2**0*75*PR~
SLN*3**0*125*10~
SE*14*0002~

Example 4: List Bill

ST*820*0002*005010X218~
BPR*U*20000*C*ACH*CCP*01*934257813*DA*1234587*1231555555**01*025677833*DA*99887766*20070620~
TRN*3*12345*1231555555~
REF*14*673001~
REF*2F*0004369123~
N1*PE*DEF HEALTHCARE CO*FI*998216353~
N1*PR*ABC PLASTICS*FI*000057811~
ENT*1*2J*34*190206123~
NM1*EY*1*SMITH*JOHN***EI*123456~
RMR*CT*190206123**7000~
ENT*2*2J*34*163910163~
NM1*EY*1*JONES*MARY***EI*793016~
RMR*CT*163910163**10000*11000~
ADX*-1000*52~
ENT*3*2J*34*179203456~
NM1*EY*1*JOHNSON*JOE***EI*934213~
RMR*CT*179203456**3000*3100~
ADX*-100*52~
SE*19*0002~

Stedi and the S design mark are registered trademarks of Stedi, Inc. All names, logos, and brands of third parties listed on this page are trademarks of their respective owners (including "X12", which is a trademark of X12 Incorporated). Stedi, Inc. and its products and services are not endorsed by, sponsored by, or affiliated with these third parties. Use of these names, logos, and brands is for identification purposes only, and does not imply any such endorsement, sponsorship, or affiliation.