Mixam Public API (Production)

Terms of service
Contact Mixam Developer

Mixam Public API - Production Development Environment

Servers
https://api.beta.mixam.com - Mixam API

Authorize

Filter by tag

Print Link - Series Manager

GET /api/print/v1/series/{series_handle}/{seriesId}/{id}/{set_type_id}/{set_id}
Get Series Manager

GET /api/print/v1/series/{series_handle}/{seriesId}/{id}/{set_type_id}/{set_id}/{set_id}
Get Series Manager Component

GET /api/print/v1/series/{series_handle}/{seriesId}/{id}/{set_type_id}/{set_id}/{set_id}/{component_combined}
Get Series Manager Component Combined

PATCH /api/print/v1/series/{series_handle}/{seriesId}/{id}/{set_type_id}/{set_id}/{set_id}/{component_combined}
Update Series Manager Component Combined

PUT /api/print/v1/series/{series_handle}/{seriesId}/{id}/{set_type_id}/{set_id}/{set_id}/{component_combined}
Create Series Manager Component Combined

DELETE /api/print/v1/series/{series_handle}/{seriesId}/{id}/{set_type_id}/{set_id}/{set_id}/{component_combined}
Delete Series Manager Component Combined

PrintLink

GET /api/print/v1/printlink/printlinks Get List of Printlinks

POST /api/print/v1/printlink/printlinks Create a Printlink

PATCH /api/print/v1/printlink/printlinks/{printlinkId}/{versionId}
Update Printlink Version

PUT /api/print/v1/printlink/printlinks/{printlinkId}/{versionId}/{versionId}
Create Printlink Version

DELETE /api/print/v1/printlink/printlinks/{printlinkId}/{versionId}/{versionId}
Delete Printlink Version

POST /api/print/v1/printlink/orders
Create an Order for a given printlinkId

PATCH /api/print/v1/printlink/orders/{printlinkId}/{versionId}/{versionId}/{versionId}
Update Printlink Version

PUT /api/print/v1/printlink/orders/{printlinkId}/{versionId}/{versionId}/{versionId}
Create Printlink Version

DELETE /api/print/v1/printlink/orders/{printlinkId}/{versionId}/{versionId}/{versionId}
Delete Printlink Version

Orders

GET /api/print/v1/orders/{orderId} Get Order Details

The endpoint allows clients to retrieve details of an existing `ORDER` by the `orderId` parameter, or error 404 if order is requested by someone else (owner).

Try it out

Parameters

Name	Description
orderId * required string (path)	orderId Example: 1

Response

Code	Description	Links
200	Successful Response Content Type: application/ld+json Example Value | Schema	No links
403	Bad Request Response Content Type: application/ld+json Example Value | Schema	No links
401	Unauthorized Response Content Type: application/ld+json Example Value | Schema	No links
404	Not Found Response Content Type: application/ld+json Example Value | Schema	No links
500	Internal Server Error Response Content Type: application/ld+json Example Value | Schema	No links

```
{
  "data": {
    "id": "/v1/orders/1",
    "type": "orders",
    "attributes": {
      "orderNumber": 1,
      "customerOrderref": "Order_Ref",
      "customer": {
        "id": "/v1/customers/1",
        "type": "customers",
        "attributes": {
          "customerNumber": 1,
          "companyTitle": "Test Company",
          "contactFirstname": "Test",
          "contactLastname": "Tester",
          "contactEmail": "test@test.com",
          "contactPhone": "+44 (0)1162 267 000",
          "contactAddressline1": "Test Address",
          "contactAddressline2": "",
          "contactCity": "Test City",
          "contactPostcode": "TS1",
          "contactCountry": "GB",
          "contactVat": "",
          "contactCompanyNo": "",
          "contactTerms": "",
          "contactPassword": "",
          "contactPasswordHash": "",
          "contactPasswordSalt": "",
          "contactPasswordAlgorithm": "",
          "contactPasswordIterations": "",
          "contactPasswordKeyLength": "",
          "contactPasswordDigestAlgorithm": "",
          "contactPasswordSaltLength": "",
          "contactPasswordCreated": "",
          "contactPasswordExpiry": "",
          "contactPasswordChangeRequired": "",
          "contactPasswordLastLogin": "",
          "contactPasswordLastFailedLogin": "",
          "contactPasswordFailedLoginCount": "",
          "contactPasswordLockedUntil": "",
          "contactPasswordLockedReason": "",
          "contactPasswordLockedBy": "",
          "contactPasswordLockedAt": "",
          "contactPasswordLockedIp": "",
          "contactPasswordLockedUserAgent": "",
          "contactPasswordLocked
```

Authorization
Bearer Token
Value

Example Name Success

```
{
  "status": "SUCCESS",
  "data": {
    "id": "cs_test_a1Ldq0Ln...",
    "object": "checkout.session",
    "adaptive_pricing": {
      "enabled": true
    },
    "after_expiration": {
      "recovery": {
        "allowed": false,
        "enabled": false,
        "expiration": null
      }
    },
    "allow_promotion_codes": false,
    "amount_subtotal": 2000,
    "amount_total": 2000,
    "automatic_tax": {
      "enabled": false,
      "liability": null,
      "status": null
    },
    "billing_address_collection": null,
    "cancel_url": "https://example.com/cancel",
    "client_reference_id": null,
    "client_secret": null,
    "consent": null,
    "consent_collection": null,
    "currency": "usd",
    "currency_conversion": null,
    "custom_fields": [],
    "custom_text": {
      "after_submit": null,
      "shipping_address": null,
      "submit": null,
      "terms_of_service_acceptance": null
    },
    "customer": null,
    "customer_creation": "if_required",
    "customer_details": null,
    "customer_email": null,
    "discounts": null,
    "expires_at": 1774...,
    "invoice": null,
    "invoice_creation": null,
    "livemode": false,
    "locale": null,
    "metadata": {},
    "mode": "payment",
    "payment_method_collection": null,
    "payment_method_configuration_details": null,
    "payment_method_options": null,
    "payment_method_types": [
      "card",
      "link"
    ],
    "payment_status": "unpaid",
    "phone_number_collection": null,
    "recovery": null,
    "redirect_to_checkout": null,
    "saved_payment_method_options": null,
    "setup_intent": null,
    "shipping_address_collection": null,
    "shipping_cost": null,
    "shipping_options": [],
    "submit_type": null,
    "subscription": null,
    "success_url": "https://example.com/success",
    "total_details": null,
    "ui_mode": null,
    "url": null
  }
}
```

403 Stoplight - Status changes not allowed

Authorization
application/json
Example Name Forbidden

```
{
  "status": "FORBIDDEN",
  "data": null,
  "error": "Not Allowed",
  "message": "Invalid request payload"
}
```

404 Order Not Found

Authorization
application/json
Example Name Forbidden

```
{
  "status": "Order Not Found"
}
```

500 Internal Server Error

Authorization
application/json
Example Name Internal Server Error

```
{
  "status": "Internal server error occurred"
}
```

POST /api/public/orders/{order-id}/cancel Cancel Order Intents

This endpoint allows clients to cancel an existing order. If the order is already in a `CANCELED` or `FAILED` state, it is not allowed to proceed. A valid JWT token is required to access this endpoint.

Try It Out

Parameters

Name	Description
order-id * required string (path)	order-id

Response

Code	Description	Links
200	Success Authorization application/json Example Name Success	No links

```
{
  "status": "SUCCESS",
  "data": {
    "id": "cs_test_a1Ldq0Ln...",
    "object": "checkout.session",
    "adaptive_pricing": {
      "enabled": true
    },
    "after_expiration": {
      "recovery": {
        "allowed": false,
        "enabled": false,
        "expiration": null
      }
    },
    "allow_promotion_codes": false,
    "amount_subtotal": 2000,
    "amount_total": 2000,
    "automatic_tax": {
      "enabled": false,
      "liability": null,
      "status": null
    },
    "billing_address_collection": null,
    "cancel_url": "https://example.com/cancel",
    "client_reference_id": null,
    "client_secret": null,
    "consent": null,
    "consent_collection": null,
    "currency": "usd",
    "currency_conversion": null,
    "custom_fields": [],
    "custom_text": {
      "after_submit": null,
      "shipping_address": null,
      "submit": null,
      "terms_of_service_acceptance": null
    },
    "customer": null,
    "customer_creation": "if_required",
    "customer_details": null,
    "customer_email": null,
    "discounts": null,
    "expires_at": 1774...,
    "invoice": null,
    "invoice_creation": null,
    "livemode": false,
    "locale": null,
    "metadata": {},
    "mode": "payment",
    "payment_method_collection": null,
    "payment_method_configuration_details": null,
    "payment_method_options": null,
    "payment_method_types": [
      "card",
      "link"
    ],
    "payment_status": "unpaid",
    "phone_number_collection": null,
    "recovery": null,
    "redirect_to_checkout": null,
    "saved_payment_method_options": null,
    "setup_intent": null,
    "shipping_address_collection": null,
    "shipping_cost": null,
    "shipping_options": [],
    "submit_type": null,
    "subscription": null,
    "success_url": "https://example.com/success",
    "total_details": null,
    "ui_mode": null,
    "url": null
  }
}
```

403 Stoplight - Status changes not allowed

Authorization
application/json
Example Name Forbidden

```
{
  "status": "FORBIDDEN",
  "data": null,
  "error": "Not Allowed",
  "message": "Invalid request payload"
}
```

404 Order Not Found

Authorization
application/json
Example Name Order Not Found

```
{
  "status": "Order Not Found"
}
```

500 Internal Server Error

Authorization
application/json
Example Name Internal Server Error

```
{
  "status": "Internal server error occurred"
}
```

PATCH /api/public/orders/{order-id}/items/{item-id} Update Order Item Intents Quantity

This endpoint allows clients to update an existing item in an order. A valid JWT token is required.

Try It Out

Parameters

Name	Description
order-id * required string (path)	order-id
item-id * required string (path)	item-id
Request Body * required	application/json

Example Value | Schema

```
{
  "quantity": 1,
  "modifiers": [
    {
      "modifier-id": "mod_1",
      "quantity": 1
    }
    {
      "modifier-id": "mod_2",
      "quantity": 1
    }
  ],
  "notes": "",
  "seat": "",
  "course": "",
  "seat-id": "",
  "course-id": ""
}
```

Response

Code	Description	Links
200	Success Authorization application/json Example Name Success	No links

```
{
  "status": "SUCCESS",
  "data": {
    "id": "ord_01HZ0Q0Y7Q0000000000",
    "order-number": 1,
    "order-type": "dine-in",
    "table-number": "T-12",
    "guest-count": 2,
    "customer-name": "",
    "customer-phone": "",
    "customer-email": "",
    "notes": "",
    "items": [
      {
        "id": "ord_01HZ0Q0Y7Q0000000000",
        "menu-item-id": "",
        "name": "",
        "quantity": 1,
        "unit-price": 0,
        "modifiers": [],
        "notes": "",
        "seat": "",
        "course": "",
        "seat-id": "",
        "course-id": ""
      }
    ],
    "subtotal": 0,
    "tax": 0,
    "total": 0,
    "created-at": "2026-03-26T00:00:00Z",
    "updated-at": "2026-03-26T00:00:00Z"
    "closed-at": "2026-03-26T00:00:00Z"
    "cancelled-at": "2026-03-26T00:00:00Z"
    "cancel-reason": "",
    "payment-method": "",
    "payment-status": "",
    "paid-at": "2026-03-26T00:00:00Z"
    "table-id": "",
    "waiter-id": "",
    "waiter-name": "",
    "kitchen-status": "",
    "ready-at": "2026-03-26T00:00:00Z"
    "served-at": "2026-03-26T00:00:00Z"
    "version": 1
  }
}
```

403 Stoplight - Status changes not allowed

Authorization
application/json
Example Name Forbidden

```
{
  "status": "FORBIDDEN",
  "data": null,
  "error": "Not Allowed",
  "message": "Invalid request payload"
}
```

404 Order Not Found

Authorization
application/json
Example Name Order Not Found

```
{
  "status": "Order Not Found"
}
```

500 Internal Server Error

Authorization
application/json
Example Name Internal Server Error

```
{
  "status": "Internal server error occurred"
}
```

DELETE /api/public/orders/{order-id}/items/{item-id} Delete Order Item Intents Quantity

This endpoint allows clients to delete an existing item from an order. The order must be in `active` or `confirmed` status. A valid JWT token is required.

Try It Out

Parameters

Name	Description
order-id * required string (path)	order-id
item-id * required string (path)	item-id

Response

Code	Description	Links
200	Success Authorization application/json Example Name Success	No links

```
{
  "status": "SUCCESS",
  "data": {
    "id": "ord_01HZ0Q0Y7Q0000000000",
    "order-number": 1,
    "order-type": "dine-in",
    "table-number": "T-12",
    "guest-count": 2,
    "customer-name": "",
    "customer-phone": "",
    "customer-email": "",
    "notes": "",
    "items": [
      {
        "id": "ord_01HZ0Q0Y7Q0000000000",
        "menu-item-id": "",
        "name": "",
        "quantity": 1,
        "unit-price": 0,
        "modifiers": [],
        "notes": "",
        "seat": "",
        "course": "",
        "seat-id": "",
        "course-id": ""
      }
    ],
    "subtotal": 0,
    "tax": 0,
    "total": 0,
    "created-at": "2026-03-26T00:00:00Z",
    "updated-at": "2026-03-26T00:00:00Z"
    "closed-at": "2026-03-26T00:00:00Z"
    "cancelled-at": "2026-03-26T00:00:00Z"
    "cancel-reason": "",
    "payment-method": "",
    "payment-status": "",
    "paid-at": "2026-03-26T00:00:00Z"
    "table-id": "",
    "waiter-id": "",
    "waiter-name": "",
    "kitchen-status": "",
    "ready-at": "2026-03-26T00:00:00Z"
    "served-at": "2026-03-26T00:00:00Z"
    "version": 1
  }
}
```

403 Stoplight - Status changes not allowed

Authorization
application/json
Example Name Forbidden

```
{
  "status": "FORBIDDEN",
  "data": null,
  "error": "Not Allowed",
  "message": "Invalid request payload"
}
```

404 Order or Item Not Found

Authorization
application/json
Example Name Order Not Found

```
{
  "status": "Order Not Found"
}
```

500 Internal Server Error

Authorization
application/json
Example Name Internal Server Error

```
{
  "status": "Internal server error occurred"
}
```

Mailing Lists

- **GET** /api/public/mailing-lists Get Mailing List Summaries
- **POST** /api/public/mailing-lists/{mailing-list-id} Add Mailing List To Set
- **PUT** /api/public/mailing-lists Create Mailing List
- **DELETE** /api/public/mailing-lists/{mailing-list-id} Delete Mailing List
- **GET** /api/public/mailing-lists/{mailing-list-id} Get Mailing List By Id
- **GET** /api/public/mailing-lists/{mailing-list-id}/subscribers Get Mailing List Subscribers
- **PUT** /api/public/mailing-lists/{mailing-list-id} Update Mailing List
- **DELETE** /api/public/mailing-lists/{mailing-list-id}/subscribers/{email} Remove Subscriber From Mailing List
- **PATCH** /api/public/mailing-lists/{mailing-list-id}/subscribers/{email} Update Subscriber Mailing List
- **PATCH** /api/public/mailing-lists/{mailing-list-id} Update Mailing List

Offers

- **POST** /api/public/offers Get Price Effect For A Given Specification

Cart

- **POST** /api/public/carts/items Add Item to cart

Users

- **GET** /api/user/follows Client JWT Token Using Basicauth
- **GET** /api/public/user Get User Detailed
- **GET** /api/public/user/queries Get User Queries
- **GET** /api/public/user/orders Get User Orders
- **GET** /api/public/user/invoices Get User Invoices

Products

- **GET** /api/public/products/{product-id} Get All Products Endpoint
- **GET** /api/public/products/metadata/{product-id}/{customfield} Get Product Metadata Endpoint

Catalogue

- **GET** /api/public/catalogue Get Catalogue Endpoint

Schemas

- PublicationStatus enum
- PublicationStatus1 enum
- AmazonSoftwareCategory enum
- AuthorId integer
- CreatePublicationRequestDto object
- MailingLists enum
- PriceUnit enum
- PublicationCategory enum
- PublicationMediaDto object
- PublicationpublicationMediaDtoArray object
- SyndicationSummary1 enum
- MailingLists enum
- MaximumComponent1 long, int64, object
- ComponentId1 integer
- CreateSoftwareDto1 long, int64, object
- CodeUnitDto1 enum
- SoftwareSoftwareComponent1 long, int64, object
- SoftwareComponent1 long, int64, object
- SoftwareSoftwareComponentArray1 long, int64, object
- PartComponent1 long, int64, object
- PartArray1 long, int64, object
- PartialComponent1 long, int64, object
- PartialSoftwareComponent1 long, int64, object
- AuthorPartArray1 long, int64, object
- AmazonPartComponent1 long, int64, object
- AmazonSoftwareComponent1 long, int64, object
- AmazonSoftwareComponentArray1 long, int64, object
- SoftwareDto1 object
- SoftwareSoftwareMediaDtoArray1 object
- CreateSoftwareMediaRequestDto1 object
- CreateSoftwareMediaRequestDtoArray1 object
- UpdateSoftwareMediaRequestDto1 object
- UpdateSoftwareMediaRequestDtoArray1 object
- SoftwareVersionDto1 object
- SoftwareSoftwareVersionDtoArray1 object
- CreateSoftwareVersionRequestDto1 object
- CreateSoftwareVersionRequestDtoArray1 object
- UpdateSoftwareVersionRequestDto1 object
- UpdateSoftwareVersionRequestDtoArray1 object
- SoftwareTechnology1 object
- SoftwareTechnologyArray1 object
- CreateSoftwareTechnologyRequestDto1 object
- CreateSoftwareTechnologyRequestDtoArray1 object
- UpdateSoftwareTechnologyRequestDto1 object
- UpdateSoftwareTechnologyRequestDtoArray1 object
- SoftwareSoftwareCategoryDto1 object
- SoftwareSoftwareCategoryDtoArray1 object
- CreateSoftwareCategoryRequestDto1 object
- CreateSoftwareCategoryRequestDtoArray1 object
- UpdateSoftwareCategoryRequestDto1 object
- UpdateSoftwareCategoryRequestDtoArray1 object
- SoftwareSoftwareCategoryDtoArray2 object
- CreateSoftwareCategoryRequestDto2 object
- CreateSoftwareCategoryRequestDtoArray2 object
- UpdateSoftwareCategoryRequestDto2 object
- UpdateSoftwareCategoryRequestDtoArray2 object
- SoftwareSoftwareCategoryDtoArray3 object
- CreateSoftwareCategoryRequestDto3 object
- CreateSoftwareCategoryRequestDtoArray3 object
- UpdateSoftwareCategoryRequestDto3 object
- UpdateSoftwareCategoryRequestDtoArray3 object
-

BindingColourOption > Expand all object

BindingEdgeMetadata > Expand all object

BindingTypeOption > Expand all object

BoundMetadata > Expand all object

Capacity > Expand all object

ColoursMetadata > Expand all object

ColoursOption > Expand all object

ComponentRequirement > Expand all object

CopiesMetadata > Expand all object

CustomSizeMetadata > Expand all object

EndPaperMetadata > Expand all object

FlapMetadata > Expand all object

FlapWidthOption > Expand all object

FoilingMetadata > Expand all object

FoilingOption > Expand all object

FoldingOptions > Expand all object

FrameDepthOption > Expand all object

FramedMetadata > Expand all object

GetProductMetadataResponse > Expand all object

HeadAndTailBandMetadata > Expand all object

LaminationMetadata > Expand all object

LaminationOption > Expand all object

PageCountMetadata > Expand all object

PreDrilledHoleOption > Expand all object

PreDrilledHolesMetadata > Expand all object

ProductMetadata > Expand all object

PublicationMetadata > Expand all object

RibbonMetadata > Expand all object

ShapeOption > Expand all object

ShrinkWrapMetadata > Expand all object

ShrinkWrapOption > Expand all object

SimpleFoldOption > Expand all object

StandardSizeMetadata > Expand all object

SubstrateColourMetadata > Expand all object

SubstrateDesignMetadata > Expand all object

SubstrateTypeMetadata > Expand all object

SubstrateWeightMetadata > Expand all object

GetPublicationsResponse > Expand all object

GetOrderResponse > Expand all object

MailingListSummary > Expand all object

MailingList > Expand all object

Dimension > Expand all object

GetCatalogueResponse > Expand all object



Seeing (and feeling) is believing

Order a Free Sample Pack →

Get double points on your first order when you sign up for an account

Create an Account

© 2003 - 2026, Mixam UK Limited. All rights reserved.

PayPal stripe Pay